



Sup

EPA Contract No. 68-01-3994

SECOND INTERIM REPORT

April 1978

APPENDIX II

Submerged Aquatic Vegetation

Completed Report

Chesapeake Research Consortium, Incorporated

prepared by

Virginia Institute of Marine Science

Center for Environmental and Estuarine Studies,

University of Maryland

Chesapeake Research Consortium, Incorporated

Virginia Institute of Marine Science	<i>The Johns Hopkins University</i>
Director's Office, Maury Hall	<i>University of Maryland</i>
Gloucester Point, Virginia 23062	<i>Smithsonian Institution</i>
(804) 642-2111, Extension 10	<i>Virginia Institute of Marine Science</i>



CHESAPEAKE BAY BASELINE DATA ACQUISITION

SUBMERGED AQUATIC VEGETATION REPORT

Contract No. 68-01-3994

between

U.S. Environmental Protection Agency

and

Chesapeake Research Consortium, Incorporated

3 April 1978

Chesapeake Research Consortium, Incorporated

Virginia Institute of Marine Science	<i>The Johns Hopkins University</i>
Director's Office, Maury Hall	<i>University of Maryland</i>
Gloucester Point, Virginia 23062	<i>Smithsonian Institution</i>
(804) 642-2111, Extension 10	<i>Virginia Institute of Marine Science</i>

ANNEX I

Directory of Research Activities

Submerged Aquatic Vegetation

The "Directory of Research Activities" contains a listing of researchers who have worked on submerged aquatic vegetation, their affiliations, and their research activities arranged alphabetically by researcher. The names listed include those applicable to the Chesapeake Bay, the Eastern and Gulf coasts and other national and international estuarine areas. Almost 100 individuals and their activities have been identified. The information was compiled from interviews with researchers, the scientific literature, data files and organizations.

ANNEX I

Directory of Research Activities Submerged Aquatic Vegetation

Altaway, D. H. State Geological Survey, University of Kansas	Normal alkanes of five coastal spermatophytes - Gulf of Mexico.
Anderson, M. G. Delta Waterfowl Research Station, Portage La Prairie, Manitoba, Canada	Submerged aquatic vascular plant distribution, production and waterfowl utilization - Canada.
Anderson, R. R. American University	Primary production and distribution of submerged aquatic vegetation - Chincoteague and Chesapeake Bays, Patuxent River, Maryland.
Back, S. D. Allegheny College	Plant detritus export from <i>Zostera marina</i> beds - Beaufort, N. C.
Bailey, G. W. EPA Laboratory, Athens, Georgia	Herbicide and pesticide runoff from coastal plain soil types.
Barsdate, R. J. University of Alaska	Lagoon contributions to sediments and water - Bering Sea.
Bean, G. A. University of Maryland	Lake Venice Disease of <i>Myriophyllum spicatum</i> - Rhode River, Maryland.
Birch, W. R. James Cook University of North Queensland, Australia	Tropical marine angio - sperms (<i>Zostera</i>) - Queensland.
Blackburn, R. D. U. S. Department of Agriculture, Aquatic Weeds Research Laboratory, Fort Lauderdale, Florida	Physiology and chemical control of aquatic weeds.
Bonnet-Gravier, N. Station Marine d'Endoume, Marseille, France	Epiphytes on Phanerogames - N.W. of Madagascar.
Boynton, W. Chesapeake Bay Laboratory, University of Maryland	Food chain dynamics and ecosystems modeling of submerged aquatic communities.

Bridges, K. W.
University of Hawaii

Systematic ecology.

Burrell, D. C.
University of Alaska

Seagrass ecosystem
oceanography.

Camp, D. K.
Florida Department of Natural
Resources, St. Petersburg

Overgrazing of seagrasses by a
regular urchine, *Lytechinus*
variegatus - Florida Gulf Coast.

Chabreck, R. H.
Office of Biological Services,
Department of the Interior

Effects of hurricane Camille
on marshes - Mississippi River.

Chapman, V. J.
University of Auckland,
Auckland, New Zealand

Biology of excessive weed growth
in hydro-electric lakes.

Churchill, A. C.
Cornell University

Transplanting *Zostera marina* for
sediment stabilization.

Clark, L. J.
Annapolis Field Office,
Environmental Protection Agency

Nutrients - upper Chesapeake Bay.

Clayton, J. S.
University of Auckland,
Auckland, New Zealand

Distribution of freshwater
aquatic vascular plants.

Corbett, M. K.
University of Maryland

Viruses of aquatic plants -
Chesapeake Bay.

Correll, D. L.
Chesapeake Bay Center for
Environmental Studies,
Smithsonian Institution

Rural non-point pollution studies
including herbicides, sediments,
phytoplankton, submerged aquatic
vegetation - Rhode and Choptank
Rivers, Poplar Islands, Maryland.

Davis, G.
East Carolina University

Submerged macrophytes - Pamlico
River Estuary, N. C.

Decell, J. L.
U. S. Army, Waterways
Experiment Station,
Vicksburg, Mississippi

Aquatic plant management -
Florida, Georgia, Texas,
Louisiana.

Den Hartog, C.
Catholic University,
Nijmegen, The Netherlands

Structure, function and classification
in seagrass communities.

Dillon, C. R. Clemson University	Primary productivity of phytoplankton and macrobenthic plants.
Duncan, W. H. University of Georgia	Aquatic plants - S. E. United States, Atlantic and Gulf Coasts.
Fauchald, K. University of Southern California	Surf grass habitat as a nursery for juvenile spiny lobsters - California.
Felger, R. Environmental Research Laboratory, University of Arizona	Nutritional value of <i>Zostera</i> <i>marina</i> - Gulf of California.
Fenchel, T. University of Aarhus, Aarhus, Denmark	Aspects of the decomposition of seagrasses.
Fenwick, G. M. Johns Hopkins University	Survey of submerged aquatic vegetation in Eastern Bay and adjacent tributaries - Chesapeake Bay.
Felmer, D. A. Washington, D. C. Office, Environmental Protection Agency	Primary productivity - Chesapeake Bay.
Freeman, T. E. Institute of Food and Agricultural Science, State University of Florida System, Gainesville	Biological control of water weeds with plant pathogens.
Goering, J. J. University of Alaska	Nitrogen fixation by epiphytes on seagrasses - Redfish Bay, Texas.
Gravier, N. - see Bonnet-Gravier	
Harrison, P. G. Dalhousie University, Halifax, Nova Scotia	<i>Zostera marina</i> seasonal cycle of growth and decay - Atlantic Coast of Canada.
Hartog, C. - see Den Hartog	
Hentges, J. F. Agricultural Experiment Station, State University of Florida System, Gainesville	Processed aquatic plants for animal nutrition.

Higman, D.
Chesapeake Bay Center for
Environmental Studies,
Smithsonian Institution

Howarth, R. W.
Woods Hole Oceanographic
Institution

Iverson, R. L.
Florida State University

Jupp, B. P.
The University,
St. Andrews, Scotland

Kant, S.
University of Jammu,
India

Kelly, J. A., Jr.
National Marine Fisheries
Service Biological Laboratory,
St. Petersburg Beach, Florida

Kemp, W. M.
Center for Environmental and
Estuarine Studies, Horn Point,
University of Maryland

Kerwin, J. A.
New Orleans Office,
Bureau of Land Management

Kikuchi, T.
Kyushu University,
Amakusa, Kumamoto-ken,
Japan

Kirkman, H.
CSIRO, Division of
Fisheries, Deception Bay,
Queensland, Australia

Klug, M. J.
Michigan State University

Labus, B. C.
Ravensburg - Bavendorf
Schuhmacherof, West Germany

Emergent vascular plants in
wetlands - Chesapeake Bay.

Structure and function of salt
marsh ecosystems, role of
vascular plants in estuaries.

Primary productivity studies in
seagrass ecosystems.

Limitations of macrophytes
(*Potamogeton*) in a eutrophic
lake - Lock Leven, Scotland.

Limnology, ecology of aquatic
macrophytes, productivity of
inland waters through plankton.

Transplanting and survival of
Thalassia testudinum - Florida.

Food chain dynamics and ecosystem
modeling of submerged aquatic
vegetation.

Distribution and abundance of
aquatic vegetation - upper
Chesapeake Bay.

Consumer ecology of seagrass beds.

Seagrass communities -
Stradbroke Island, Australia.

Decomposition of dissolved and
particulate organic detritus in
seagrass ecosystems.

Influence of borates and detergents
on submerged macrophytes.

Larkum, A. W. D.
Cornell University

Ledoyer, M.
Station Marine d'Endoume,
Marseille, France

Lipkin, Y.
Tel Aviv University,
Tel Aviv, Israel

Lippson, A. J.
Martin Marietta Corporation

Lipschultz, F.
University of Maryland

Lot-Helgueras, A.
Universidad Nacional Autónoma
de México, Mexico 20 D.F.,
Mexico

Marsh, G. A.
Florida Atlantic University

Marshall, N.
University of Rhode Island

McMillan, C.
University of Texas

McNabb, C. D.
Michigan State University

McRoy, C. P.
University of Alaska

Menzie, C.
E. G. and G. Company,
Waltham, Massachusetts

Munro, R. E.
Patuxent Research Center,
U. S. Fish and Wildlife Service

Nixon, S. W.
University of Rhode Island

Odum, W. E.
University of Virginia

Seagrass communities - Australia.

Seagrasses - Mediterranean and
Madagasscar.

Seagrass vegetation - Israel and
Sinai.

Natural resources - Chesapeake Bay,
Maryland.

Nitrogen fixation of epibenthic
communities associated with sea-
grasses.

Seagrass ecosystems - Mexico.

Epifauna of *Zostera marina* -
York River, Virginia.

Food transfer through lower
trophic levels of the benthic
environment - New England Coast.

Environmental tolerances, production
ecology and physiology of seagrasses.

Evaluation of herbicides on aquatic
plants.

Process succession, nutrients and
physiology of seagrasses.

Myriophyllum - Hudson River,
New York.

Distribution and abundance of
submerged aquatic vegetation -
upper Chesapeake Bay.

Metabolism of *Zostera marina*.

Aquatic plants.

Ogden, J. C. Fairleigh Dickinson University	Seagrass food web study - Caribbean.
Orth, R. J. Virginia Institute of Marine Science	Submerged aquatic vegetation - Chesapeake Bay, Virginia.
Parker, P. L. University of Texas	Stable carbon isotope ratios of food webs and biogeochemical cycles in seagrass ecosystems.
Peres, J. M. Station Marine d'Endoume, Marseilles, France	Consumer ecology of seagrass beds.
Peverly, J. H. Cornell University	Productivity, management and ecology of aquatic vascular plants.
Phillips, R. C. Seattle Pacific College	Phenology, ecology and transplanting of <i>Zostera marina</i> - Puget Sound, Washington.
Queen, W. H. East Carolina University	Ecology of halophytes.
Rasmussen, E. University of Copenhagen, Copenhagen, Denmark	Systematics, ecology and wasting disease of <i>Zostera marina</i> .
Rawls, C. K. Chesapeake Biological Laboratory, University of Maryland	<i>Myriophyllum spicatum</i> as a waterfowl food source and its control by herbicides - Chesapeake Bay, Maryland.
Reynolds, S. C. P. and J. D. University of Victoria, Victoria, B. C., Canada	Distribution of aquatic angiosperms in saline waters.
Roddy, L. R. Southern University A&M College	Effects on productivity of crayfish in pond habitats.
Sand-Jensen, K. University of Copenhagen, Copenhagen, Denmark	Growth dynamics in <i>Zostera marina</i> populations - Denmark.
Shea, G. B. Consultant, Bothell, Washington	Ultraviolet radiation on salt marsh ecosystems.

Shepard, S. A.
Department of Fisheries and
Fauna Conservation,
Adelaide, Australia

Shirley, R. L.
Agricultural Experiment Station,
State University of Florida
System, Gainesville

Sieburth, J. M.
University of Rhode Island

Southwick, C. H.
Johns Hopkins University

Stevenson, J. C.
Center for Environmental and
Estuarine Studies, Horn Point,
University of Maryland

Steward, K. K.
U. S. Department of Agriculture,
Aquatic Weeds Research Laboratory,
Fort Lauderdale, Florida

Stotts, V. D.
Maryland Department of Natural
Resources, Annapolis

Suchova, H.
Slovak Academy of Science,
Czechoslovakia

Taylor, B. F.
University of Miami, Florida

Thayer, G. W.
National Marine Fisheries Service
Fisheries Laboratory, Beaufort,
N.C.

Thomassin, B. A.
Station Marine d'Endoume,
Marseille, France

Thorhaug, A.
University of Miami, Florida

Surveys of seagrasses - Upper
Spencer Gulf, Australia.

Toxic substances and chemical
composition of water plants.

Fouling on *Zostera marina*.

Surveys of submered aquatic
vegetation - Chesapeake Bay,
Maryland.

Submerged aquatic vegetation,
including taxonomy, distribution
and abundance, biology, inter-
specific relationships, historical
trends, assessment of environmental
factors and management options.

Aquatic plant management.

Distribution and control of
Myriophyllum spicatum by herbicides -
Chesapeake Bay, Maryland.

Ecology of macrophytic aquatic
communities - Danube River.

Nitrogen fixation in seagrass
communities.

Structural and functional aspects
of a *Zostera marina* community.

Seagrass epiflora and epifauna -
Tuléar, Madagascar.

Transplantation and the effect of
energy impacts on a semitrophical
seagrass community.

Unni, K. S.
Government College,
Chhindwara, India

Uotila, P.
University of Helsinki,
Helsinki, Finland

Wester, H.
National Ecological Services
Laboratory, National Park
Service, Washington, D. C.

Wetzel, R. G.
Michigan State University

Wise, E. S.
Christopher Newport College

Wu, T. L.
Chesapeake Bay Center for
Environmental Studies,
Smithsonian Institution

Wujek, D. E.
Central Michigan University

Young, P. C.
Queensland Fisheries Research
Institute, CSIRO, Deception
Bay, Queensland, Australia

Zieman, J. C., Jr.
University of Virginia

Productivity of aquatic vascular
plants, noxious aquatic vegetation.

Taxonomy, ecology, sociology and
distribution of aquatic plants.

Impact of chlorine on submerged
aquatic vegetation - Potomac River,
Maryland.

Decomposition of dissolved and
particulate organic detritus in
seagrass ecosystems.

Submerged aquatic vegetation; wetlands
ecology - Chesapeake Bay, Virginia.

Herbicide studies - Rhode River,
Maryland.

Taxonomy and ecology of aquatic
vascular plants - Michigan, Denmark,
Austria, Switzerland, Germany.

Seagrass communities - Moreton Bay,
Queensland, Australia.

Origin, thermal effluent stress,
ecology and food web study of
seagrasses - Caribbean and Florida.

ANNEX II

Annotated Bibliography of the Chesapeake Bay

Submerged Aquatic Vegetation

This bibliography contains summaries of research projects that have been done on submerged aquatic vegetation between 1948 and 1977. The bibliography is intended to provide key references for Bay researchers and managers.

Accompanying the bibliography is an index which has been developed to provide a quick reference, listing over 125 subjects. Each subject is followed by a number or series of numbers which refer to specific articles in the bibliography.

The bibliography was abstracted chiefly from a report entitled "Summary of Available Information on Chesapeake Bay Submerged Aquatic Vegetation" with J. Court Stevenson as principal investigator (FWS 14-16-008-1255, September 1977, University of Maryland Center for Environmental and Estuarine Studies and Department of Botany).

ANNEX II

Annotated Bibliography of Chesapeake Bay Submerged Aquatic Vegetation

1. Anderson, R.R. 1966. Plant ecology of the upper Patuxent River estuary with special reference to the effect of thermal pollution on macrophytes. Ph.D. thesis. U. Md. 99 pp.

The effects of temperature changes due to effluent from the Potomac Electric Power Company's Chalk Point generating plant were studied from June 1963 to June 1966. *Ruppia maritima* was found to have declined around the effluent canal and *Potamogeton perfoliatus* increased in coverage in the same area.

2. Anderson, R.R. 1969. Temperature and rooted aquatic plants. Ches. Sci. 10(3&4):157-164.

The effects of temperature on respiration and photosynthesis of aquatic plants were studied using a Gilson differential respirometer. An historical review of research and present research by the author is presented.

3. Anderson, R.R. 1970. The submerged vegetation of Chincoteague Bay. Pages 136-155 In Assateague ecological studies. NRI, U. Md. No.446.

Hydrophytes are important to the marine environment because of their soil binding roots, foliage which provides food and shelter for marine fauna, etc. In the Chincoteague Bay area, *Zostera marina* (eelgrass) and *Ruppia maritima* (widgeon grass) are the two dominant submerged aquatic species. A two-year study was conducted with emphasis on (1) type and distribution and (2) evaluation of primary production of species. Recommendations are presented for future dredging operations.

4. Anderson, R.R. 1972. Submerged vascular plants of the Chesapeake Bay and tributaries. Ches. Sci. 13(suppl):S87-S89.

A generalized summation of the present knowledge of submerged aquatic plants of the Chesapeake Bay and its tributaries including taxonomy, distribution and abundance, biology, ecosystems and pollution.

5. Anderson, R.R.; R.G. Brown and R.D. Rappleye. 1965. Mineral composition of Eurasian water milfoil, *Myriophyllum spicatum* L. Ches. Sci. 6(1):68-72.

Material was collected from June 1962 to January 1963 to determine feasibility of milfoil use as a commercial fertilizer. Specimens were collected at water temperatures from 0.2 to 30.0°C, pH values from 5.8 to 9.5 and salinities from 1.07 to 16.4 ppt. Results indicate low N-P-K values that would not be economically feasible for commercial fertilizers.

6. Anderson, R.R., R.G. Brown and R.D. Rappleye. 1968. Water quality and plant distribution along the upper Patuxent River, Maryland. Ches. Sci. 9(3):145-156.

From June 1963 to June 1966, a study was made of the upper Patuxent River, Maryland, to determine the distribution of submerged and emergent aquatic vegetation. The boundary between fresh and saline water was found to be 0.3 ppt. Fluctuations over a 24-hour period reflected biological activity and tidal changes.

7. Anonymous. 1959. Chesapeake, stronghold of blue crab fishery. Nat. Fisherman. 40:13, 30-31.

Maryland supplies 2/3 of the entire U.S. blue crab harvest. The crab industry of Maryland culture including the types, methods of catching and the crab life cycle are briefly discussed.

8. Bayley, S., H. Rabin, and C.H. Southwick. 1968. Recent decline in the distribution and abundance of Eurasian milfoil in Chesapeake Bay. Ches. Sci. 9(3):173-181.

Eurasian water milfoil declined in 1965 to 1967 in Chesapeake Bay. Detailed mapping of milfoil occurrence was done in Middle, Back and Rhode Rivers in July and September of 1966 and 1967. The decline exceeded 95%, and was associated with Northeast Disease and Lake Venice Disease.

9. Bayley, S., V.D. Stotts, P. Springer and J. Steenis. In press. Changes in submerged aquatic macrophyte populations at the head of the Chesapeake Bay, 1958-1975.

Changes due to large inputs of nutrients and silts, man's influence, epidemics and waterfowl population fluctuations are discussed in relation to submerged aquatic vegetation at the head of the Chesapeake Bay. The biological wave phenomena is also considered.

10. Bean, G.A., M. Fusco, W.L. Klarman. 1973. Studies on the "Lake Venice Disease" of Eurasian milfoil in the Chesapeake Bay. Ches. Sci. 14(4):279-280.

Samples of healthy and diseased *Myriophyllum spicatum* were taken from the Rhode River in 1972 to determine the way in which the "Lake Venice Disease" was transmitted and the causal agent. It was shown that the disease was only transmitted under stress from low light intensity and direct inoculation.

11. Beaven, G.F. 1960. Temperature and salinity of surface water at Solomons, Maryland. Ches. Sci. 1(1):2-11.

Daily temperature and salinity values were averaged for a 20-year period, 1938-1957, and compared with other parts of the Chesapeake Bay. Water temperatures varied from 31° to 0.8°C. Seasonal means are: winter 4.3°, spring 11.9°, summer 25.6° and fall 18.2°. Extreme salinity values are 20.4 and 5.4 ppt. Seasonal means are: winter 14.8, spring 11.4, summer 12.3 and fall 15.7.

12. Beaven, G.F., C.K. Rawls and G.E. Beckett. 1962. Field observations upon estuarine animals exposed to 2,4-D. Pages 449-458 In Proc. 16th Northeast Weed Cont. Conf.

A study to determine if 2,4-D used in the control of Eurasian water milfoil is lethal to oysters, crabs, clams and fish. From the data gathered, 2,4-D in attaclay pellets was found to be non-toxic to crabs, toxic in varying degrees to fish and a serious threat to oysters, clams and other bottom organisms.

13. Bellrose, F.C. 1976. Ducks, geese and swans of North America. Stackpole Books, Harrisburg, Pa. 543 pp.

Waterfowl species identification, population status, distribution, breeding and food habits in North America subsequently defined species inhabitation and food sources of Chesapeake Bay.

14. Brady, D.K. 1976. Are the Chesapeake Bay waters warming up? Ches. Sci. 17(3):225-227.

Water temperature records from various stations on the Chesapeake were correlated to determine the possibility of a warming trend. Because of insufficient data no definite trend was indicated. The periodic fluctuations seemed to be random.

15. Chamberlain, E.B., Jr. 1948. Ecological factors influencing the growth and the management of certain waterfowl food plants on Back Bay National Wildlife Refuge. Thirteenth North American Wildlife Conf. pp. 347-356.

Since the early 20th century, waterfowl food plants on Back Bay National Wildlife Refuge have been studied. Factors influencing food plant production are salinity, hydrogen ion concentration, dissolved oxygen, water temperature and turbidity.

16. Clark, L.J., D.K. Donnelly and O. Villa, Jr. 1973. Nutrient enrichment and control requirements in the upper Chesapeake Bay. Summary and conclusions from forthcoming Tech. Rept. 56. EPA-903/9-73-002-a. 92 pp.

Series of conclusions and graphically displayed supportive data relevant to the current eutrophication problem in the upper Chesapeake Bay. Phosphorus and nitrogen from the Susquehanna River Basin and the Baltimore metro area are determined as to maximum allowable loadings.

17. Clark, L.J., V. Guide and T.H. Pfeiffer. 1974. Nutrient transport and accountability in the lower Susquehanna River Basin. Tech. Rept. 60. EPA-903/9-74-014. 91 pp.

One-year comprehensive nutrient study in the lower Susquehanna River Basin to determine: (1) average and seasonal variations in nitrogen and phosphorus loadings, (2) delineation of point and non-point source nutrient contributions, (3) fate of nutrients in impounded areas and (4) seasonal mass balance of nutrient loadings.

18. Correll, D.L., T-L Wu, J.W. Pierce and M.A. Faust, 1977. Rural non-point pollution studies in Maryland. EPA Report Number 904/9-77-001, 361 pp.

Sampling and measurement of herbicide concentrations, suspended sediments, bottom sediments, suspended sediment load, phytoplankton chlorophyll concentrations, salinity, and submerged, rooted aquatic plant populations was carried out in the estuarine waters of the Rhode River, Choptank River and near the Poplar Islands, Chesapeake Bay. Bottom sediment characteristics were observed. Land use studies were also performed.

19. Davis, J. ed. 1974. The effects of tropical storm Agnes on the Chesapeake Bay estuarine system. Rept. for U.S. Army Corps of Engineers, Baltimore. DACW 31-73-C-0189. CRC Publ. No. 34.

Analysis of the effects of Tropical Storm Agnes on the hydrology, geology, water quality, biology and economics of the Chesapeake Bay.

20. Elser, H.J. 1966. Status of aquatic weed problems in Tidewater Maryland, Spring, 1965. W. Va. Pulp Paper Chem. Div., Taste and Odor Control J. 32(8):1-6.
21. Haven, D.S. 1963. Mass treatments with 2,4-D of milfoil in tidal creeks in Virginia. Pages 345-350 In Proc. 16th Southern Weed Cont. Conf.
22. Jaworski, N.A., D.W. Lear, Jr. and O. Villa, Jr. 1972. Nutrient management in the Potomac estuary. Pages 246-269 In Proc. Sym. on Nutrients and Eutrophication.

Because of the discharge of untreated or partially treated wastewater in the upper Potomac estuary of Maryland, water quality has become degraded. Studies beginning in 1965 have led to the formulation of a nutrient management program for this area.

23. Kolessar, M.A. 1967. Aquatic plants in Maryland--a growing menace. Proc. Amer. Soc. of Civil Eng. 93(wv3):1-7.

Because of the increased population surrounding the Chesapeake Bay, the amount of pollutants entering the bay has increased. Some of the pollutants, such as herbicide run-off, add excessive nutrients. Plant populations, especially sea lettuce, water chestnuts and Eurasian water milfoil, have increased to a menacing level. Mechanical, chemical and biological control methods are discussed.

24. Lippson, A.J. ed. 1973. The Chesapeake Bay in Maryland: an atlas of natural resources. Johns Hopkins Univ. Press, Baltimore. 55 pp.

A detailed atlas of the ecological factors affecting the Chesapeake Bay and the marine organisms living in bay waters.

25. Manning, J.H. 1965. The Maryland soft shell clam industry and its effects on tidewater resources. Md. Dept. Research Ed., CBC Rept. No. 11, 25 pp.

A thorough report on the soft shell clam industry including dredging techniques, the history and use of the clam in Maryland and the effects of the hydraulic clam dredge on tidewater resources.

26. Marsh, G.A. 1970. A seasonal study of *Zostera epibiota* in the York River, Virginia. Ph.D. dissertation, College of William and Mary, 155 pp.

The invertebrate macrofauna and epiphytes occurring on *Zostera* in the lower York River, Virginia, were sampled with the aid of SCUBA for 14 consecutive months. A collecting station was located at each of three different depths within a single eelgrass bed. Growth patterns of *Zostera* are discussed.

27. Marsh, G.A. 1973. The *Zostera* epifaunal community in the York River, Virginia. Ches. Sci. 14(2):87-97.

A quantitative description of the species composition, community structure and seasonal changes in the *Zostera* epifauna in a single eelgrass bed in the lower York River, Virginia.

28. Marsh, G.A. 1976. Ecology of the gastropod epifauna of eelgrass in a Virginia estuary. Ches. Sci. 17:182-187.

Eelgrass provides a substrate for a highly diverse epibiotic community. Gastropods are the predominant faunal element. In the York River, Virginia, 10 species of prosobranch gastropods and 13 species of opisthobranch gastropods were found. The structure and species composition were studied.

29. Orth, R.J. 1971. Benthic infauna of eelgrass, *Zostera marina*, beds. M.S. Thesis, U. Va. 79 pp.

The *Zostera* beds in the Chesapeake Bay, York River estuary and Chincoteague Bay, were sampled in March and July to determine the abundance and diversity of the infauna. A total of 117 macroinvertebrate taxa were found and most beds, except at the upper estuary limits, were similar.

30. Orth, R.J. 1973. Benthic infauna of eelgrass, *Zostera marina*, beds. Ches. Sci. 14(4):258-269.

In 1970, 117 macroinvertebrate taxa were collected from core samples of *Zostera marina* from the Chesapeake Bay York River estuary and from Chincoteague Bay. Seasonal differences were noted. The samples taken were compared for faunal dominance, similarity, diversity and composition. The environmental conditions, with emphasis on salinity and sediments were sampled and compared.

31. Orth, R.J. 1975. The role of disturbance in an eelgrass, *Zostera marina*, community. Ph.D. thesis, U. Md.

Eelgrass beds in the Chesapeake Bay were studied to determine: (1) how eelgrass affects community structure of associated infauna, and (2) responses of infauna communities to different levels of natural and artificially induced disturbances.

32. Orth, R.J. 1975. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay. Ches. Sci. 16(3):205-208.

The cownose ray, *Rhinoptera bonasus*, digs deeply into water bottoms to feed on the hard shelled molluscs. The destruction of *Zostera marina* beds is attributed to this digging which up-roots this ecologically important marine plant.

33. Orth, R.J. 1976. The demise and recovery of eelgrass, *Zostera marina*, in the Chesapeake Bay, Virginia. Aquat. Bot. 2:141-159.

From 1971-1974 eelgrass, *Zostera marina*, L. declined 36%. Evidence indicating the loss was drawn from aerial photographs and ground truth reconnaissance. The decline is attributed to the cownose ray, human disturbance and a rise in water temperature.

34. Orth, R.J. 1977. The importance of sediment stability in seagrass communities. Pages 281-300 In B.C. Coull (ed.) Ecology of marine benthos. S. Carolina Press, Columbia.

Dense seagrass beds, such as *Zostera* in the Chesapeake Bay, stabilize sediments, promote diverse and abundant benthic fauna and protect fauna from predation from blue crabs.

35. Orth, R.J. In press. Effect of nutrient enrichment on the growth of eelgrass, *Zostera marina*, in the Chesapeake Bay, Virginia. Mar. Biol.

By adding two commercial fertilizers, *Zostera marina* was shown to be nutrient limited, competitively exclusive of *Ruppia maritima* and growth related to sediment nutrient supply.

36. Orth, R.J. and H. Gordon. 1975. Remote sensing of submerged aquatic vegetation in the lower Chesapeake Bay, Virginia. Final report to National Aeronautics and Space Administration. Contract NASI-10720. 62 pp.

Experimental Kodak water penetration film and black and white near infrared film were used in studying the submerged aquatic vegetation of the lower Chesapeake Bay. Between 1971 and 1974, there was a 36% reduction in the amount of vegetation.

37. Philipp, O.C. and R.G. Brown. 1965. Ecological studies of transition zone vascular plants in South River, Maryland. Ches. Sci. 6(2): 73-81.

Two transition zone areas in the South River, Maryland were studied to determine the distribution of aquatic vascular plants. One area was near the mouth of the river and the other area was at the headwaters.

38. Rawls, C.K. 1965. Field tests of herbicide toxicity to certain estuarine animals. Ches. Sci. 6(3):150-161.

Because of infestations of Eurasian water milfoil in the Chesapeake Bay and its tributaries since 1959, herbicide control with 2,4-D was necessary! Caged blue crabs (*Callinectes sapidus*), eastern oysters (*Crassostrea virginica*), soft shell clams (*Mya arenaria*) and various species were field tested with 2,4-D formulations to determine toxicity levels.

39. Rawls, C.K. 1975. Mechanical control of Eurasian water milfoil in Maryland with and without 2,4-D application. Ches. Sci. 16(4):266-281.

Between the late 1950s and 1964, Eurasian water milfoil increased from a few thousand acres to 200,000 acres. Milfoil grows in a variety of environments and its uses are minimal compared to its negative aspects. The herbicide 2,4-D was found to be effective in controlling milfoil; however, the required dosages could adversely affect the surrounding aquatic life. Because of this danger, smaller applications of 2,4-D plus mowing was recommended.

40. Rawls, C.K. In press. Food habits of waterfowl in the upper Chesapeake Bay, Maryland. 138 pp.

Waterfowl gizzards representing 18 species of geese and ducks from the Chestertown area, Remington Farms and Colton Point were analyzed to determine the value of Eurasian water milfoil (*Myriophyllum spicatum*) as a food source. Out of 2,747 gizzards examined, over 78% of all food eaten was plant material.

41. Rawls, C.K. and G.F. Beaven. 1963. Abstract. Results of a 1962 field experiment subjecting certain estuarine animals to a 2,4-D ester. Pages 343-344 In Proc. 16th Southern Weed Conf.
42. Rawls, C.K. and P. McKee. 1964. Maryland's 1963 program for regulation and evaluation of 2,4-D applications. Pages 306-307 In Proc. 17th Ann. Southern Weed Conf. Jackson, Miss.

Due to increased Eurasian water milfoil infestations in the Chesapeake Bay and its estuaries, the Water Pollution Control Commission approved the use of 2,4-D treatments by individual applicants.

43. Shima, L.J., R.R. Anderson and V.P. Carter. 1976. The use of aerial color infrared photography in mapping the vegetation of a freshwater marsh.

Aerial color infrared photographs taken of a freshwater marsh on the Patuxent River in the spring and fall were correlated with field surveys taken at the same time. Color fluctuations indicated different species, growth and vigor of plants and environmental conditions.

44. Southwick, C.H. 1972. Tentative outline for inventory of aquatic vegetation: *Myriophyllum spicatum* (Eurasian water milfoil). Ches. Sci. 13(suppl):S174-S176.

A brief outline for the future inventory of *Myriophyllum spicatum* emphasizing the description of the species and its ecological habitat.

45. Southwick, C.H. and F.W. Pine. 1975. Abundance of submerged vascular vegetation in the Rhode River from 1966 to 1973. Ches. Sci. 16(1):147-151.

Surveys on the distribution of redhead grass (*Potamogeton perfoliatus*), Eurasian water milfoil (*Myriophyllum spicatum*), widgeon grass (*Ruppia maritima*), horned pondweed (*Zannichellia palustris*), sago pondweed (*Potamogeton pectinatus*), and elodea (*Elodea canadensis*) show irregular declines, disappearances and changes in species dominance from 1966 to 1973.

46. Steenis, J.H., E.W. Ball, V.D. Stotts and C.K. Rawls. 1967. Pest plant control with herbicides. Pages 140-148 In Proc. of the Marsh and Estuary Mgmt. Symp. L.S.U., Baton Rouge.

Herbicides are used in the marine environment to modify plant composition and density for improvement and preservation of the estuarine habitat. Because of the possible effects of the addition of herbicides, they should be screened for the development of control procedures. Their characteristics should be more clearly defined and application rates should be checked.

47. Steenis, J.H. and V.D. Stotts. 1961. Progress report on control of Eurasian water milfoil in Chesapeake Bay. Pages 566-570 In Proc. 15th Ann. Meeting, Northeastern Weed Control Conf., N.Y.

Due to the rapid infestation of Eurasian water milfoil in Chesapeake Bay, silvex and 2,4-D herbicides have been used for control. Studies were conducted to determine how to apply these herbicides in tidal situations without detrimental effects to other marine life.

48. Steenis, J.H. and V.D. Stotts. 1963. Abstract. Progress report on distribution and control of Eurasian water milfoil in the Chesapeake Bay region, 1962. Pages 341-342 In Proc. 16th Southern Weed Conf.

49. Steenis, J.H. and V.D. Stotts. 1965. Tidal dispersal of herbicides for controlling Eurasian water milfoil in the Chesapeake Bay. Pages 507-511 In Proc. 18th Ann. Meeting Southern Weed Conf., Dallas, Texas.

Because Eurasian water milfoil has become a national weed problem, more effective tidal dispersal control is necessary. 2,4-D, currently widely used, is effective. Paraquat and particularly diquat are excellent tidal dispersers, but they are less well understood than 2,4-D.

50. Steenis, J.H., V.D. Stotts and C.R. Gillette. 1962. Observations on distribution and control of Eurasian water milfoil in Chesapeake Bay, 1961. Pages 442-448 In Proc. 16th Ann. Meeting Northeastern Weed Conf. Conf.

Eurasian water milfoil is an adaptable aquatic plant, growing in both fresh and saline waters. Boat surveys were made to determine the extent of infestation. Control of the plant was tested with 2,4-D.

51. Steenis, J.H., V.D. Stotts, D.S. Haven and A.A. Whipp. 1964. Abstract. Developments on control of Eurasian water milfoil in the Chesapeake Bay region, 1963. Pages 321-323 In Proc. 17th Southern Weed Conf.

Although 2,4-D can be used effectively to control the spread of Eurasian water milfoil, the period of application is limited to the last ten days of May and the first week of June in the Chesapeake Bay. Lengthening application period and using water movement for dispersal were considered.

52. Stevenson, J.C. Unpublished. Summary of available information on Chesapeake Bay submerged vegetation. 471 pp.

A comprehensive summation of Chesapeake Bay submerged vegetation including taxonomy, distribution and abundance, biology, inter-specific relationships, historical trends, assessment of environmental factors and management options.

53. Stewart, R.E. 1962. Waterfowl populations in the upper Chesapeake region. U.S. Fish and Wild Serv., Spec. Sci. Rept., Wild. No. 65. 207 pp.

Annual and seasonal variations in the numbers and kinds of waterfowl in 13 major habitat regions of the upper Chesapeake Bay are accounted for from 1953 to 1958. Data from U.S. Bureau of Sport Fisheries and Wildlife aerial waterfowl population counts, observations of breeding, migration, and the gullet and gizzard content analyses of 1,240 specimens defines 15 biogeographic areas.

54. U.S. Army Corps of Engineers, Baltimore District. 1974. Chesapeake Bay, existing conditions report. Vol. 1-7.

Comprehensive investigation of Chesapeake Bay resources for base-line data on present status.

Index to the Bibliography
of Chesapeake Bay
Submerged Aquatic Vegetation

- 2, 4-D
12, 21, 38, 39, 41, 42, 47, 49, 50, 51.
see also: herbicides.
- abundance
see: count.
- aquatic fauna
7, 12, 24, 25, 32, 33, 34, 38, 39, 41, 47, 52.
see also: epifauna, infauna.
- aquatic plants
see: vegetation.
- aquatic weeds
20, 23, 49.
see also: vegetation.
- atlas of natural resources
24, 52, 54.
- Back Bay National Wildlife Refuge
15.
- Back River
8.
- Baltimore
16.
- benefits of *Myriophyllum spicatum*
5, 40.
see also: *Myriophyllum spicatum*.
- benefits of *Zostera marina*
26, 27, 28, 29, 30, 31, 34.
see also: *Zostera marina*.
- biological control
23.
see also: control.
- biological wave
9.
- Ceratophyllum demersum*
52.
see also: submerged aquatic vegetation.

Chara

52.

chemical control

12, 21, 23, 38, 39, 42, 46, 47, 49, 50, 51.

see also: herbicides.

Chincoteague Bay

3, 29, 30.

Choptank River

18.

control of *Myriophyllum spicatum*

12, 21, 23, 38, 39, 42, 47, 48, 49, 50, 51.

see also: herbicides. *Myriophyllum spicatum*.

coontail

see: *Ceratophyllum demersum*.

count of *Myriophyllum spicatum*

8, 23, 42, 44, 45, 52.

see also: count of vegetation. *Myriophyllum spicatum*.

count of vegetation

4, 9, 43, 52.

see also: count of *Myriophyllum spicatum*. vegetation.

diquat

49.

see also: herbicides.

disease

see: Lake Venice Disease. Northeast Disease.

dissolved oxygen

15.

see also: physical factors.

distribution of *Myriophyllum spicatum*

8, 44, 45, 48, 50, 52.

see also: distribution of vegetation. *Myriophyllum spicatum*.

distribution of vegetation

3, 4, 6, 9, 37, 43, 52.

see also: distribution of *Myriophyllum spicatum*. vegetation.

dredging

3, 25.

see also: geology.

ecology

see: water quality.

economics
7, 19.

eelgrass
see: *Zostera marina*.

elodea
see: *Elodea canadensis*.

Elodea canadensis
24, 45, 52.
see also: submerged aquatic vegetation.

emergent aquatic vegetation
6.
see also: vegetation.

epidemics
9.
see also: disease.

epifauna
26, 27, 28.
see also: aquatic fauna.

epiphyte
26.
see also: vegetation.

erosion control
3, 34.
see also: geology.

Eurasian water milfoil
see: *Myriophyllum spicatum*.

eutrophication
16.
see also: nutrients.

fertilizer
5.
see also: benefits of *Myriophyllum spicatum*.

food plants
9, 13, 15, 40, 53.
see also: vegetation. waterfowl.

geology
3, 9, 15, 18, 19, 24, 25, 30, 34, 35.

growth of vegetation
15, 23, 43, 52.
see also: growth of *Zostera marina*. vegetation.

growth of *Zostera marina*

3, 26, 33, 35, 52.

see also: growth of vegetation. *Zostera marina*.

herbicides

18, 23, 46, 52.

see also: 2, 4-D. diquat. paraquat. silvex.

horned pondweed

see: *Zannichellia palustris*.

hornwort

see: *Ceratophyllum demersum*

hurricanes

19.

hydrology

see: water quality.

infauna

29, 30, 31.

see also: aquatic fauna.

interspecific relationships

see: aquatic fauna. epiphyte. waterfowl.

Lake Venice Disease

8, 10.

see also: Northeast Disease.

man's influence

9, 23, 25, 33, 35.

see also: dredging. herbicides. mowing. pollution. power plants.

mapping

8, 9, 24, 36, 43, 52.

see also: distribution. photographs. submerged aquatic vegetation.
vegetation.

marsh vegetation

see: vegetation.

mechanical control

23, 39.

see also: control. mowing.

Middle River

8.

milfoil

see: *Myriophyllum spicatum*.

mineral composition
see: fertilizer.

mortality of *Myriophyllum spicatum*
8, 9, 10, 45.
see also: *Myriophyllum spicatum*.

mortality of *Zostera marina*
32, 33.
see also: *Zostera marina*.

mowing
see: control.

muskgrass
see: *Chara*.

Myriophyllum spicatum
24, 44, 52.
see also: benefits. control. count. distribution. mortality.
submerged aquatic vegetation.

Nitella
52.

nitrogen
5, 16, 17.
see also: nutrients.

Northeast Disease
8.
see also: Lake Venice Disease.

nutrients
9, 16, 17, 22, 23, 35.
see also: eutrophication. nitrogen. phosphorus. potassium.

paraquat
49.
see also: herbicides.

Patuxent River
1, 6, 43.

pH
5, 15.
see also: physical factors.

phosphorus
5, 16, 17.
see also: nutrients.

photographs
33, 36, 43.

photosynthesis
see: vegetation.

physical factors
see: dissolved oxygen. pH. salinity. temperature.

pollution
4, 9, 22, 23.
see also: water quality.

Poplar Islands
18.

Potamogeton pectinatus
24, 45, 52.
see also: submerged aquatic vegetation.

Potamogeton perfoliatus
1, 24, 45, 52.
see also: submerged aquatic vegetation.

potassium
5.
see also: nutrients.

Potomac River
22.

power plants
1.
see also: water quality.

primary production
3, 15, 35.
see also: growth of *Zostera marina*. vegetation.

protection of fauna
see: benefits of *Zostera marina*.

ray
see: mortality of *Zostera marina*.

redhead grass
see: *Potamogeton perfoliatus*.

respiration
see: vegetation.

review articles
2, 4, 24, 52, 54.

Rhode River

8, 10, 18, 45.

Ruppia maritima

1, 3, 24, 35, 45, 52.

see also: submerged aquatic vegetation.

sago pondweed

see: *Potamogeton pectinatus*.

salinity

5, 6, 11, 15, 18, 24, 30

see also: physical factors.

sea lettuce

see: *Ulva lactuca*.

sediment

9, 18, 24, 30, 34.

see also: geology.

silvex

47.

see also: herbicides.

soil binding

see: erosion control.

Solomons, Maryland

11.

South River

37.

stress

10.

see also: mortality of *Myriophyllum spicatum*.

submerged aquatic vegetation

3, 4, 6, 9, 18, 24, 36, 52.

see also: *Ceratophyllum demersum*. *Elodea canadensis*. *Myriophyllum spicatum*. *Potamogeton pectinatus*. *Potamogeton perfoliatus*. *Ruppia maritima*. *Trapa natans*. *Vallisneria spiralis*. *Zannichellia palustris*. *Zostera marina*.

Susquehanna River

16, 17.

taxonomy

3, 4, 44, 52.

temperature

1, 2, 5, 11, 14, 15, 33.

see also: physical factors.

thermal pollution
see: temperature.

Tidewater, Maryland
20.

Tolypellae
52.

toxicity
see: herbicides.

Trapa natans
23, 24.
see also: submerged aquatic vegetation.

turbidity
15, 18, 30, 34.
see also: geology.

Ulva lactuca
23.

U. S. Army Corps of Engineers
54.

Vallisneria americana
52.
see also: submerged aquatic vegetation.

vascular plants
4, 37, 45, 52.
see also: submerged aquatic vegetation. vegetation.

vegetation
1, 2, 6, 13, 15, 20, 23, 24, 26, 37, 39, 43, 46, 47, 52.
see also: aquatic weeds. epiphyte. submerged aquatic vegetation.
vegetation. *Ulva lactuca*.

water chestnut
see: *Trapa natans*.

waterfowl
9, 13, 15, 40, 53.
see also: interspecific relationships.

water milfoil
see: *Myriophyllum spicatum*.

water quality
1, 4, 6, 18, 19, 22, 23, 37, 52.
see also: dissolved oxygen. geology. herbicides. man's influence.
nutrients. pH. pollution. power plants. salinity.
temperature.

waterweed

see: *Elodea canadensis*.

weeds

see: aquatic weeds.

widgeon grass

see: *Ruppia maritima*.

wild celery

see: *Vallisneria americana*.

York River

26, 27, 28, 29, 30.

Zannichellia palustris

24, 45, 52.

see also: submerged aquatic vegetation.

Zostera marina

3, 24, 31, 33, 52.

see also: benefits. growth. mortality. submerged aquatic vegetation.

ANNEX III

Data Files of the Chesapeake Bay

Submerged Aquatic Vegetation

Contents

Part A	Data Files of the Chesapeake Bay	3
	Introduction	4
Section 1	Surveys and Studies	6
1	8
2	16
3	23
4	34
5	55
6	65
Section 2	Aerial Photographs.	91
General	93
Delaware.	96
District of Columbia.	111
Maryland		
Shoreline.	134
Rivers	145
Cities	179
Oceanside.	183
Maryland-Virginia.	187
North Carolina.	203
Pennsylvania.	210
Virginia		
General.	212
Rivers	215
Bay.	237
Oceanside.	246
Section 3	New Files	258
1	260
2	271
3	273
4	276
6	279
Part B	Index to the Data Files of Chesapeake Bay- Listed by Key Word	282

ANNEX III

Part A

Data Files

ENVIRONMENTAL DATA INDEX

THE ENCLOSED LISTING IS A SELECTION OF FILE DESCRIPTIONS FROM THE INDEX SYSTEM. ITS PURPOSE IS TO GUIDE USERS WITH REQUIREMENTS FOR HISTORICAL ENVIRONMENTAL DATA TO HOLDERS OF THESE DATA.

THIS OUTPUT WAS SELECTED FROM THE ENTIRE FILE BASED ON CERTAIN CRITERIA SPECIFIED BY THE USER. THESE CRITERIA ARE REPEATED BELOW:

EDBD

THE OUTPUT IS IN TWO PARTS. FIRST IS A LISTING OF ALL THE EDBD'S SELECTED, PRINTED IN ID NUMBER ORDER. AT THE BACK OF EACH OUTPUT MAY BE A CROSS-INDEX, LISTING SUCH THINGS AS WHICH FILE DESCRIPTIONS DESCRIBE DATA COLLECTED ON EACH PLATFORM TYPE, OR WHICH FILE DESCRIPTIONS HAVE DATA IN EACH GRID LOCATOR. THIS SECTION WILL VARY DEPENDING ON THE REQUIREMENTS OF THE USER. THE ID NUMBER IS IN THE UPPER LEFT CORNER OF EACH FILE DESCRIPTION. THE FOLLOWING IS AN EXPLANATION OF FIELDS ON EACH PAGE.

FILE NAME -- TOP CENTER OF PAGE. IDENTIFIED BY DATA HOLDER. ALSO, TIME RANGE OF DATA COLLECTION.

PROJECTS -- LIST OF PROJECTS UNDER WHICH DATA CONTAINED IN FILES MAY HAVE BEEN COLLECTED.

GENERAL GEOGRAPHIC AREA -- BEGINS WITH CONTINENT OR OCEAN IN WHICH DATA WERE COLLECTED AND DESCRIBES SMALLER AND SMALLER AREAS TO GIVE USER A GENERAL AREA OF DATA COLLECTION.

ABSTRACT -- CONTAINS GENERAL INFORMATION ABOUT WHY THE DATA WERE COLLECTED AND WHERE, METHODS OF ANALYSIS AND PERTINENT CONCLUSIONS.

DATA AVAILABILITY -- CONTAINS RESTRICTIONS ON DATA USE, IF BLANK IT MEANS THERE ARE NO KNOWN RESTRICTIONS.

PLATFORM TYPES -- LIST OF TYPES OF PLATFORMS (IF ANY) USED TO COLLECT DATA.

ARCHIVE MEDIA -- MEDIA ON WHICH DATA ARE STORED AND A ROUGH ESTIMATE OF THE SIZE OF THE FILE.

FUNDING -- ORGANIZATION FUNDING THE DATA COLLECTION (IF KNOWN).

INVENTORY -- WHEN DETAILED INFORMATION ON STATION LOCATIONS, COUNTS OF OBSERVATIONS/SAMPLES, ETC. ARE AVAILABLE, IT WILL BE DENOTED HERE.

PUBLICATIONS -- PUBLICATIONS RESULTING FROM THIS DATA SET (LIST IS SOMETIMES CONDENSED).

CONTACT -- NAME, ADDRESS AND PHONE NUMBER OF PERSON TO CONTACT TO OBTAIN FURTHER INFORMATION OR ACTUAL COPIES OF DATA.

GRID LOCATOR -- A SERIES OF NUMBERS USED TO MAKE GEOGRAPHIC RETRIEVAL POSSIBLE ON A COMPUTER. LATITUDE AND LONGITUDE ARE COMBINED INTO A SINGLE NUMBER. THE WORLD METEOROLOGICAL ORGANIZATION (WMO) CODE IS USED TO IDENTIFY AREAS WHERE DATA WERE COLLECTED. THIS MAY BE A 4,6,8, OR 10 DIGIT NUMBER DEPENDING ON WHETHER THE DATA HOLDER CHOSE TO IDENTIFY AREAS DOWN TO 10-DEGREE SQUARES OF LATITUDE AND LONGITUDE OR TO 1-DEGREE, 10-MINUTE, OR 1-MINUTE SQUARES. FOR A 4-DIGIT GRID LOCATOR THE NUMBERS ARE AS FOLLOWS:

 DIGIT 1 -- QUADRANT OF WORLD: 1=NE, 3=SE, 5=SW, 7=NW.

 DIGIT 2 -- TENS DIGIT OF LATITUDE.

 DIGITS 3/4 -- HUNDREDS AND TENS DIGITS OF LONGITUDE.

THUS 7408 WOULD BE THE 10-DEGREE SQUARE OF WHICH THE POINT 40N AND 080W IS THE LOWER RIGHT HAND CORNER.

FOR A SIX DIGIT NUMBER, DIGITS 5 AND 6 REPRESENT THE UNITS DIGITS OF LATITUDE AND LONGITUDE. THUS 740825 WOULD IDENTIFY THE 1-DEGREE SQUARE OF 42N AND 085W.

WITH AN 8-DIGIT NUMBER, 74082534 REPRESENTS THE SQUARE AT 42-DEGREES, 30-MINUTES NORTH AND 085-DEGREES, 40-MINUTES WEST, OR 10-MINUTE SQUARE.

THE SMALLEST AREA IDENTIFIED IN THE SYSTEM IS A 1-MINUTE SQUARE,
OR A 10-DIGIT GRID LOCATOR (E.G., 7408253415 IS 42-DEGRESS
31-MINUTES NORTH AND 085-DEGRESS, 45-MINUTES WEST).
PARAMETER IDENTIFICATION SECTION -- THIS PORTION OF THE FILE DESCRIPTION
CONTAINS A LIST OF PARAMETERS MEASURED, THE SPHERE IT WAS MEASURED
IN, THE METHODS USED AND THE UNITS OF MEASUREMENT. IN ADDITION,
SUCH INFORMATION AS THE NUMBER OF MEASUREMENTS OF EACH PARAMETER
AND THE FREQUENCY (IF REGULARLY SPACED) ARE REPORTED. A SPECIALIZED INDEX
VOCABULARY IS AVAILABLE DEFINING THE PARAMETER, SPHERE, AND METHOD TERMS
USED.

QUESTIONS CONCERNING THIS OUTPUT SHOULD BE RELAYED TO THE NODC
OCEANOGRAPHIC SERVICES BRANCH (202) 634-7500 OR TO THE DATA INDEX BRANCH
(202) 634-7298.

ANNEX III

Part A

Section 1

Surveys and Studies

Section 1 contains 35 files, 29 of which were initiated prior to January 1, 1973. These files are included because they are trend indicators and in some cases represent the only submerged aquatic vegetation study conducted in a particular location.

Each of these files was carefully examined for its data content and given an arbitrary numerical rating based on the following criteria:

- "1" - 3 files; specific studies of submerged aquatic vegetation.
- "2" - 3 files; general vegetation studies which include submerged aquatic vegetation.
- "3" - 5 files; detailed observations of submerged aquatic vegetation found during faunal and bottom studies.
- "4" - 8 files; general observations of submerged aquatic vegetation found during faunal studies.
- "5" - 4 files; studies of marsh and intertidal areas where submerged aquatic vegetation may be sporadically noted.
- "6" - 12 files; areas near the Chesapeake Bay including oceanside Maryland and Virginia, Delaware, and the northern coast of North Carolina.

ANNEX III

Part A

Section 1

"1"

Specific studies of submerged aquatic vegetation.

PROJECTS:
RHODE RIVER ESTUARY STUDY

GENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER, MIDDLE RIVER, BACK RIVER

ABSTRACT:
AQUATIC VEGETATION STUDY OF THE RHODE RIVER ESTUARY-BIOLOGIC AND ENVIRONMENTAL CONTROL OF EURASIAN MILFOIL. DISTRIBUTION, ABUNDANCE AND SOME STANDING CROP DATA ON: MYRIOPHYLLUM SPICATUM (EURASIAN MILFOIL); POTAMOGETON PERFOLIATUS (REDHEADED GRASS); POTAMOGETON PECTINATUS (SAGO PONDWEED); ZANNICHELLIA PALUSTRIS (HORNED PONDWEED); RUPPIA MARITIMA (WIDGEON GRASS); ELODEA CANADENSIS (ELODEA); VALLISINERIA AMERICANA (WILD CELERY). EVIDENCE OBTAINED OF VIRAL INFECTIONS AND SECONDARY BACTERIAL INFECTIONS IN DISEASED MILFOIL.
(QUARTERLY REPORTS FILED FROM 1968-1972 WITH DEPT NATURAL RESOURCES, MD AND BUREAU OF COMMERCIAL FISHERIES)

DATA AVAILABILITY:

PLATFORM TYPES:
SHIP

ARCHIVE MEDIA:
DATA SHEETS
STUDY FROM 1966-1973; 300 STATIONS; OBSERVED WEEKLY IN SUMMER

FUNDING:
PL 88-309 PROJECT, CONTRACT NO 3-56-R-1

INVENTORY:

PUBLICATIONS:
S BAYLEY, H RABIN, C H SOUTHWICK, 1968 RECENT DECLINE IN THE DISTRIBUTION AND ABUNDANCE OF EURASIAN MILFOIL IN CHESAPEAKE BAY, CHES SCI, V 9 (3): 173-181

CONTACT:
C H SOUTHWICK 301-955-3604
JOHNS HOPKINS UNIVERSITY, DEPT OF PATHOBIOLOGY
615 NORTH WOLFE STREET
BALTIMORE MARYLAND USA 21205

GRID LOCATOR (LAT):
730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	300	STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHL	300	STATIONS	FREQUENTLY THROUGHOUT JUNE-AUGUST PERIOD		
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE	2000	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	SUBMERGED MACROPHYTES

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF BENTHIC PLANTS SPECIES	BOTTOM	BOTTOM RAKING	RELATIVE ABUNDANCE	2000	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	SUBMERGED MACROPHYTES
DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NAME	7	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	SUBMERGED MACROPHYTES
BIOMASS OF BENTHIC PLANTS	BOTTOM	WET WEIGHT	GRAMS	7	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	SUBMERGED MACROPHYTES
BIOMASS OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GRAMS	7	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	SUBMERGED MACROPHYTES
LIGHT INTENSITY	WATER	UPLOOKING PHOTOMETER	MICROAMPS	200	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	
COUNT OF MICROBIOTA	WATER	VISUAL	COLONY COUNTS, TITERS	200	OBS	WEEKLY IN SUMMER	1 TO 4 FEET	BACTERIAL AND VIRAL INFECTIONS OF MILFOIL

DATA COLLECTED: JUNE 1963 TO JUNE 1966

RECEIVED: SEPTEMBER 04, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, PATUXENT RIVER, COASTAL

ABSTRACT:

DESCRIPTION OF MACROPHYTE DISTRIBUTION AND DENSITY IN THE PATUXENT RIVER, MARYLAND PRESENTED RELATIVE TO WATER CHEMISTRY. DATA INCLUDES PHYSICAL AND CHEMICAL PARAMETERS OF WATER, PLANT SPECIES AND ABUNDANCE, WEIGHTS OF PLANTS, AND COMMUNITY PARAMETERS. INTENT OF STUDY WAS DESCRIPTIVE BASELINE DATA AND EVALUATION OF THERMAL POLLUTION ON MACROPHYTES. A SERIES OF 18 STATIONS WERE SAMPLED THROUGHOUT THE STUDY PERIOD.
(PHD THESIS, R. R. ANDERSON, 1966, DEPARTMENT OF BOTANY)

DATA AVAILABILITY:

UNIVERSITY MICROFILMS

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
99 PAGES

FUNDING:

PEPCO - CHAULK POINT POWER STATION

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN 301 454 3011
MCKELDIN LIBRARY
UNIVERSITY OF MARYLAND
COLLEGE PARK MARYLAND USA 20742

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	648	STATIONS			
TIME	EARTH	STATION TIME	YMD	648	STATIONS			
SALINITY	WATER	CONDUCTIVITY	PPT	648	OBS	MONTHLY	SURFACE	
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG C	648	OBS	MONTHLY	SURFACE	
CALCIUM	WATER	EDTA TITRATION	PPM	14	OBS		SURFACE	AT SALT FRONT, VIA METHOD OF PRICE AND PRIDDY

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
MAGNESIUM	WATER	EDTA TITRATION	PPM	14	OBS		SURFACE	
SODIUM	WATER	FLAME SPECTROMETR Y	PPM	14	OBS		SURFACE	BECKMAN UNIT
POTASSIUM	WATER	FLAME SPECTROMETR Y	PPM	14	OBS		SURFACE	BECKMAN UNIT
PH	WATER	COLORIMETRY	PH UNITS	64	OBS		SURFACE	4 STATIONS, 24 HOUR STUDY
TOTAL ALKALINITY	WATER	TITRATION	PPM CaCO3	64	OBS		SURFACE	4 STATIONS, 24 HOUR STUDY
DISSOLVED CARBON DIOXIDE GAS	WATER	TITRATION	PPM CO2	64	OBS		SURFACE	4 STATIONS, 24 HOUR STUDY
DISSOLVED OXYGEN GAS	WATER	TITRATION	PPM	64	OBS		SURFACE	MODIFIED WINKLER
COUNT OF BENTHIC PLANTS	LAND	VISUAL	NUMBER PER SAMPLE	150	OBS			LINE TRANSECTS QUADRAT, AND PLOTS; EMERGENT AND SUBMERGED STRATA
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SAMPLE	150	OBS			LINE TRANSECTS QUADRAT, AND PLOTS; EMERGENT AND SUBMERGED STRATA
SPECIES DETERMINATION OF BENTHIC PLANTS	LAND	KEY	SPECIES PER SAMPLE	150	OBS			LINE TRANSECTS QUADRAT, AND PLOTS; EMERGENT AND SUBMERGED STRATA
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	SPECIES PER SAMPLE	150	OBS			LINE TRANSECTS QUADRAT, AND PLOTS; EMERGENT AND SUBMERGED STRATA
COMMUNITY STRUCTURE ANALYSIS	LAND	CALCULATED	PERCENT COMPOSITION, COMMUNITY TYPES	5	OBS			5 SELECTED STATIONS
COMMUNITY STRUCTURE ANALYSIS	BOTTOM	CALCULATED	PERCENT COMPOSITION, COMMUNITY TYPES	5	OBS			5 SELECTED STATIONS
BIOMASS OF BENTHIC PLANTS	LAND	DRY WEIGHT	GM PER SPECIES PER SQ METER	150	OBS			100 DEG C
BIOMASS OF BENTHIC PLANTS	LAND	CROPPING	GM PER SPECIES PER SQ METER	150	OBS			AIR DRY
BIOMASS OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GM PER SPECIES PER SQ METER	150	OBS			100 DEG C

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
BIOMASS OF BENTHIC PLANTS	BOTTOM	CROPPING	GM PER SPECIES PER SQ METER	150	OBS			AIR DRY

002434

ECOLOGICAL STUDY OF VASCULAR PLANTS IN SOUTH RIVER
DATA COLLECTED: JUNE 1962 TO OCTOBER 1962PAGE 01
RECEIVED: SEPTEMBER 04, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, MARYLAND, SOUTH RIVER, COASTAL

ABSTRACT:

BOTANICAL SURVEY OF VASCULAR PLANTS IN THE SOUTH RIVER, MARYLAND. DATA FILE INCLUDES WATER CHEMISTRY, BOTTOM TYPE, AND PLANTS. DETAILED ANALYSIS OF TRANSITION ZONE. 10 STATIONS SAMPLED WITH SOME 24 HOUR STATION DATA.
(MS THESIS, C. C. PHILIPP, 1963)

DATA AVAILABILITY:

INTERLIBRARY LOAN

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
55 PAGES

FUNDING:

UNIVERSITY OF MARYLAND

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN 301 454 3011
MCKELDIN LIBRARY
UNIVERSITY OF MARYLAND
COLLEGE PARK MARYLAND USA 20742

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	10	STATIONS			
TIME	EARTH	STATION TIME	YMDHL	10	STATIONS			
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG C	12	OBS		SURFACE	24 HOUR STATION 1 AUG
SALINITY	WATER	CONDUCTIVITY	PPT	25	OBS		SURFACE	
PH	WATER	SPECIFIC ION ELECTRODE	PH UNITS	12	OBS		SURFACE	BECKMAN MODEL 180
CURRENT DIRECTION	WATER	DRIFT DEVICE	DEGREES	24	OBS			24 HOUR STATION 1 AUG
CURRENT SPEED	WATER	DRIFT DEVICE	FT/SEC	24	OBS			24 HOUR STATION 1 AUG
LIGHT EXTINCTION	WATER	RADIOMETER	PERCENT	48	OBS		6 INCH DEPTH	WHITNEY

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
CALCIUM	WATER	LOWERING FLAME SPECTROMETR	INCIDENT PPM	5	OBS			PHOTOCELL
POTASSIUM	WATER	Y FLAME SPECTROMETR	PPM	5	OBS			
SODIUM	WATER	Y FLAME SPECTROMETR	PPM	5	OBS			
CHLORIDE	WATER	Y TITRATION	PPM	5	OBS			
WATER LEVEL	WATER	VISUAL	INCHES	24	OBS	2 HOUR INTERVAL		24 HOUR STATION 1 AUG
DEPTH	WATER	WIRE LENGTH	FEET	8	OBS		BOTTOM	
BOTTOM TYPE	BOTTOM	VISUAL	USCGS CLASSES	4	OBS			
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	SPECIES PER TRANSECT	4	OBS			TRANSECTS IN TWO AREAS
COMMUNITY STRUCTURE ANALYSIS	BOTTOM	CALCULATED	PLANT POSITION RELATIVE TO TIDE LEVEL	208	OBS			52 SPECIES OF PLANTS PLACED IN ONE OF 4 ELEVATION CATEGORIES

ANNEX III

Part A

Section 1

"2"

General vegetation studies which include
submerged aquatic vegetation.

007477

SPOILED WETLANDS RECOVERY STUDY
DATA COLLECTED: JANUARY 1972 TO PRESENTPAGE 01
RECEIVED: NOVEMBER 23, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, COASTAL PLAIN, U.S., MARYLAND, QUEEN ANN COUNTY

ABSTRACT:

A STUDY OF VEGETATIVE REHABILITATION OF THREE DISTURBED MARSHES IN QUEEN ANN COUNTY, MARYLAND IS BEING CONDUCTED. ALL SUBMERGENT AND EMERGENT PLANTS TO 3 FOOT WATER DEPTH AT THREE DISTURBED AREAS, AND 52 STATIONS PER DISTURBED AREA ARE BEING STUDIED. SAMPLES ARE TAKEN EARLY AND LATE SUMMER.

DATA AVAILABILITY:

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

DATA SHEETS
ONE NOTEBOOK

FUNDING:

MD DEPT OF NATURAL RESOURCES

INVENTORY:

PUBLICATIONS:

CONTACT:

JAMES R. GOLDBERRY, DIRECTOR 301 267 5195
MARYLAND WILDLIFE ADMINISTRATION, DEPARTMENT OF NATURAL RESOURCES
TAWES STATE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

7307960200

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	3	STATIONS			
TIME	EARTH	STATION TIME	YMD	3	STATIONS	TWICE/YEAR		
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY		3	STATIONS	TWICE/YEAR		
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER/SPECIES AND RELATIVE DENSITY	3	STATIONS	TWICE/YEAR		
BOTTOM TYPE	BOTTOM	VISUAL		3	STATIONS	TWICE/YEAR		DESCRIPTION OF BOTTOM CHARACTER AS

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
							FIRM OR MUCK AND DEPTH OF MUCK

007479

MARSH AND CREEK VEGETATION SURVEY
DATA COLLECTED: JULY 1975 TO PRESENTPAGE 01
RECEIVED: NOVEMBER 23, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, COASTAL PLAIN, U.S., MARYLAND, QUEEN ANN COUNTY

ABSTRACT:

A SURVEY OF THE MARSH AND CREEK VEGETATION OF QUEEN ANN COUNTY, BAY SIDE OF EASTERN SHORE, MARYLAND IS BEING CONDUCTED. ALL PLANTS FROM THE HIGH MARSH EMERGENT TO AQUATIC SUBMERGENT OF CREEKS FROM HEAD WATER TO MOUTH ARE NOTED. 7 MARSH TRANSECTS WITH 5 STATIONS EACH, AND 14 CREEK TRANSECTS WITH 6 STATIONS EACH ARE MEASURED.

DATA AVAILABILITY:

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

DATA SHEETS
ONE NOTEBOOKS

FUNDING:

MD DEPT OF NATURAL RESOURCES

INVENTORY:

PUBLICATIONS:

CONTACT:

JAMES R. GOLDBERRY, DIRECTOR 301 267 5195
MARYLAND WILDLIFE ADMINISTRATION, DEPARTMENT OF NATURAL RESOURCES
TAWES STATE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

7307960200

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	11	STATIONS			
TIME	EARTH	STATION TIME	YMD	11	STATIONS			
SPECIES DETERMINATION OF BENTHIC PLANTS	LAND	KEY		11	STATIONS			
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY		11	STATIONS			
COUNT OF BENTHIC PLANTS	LAND	VISUAL	SPECIES ABUNDANCE AND	11	STATIONS			

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE SPECIES ABUNDANCE AND RELATIVE ABUNDANCE	11	STATIONS		

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND SUSQUEHANNA FLATS

ABSTRACT:

EXTENSIVE SURVEY OF VEGETATION PRESENT ON THE SUSQUEHANNA FLATS. DATA FROM 1957 TO PRESENT, INCLUDES DEPTH, SALINITY, SECCHI READING, PLANT SPECIES LISTS, PLANT RELATIVE ABUNDANCE, BENTHIC ANIMAL SPECIES LISTS. DATA BASE FOR WATERFOWL FORAGE AVAILABILITY. SEASONALITY OF VEGETATION.
(PITTMAN-ROBERTSON PROJECT THROUGH BSFWL; MS SUSAN BAILEY AT UNIV FLORIDA IN GAINESVILLE IS ANALYZING DATA)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS
1.5 CUBIC FEET OF DATA SHEETS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS 301-267-5195
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730795 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	5625	STATIONS	3 TIMES PER YEAR		
TIME	EARTH	STATION TIME	YMDHML 5 MINUTE INTERVAL	5625	STATIONS	3 TIMES PER YEAR		
DEPTH	WATER	WIRE LENGTH	NEAREST HALF FOOT	5625	OBS	3 TIMES PER YEAR	BOTTOM	
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	100	OBS	3 TIMES PER YEAR	SURFACE	TAKEN AT HARVE DE GRACE
SECCHI DISC DEPTH	WATER	AVERAGE DEPTH	INCHES	2800	OBS	3 TIMES PER YEAR		
SPECIES DETERMINATION	BOTTOM	KEY	NUMBER OF SPECIES PER	65000	OBS	3 TIMES PER YEAR	BOTTOM	14 INCH CULTIVATOR

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
OF BENTHIC PLANTS			STATION, PER TRANSECT					RAKE DRAGGED OVER AREA, 4 REPLICATE DRAGS PER STATION, 12 SPECIES OF ROOTED AQUATIC PLANTS AND SEVERAL GENERA OF ALGAE
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION, PER TRANSECT	5625	OBS	3 TIMES PER YEAR	BOTTOM	SPONGES, CORALS, TUNICATES
TAXONOMIC LIST OF BENTHIC PLANTS	BOTTOM	KEY	GENERA PER STATION, PER TRANSECT	23000	OBS	3 TIMES PER YEAR	BOTTOM	ALGAE TO GENUS
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE, AVERAGE INDEX PER STATION PER SPECIES	65000	OBS	3 TIMES PER YEAR	BOTTOM	RANKED AS RARE, OCCASIONAL, COMMON, ABUNDANT PER SPECIES PER DRAG

ANNEX III

Part A

Section 1

"3"

Detailed observations of submerged aquatic vegetation
found during faunal and bottom studies.

000163

WOOD DUCK FLOAT CENSUS
DATA COLLECTED: JUNE 1962 TO PRESENTPAGE 01
RECEIVED: NOVEMBER 14, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, POTOMAC RIVER

ABSTRACT:

COUNTS AND SPECIES DETERMINATION OF WATERFOWL, REPTILES, MAMMALS, BIRDS, AND BENTHIC PLANTS HAVE BEEN MADE EACH JUNE SINCE 1962 ALONG A 180 MILE STRETCH OF THE POTOMAC RIVER. FISHING ACTIVITY IS ALSO NOTED.
(OBSERVATIONS ARE MADE FROM TWO DRIFTING BOATS, TWO OBSERVERS IN EACH BOAT)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS

ONE FILE DRAWER OF DATA SHEETS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS 301-267-5195
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730798 730797 730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS	ONE PER YEAR		2 BOAT DRIFT 180 MILES DOWN THE POTOMAC RIVER, ONE NEAR EACH SHORE; STATION RUNS FROM MCCOOL TO GREAT FALLS
TIME	EARTH	STATION TIME	YMD	1	STATIONS	ONE PER YEAR	
SPECIES DETERMINATION OF BIRDS	AIR	KEY	NUMBER OF SPECIES	1	STATIONS	ONE PER YEAR	TALLIED ALL WOOD DUCKS, WATERFOWL AND

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF BIRDS	AIR	VISUAL	NUMBER OF INDIVIDUALS	1	STATIONS	ONE PER YEAR	OTHER BIRDS THAT WERE SIGHTED TALLIED ALL WOOD DUCKS, WATERFOWL AND OTHER BIRDS THAT WERE SIGHTED
COUNT OF REPTILES	WATER	VISUAL	NUMBER OF INDIVIDUALS PER SPECIES	1	STATIONS	ONE PER YEAR	ALL THAT WERE SIGHTED
COUNT OF MAMMALS	WATER	VISUAL	NUMBER OF INDIVIDUALS	1	STATIONS	ONE PER YEAR	ALL THAT WERE SIGHTED
SPECIES DETERMINATION OF MAMMALS	WATER	KEY	NUMBER OF SPECIES	1	STATIONS	ONE PER YEAR	
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE	1	STATIONS	ONE PER YEAR	THOSE PLANTS IN THE RIVER
COUNT OF BENTHIC PLANTS	LAND	VISUAL	RELATIVE ABUNDANCE	1	STATIONS	ONE PER YEAR	THOSE PLANTS ON THE BANKS
SPORT FISHERIES ACTIVITIES	WATER	VISUAL	NUMBER OF INDIVIDUALS	1	STATIONS	ONE PER YEAR	CLASSIFIED AS TO FISHING FROM BOATS OR FROM BANKS

000862

SUBSTRATE STUDIES IN THE PATUXENT RIVER
DATA COLLECTED: JANUARY 1967 TO PRESENTPAGE 01
RECEIVED: JUNE 04, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

SUBSTRATE STUDIES IN THE PATUXENT RIVER SINCE 1967. MEASUREMENTS OF BIOMASS, AND SPECIES DETERMINATION AND COUNTS OF PELAGIC ANIMALS AND BENTHIC PLANTS FROM MONTHLY SAMPLING.

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

A REPORT OF 4 PARAMETERS, 2,800 OBSERVATIONS, AT 3 STATIONS.

FUNDING:

INVENTORY:

PUBLICATIONS:

REPORT SENT TO ACADEMY OF NATURAL SCIENCES OF PHILADELPHIA

CONTACT:

DENNIS BURTON 301-274-3194
BENEDICT ESTUARINE LABORATORY
BENEDICT MARYLAND USA 20612GRID LOCATOR (LAT):
730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	3	STATIONS			
TIME	EARTH	STATION TIME	YMDL	700	STATIONS	MONTHLY, QUARTERLY	BOTTOM	
COUNT OF PELAGIC ANIMALS	WATER	VISUAL	NUMBER OF INDIVIDUALS PER SQUARE METER	700	OBS	MONTHLY, QUARTERLY	BOTTOM	CONSIDERED FOULING ORGANISMS
SPECIES DETERMINATION OF PELAGIC ANIMALS	WATER	KEY	NUMBER OF INDIVIDUAL PER SPECIES PER SQUARE METER	700	OBS	MONTHLY, QUARTERLY	BOTTOM	CONSIDERED FOULING ORGANISMS
BIOMASS OF PELAGIC ANIMALS	WATER	ASH WEIGHT	GRAMS PER SQUARE METER	700	OBS	MONTHLY, QUARTERLY	BOTTOM	CONSIDERED FOULING ORGANISMS
COUNT OF	BOTTOM	VISUAL	NUMBER OF	700	OBS	MONTHLY,	BOTTOM	CONSIDERED

000862

SUBSTRATE STUDIES IN THE PATUXENT RIVER (CONT.)

PAGE 02

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
BENTHIC PLANTS			INDIVIDUALS PER SQUARE METER		QUARTERLY		FOULING ORGANISMS

000861

SUBSTRATE STUDIES ON THE POTOMAC RIVER
DATA COLLECTED: 1968 TO PRESENT

PAGE 01
RECEIVED: JUNE 04, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER

ABSTRACT:

SUBSTRATE STUDIES ON THE POTOMAC RIVER SINCE 1968. MEASUREMENTS OF BIOMASS, SPECIES DETERMINATIONS, AND COUNTS OF PELAGIC ANIMALS AND COUNTS OF BENTHIC PLANTS FROM MONTHLY SAMPLING.
(SPURIOUS DATA DUE TO STORMS)

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

A REPORT OF 4 PARAMETERS, 4,400 OBSERVATIONS, AT 4 STATIONS.

FUNDING:

INVENTORY:

PUBLICATIONS:

REPORT TO ACADEMY OF NATURAL SCIENCE OF PHILADELPHIA

CONTACT:

DENNIS BURTON 301-274-3194
BENEDICT ESTUARINE LABORATORY
BENEDICT MARYLAND USA 20612

GRID LOCATOR (LAT):

730787 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	4	STATIONS	MONTHLY, QUARTERLY		
TIME	EARTH	STATION TIME	YMDL	1100	STATIONS	MONTHLY, QUARTERLY		
COUNT OF PELAGIC ANIMALS	WATER	VISUAL	NUMBER OF INDIVIDUALS PER SQUARE METER	1100	OBS	MONTHLY, QUARTERLY	SURFACE, BOTTOM, MID DEPTH	CONSIDERED FOULING ORGANISMS
SPECIES DETERMINATION OF PELAGIC ANIMALS	WATER	KEY	NUMBER OF INDIVIDUALS PER SPECIES PER SQUARE METER	1100	OBS	MONTHLY, QUARTERLY	SURFACE, BOTTOM, MID DEPTH	CONSIDERED FOULING ORGANISMS
BIOMASS OF	WATER	ASH WEIGHT	GRAMS PER	1100	OBS	MONTHLY,	SURFACE,	CONSIDERED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
PELAGIC ANIMALS COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	SQUARE METER NUMBER OF INDIVIDUALS PER SQUARE METER	1100	OBS	QUARTERLY MONTHLY, QUARTERLY	BOTTOM, MID DEPTH SURFACE, BOTTOM, MID DEPTH	FOULING ORGANISMS CONSIDERED FOULING ORGANISMS

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, CALVERT CLIFFS

ABSTRACT:

SUBSTRATE STUDIES IN THE CHESAPEAKE BAY, MD. SINCE 1970. MEASUREMENTS OF COUNT, SPECIES DETERMINATION AND BIOMASS OF PELAGIC ANIMALS AND COUNTS OF BENTHIC PLANTS SAMPLED MONTHLY AT 4 STATIONS.
(WOODEN 4X6" PANELS SET UP AT FOUR STATIONS, SAMPLED MONTHLY AND QUARTERLY)

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

A REPORT OF 4 PARAMETERS, 4800 OBSERVATIONS, AT 4 STATIONS.

FUNDING:

INVENTORY:

PUBLICATIONS:

REPORT TO ACADEMY OF NATURAL SCIENCE OF PHILADELPHIA

CONTACT:

DENNIS BURTON 301-274-3194
BENEDICT ESTUARINE LABORATORY
BENEDICT MARYLAND USA 20612

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	4	STATIONS	MONTHLY, QUARTERLY		
TIME	EARTH	STATION TIME	YMDL	1200	STATIONS	MONTHLY, QUARTERLY		
COUNT OF PELAGIC ANIMALS	WATER	VISUAL	NUMBER OF INDIVIDUALS PER SQUARE METER	1200	OBS	MONTHLY, QUARTERLY	SURFACE AND BOTTOM	CONSIDERED FOULING ORGANISMS
SPECIES DETERMINATION OF PELAGIC ANIMALS	WATER	KEY	NUMBER OF INDIVIDUALS PER SPECIES PER SQUARE METER	1200	OBS	MONTHLY, QUARTERLY	SURFACE AND BOTTOM	CONSIDERED FOULING ORGANISMS
BIOMASS OF	WATER	ASH WEIGHT	GRAMS PER	1200	OBS	MONTHLY,	SURFACE AND	CONSIDERED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
PELAGIC ANIMALS COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	SQUARE METER NUMBER OF INDIVIDUALS PER SQUARE METER	1200	OBS	QUARTERLY MONTHLY, QUARTERLY	BOTTOM SURFACE AND BOTTOM	FOULING ORGANISMS CONSIDERED FOULING ORGANISMS

002363

DISTRIBUTION AND FOOD HABITS OF SCIAENIDS IN THE YORK RIVER, VIRGINIA
DATA COLLECTED: MARCH 1972 TO MARCH 1974PAGE 01
RECEIVED: AUGUST 09, 1974

PROJECTS:

BIOLOGY AND SYSTEMATICS OF NORTHWEST ATLANTIC SCIAENIDS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, YORK RIVER, COASTAL

ABSTRACT:

INTENSIVE FIELD PROGRAM TO DESCRIBE THE DISTRIBUTION AND ABUNDANCE OF SCIAENID FISHES IN THE YORK RIVER, VIRGINIA. SIZE, NUMBERS, WEIGHT, FOOD HABITS DATA COLLECTED ON A MONTHLY SCHEDULE. ECOLOGICAL SELECTION OF HABITAT BY CYNOSCIION, LEIOSTOMUS, MICROPOGON, BAIRDIELLA, MENTICIRRHUS AND OTHER SCIAENIDS TO BE DESCRIBED.
(PHD RESEARCH UNDER J. A. MUSICK)

DATA AVAILABILITY:

IN THESIS, EXPECTED COMPLETION 1975

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS
2 CUBIC FEET

FUNDING:

VIMS

INVENTORY:

PUBLICATIONS:

CONTACT:

LABBISH CHAO 804 642 2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	2760	STATIONS			
TIME	EARTH	STATION TIME	YMDHML	2760	STATIONS			
TEMPERATURE	AIR	MERCURY THERMOMETER	DEG C	2760	OBS	MONTHLY		
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG C	4520	OBS	MONTHLY	SURFACE AND BOTTOM	
DISSOLVED OXYGEN GAS	WATER	TITRATION	PPM	4520	OBS	MONTHLY	SURFACE AND BOTTOM	
SALINITY	WATER	TITRATION	PARTS PER THOUSAND	4520	OBS	MONTHLY	SURFACE AND BOTTOM	
BOTTOM TYPE	BOTTOM	VISUAL	USCGS TYPES	2760	OBS	MONTHLY		

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	SPECIES PER STATION	2760	OBS	MONTHLY	BOTTOM	16 FT SEMIBALLOON TRAWL WITH 1/4 INCH COD LINER
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES PER STATION	2760	OBS	MONTHLY	BOTTOM	16 FT SEMIBALLOON TRAWL WITH 1/4 INCH COD LINER
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MM	10000	OBS	MONTHLY		UP TO 25 INDIVIDUALS PER SPECIES PER STATION PER MONTH
BIOMASS OF DEMERSAL FISH	WATER	WET WEIGHT	KG PER SPECIES PER STATION	2760	OBS	MONTHLY	BOTTOM	
WEIGHT OF DEMERSAL FISH	WATER	WET WEIGHT	GRAMS	5000	OBS	MONTHLY		JUVENILE SCIAENIDS
LENGTH/WEIGHT RATIO IN DEMERSAL FISH	WATER	CALCULATED	EQUATION, SLOPE	25	OBS			SEASONALLY FOR YOUNG SCIAENIDS
TAXONOMIC LIST OF BENTHIC PLANTS	BOTTOM	KEY	GENERA PER STATION	2760	OBS	MONTHLY	BOTTOM	ZOSTERA, RUPPIA, ULVA, AGARDIELLA, GRACILLARIA RECORDED IN A RELATIVE ABUNDANCE SCALE
STOMACH CONTENT ANALYSIS OF DEMERSAL FISH	WATER	VISUAL	VOLUME DISPLACEMENT, NUMBER, DRY WEIGHT	2900	OBS	MONTHLY		EIGHT SPECIES OF SCIAENIDS, RELATE TO FUNCTIONAL OSTEOLOGY

ANNEX III

Part A

Section 1

"4"

General observations of submerged aquatic
vegetation found during faunal studies.

001033

BENTHIC INFAUNA OF EELGRASS, ZOSTERA MARINA, BEDS
DATA COLLECTED: MARCH 1970 TO JULY 1970PAGE 01
RECEIVED: JULY 13, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, CHINCOTEAGUE BAY, VIRGINIA, YORK RIVER

ABSTRACT:

THE INFAUNA OF EELGRASS BEDS, ZOSTERA MARINA, WAS SAMPLED AND ANALYZED. IN RELATION TO COMMUNITY STRUCTURE. COMMUNITY STRUCTURE ANALYSIS INDICES INCLUDE DIVERSITY, EQUITABILITY, RICHNESS, DOMINANCE, SIMILARITY. SEDIMENT TYPE WAS RELATED TO THE DENSITY OF ZOSTERA.

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

117 MACROINVERTEBRATE TAXA COLLECTED AT 6 STATIONS, 110 BENTHIC SAMPLES PROCESSED

FUNDING:

INVENTORY:

PUBLICATIONS:

VIMS THESIS 1971, R J ORTH

CONTACT:

LIBRARIAN 703-642-2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730776 730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	6	STATIONS		1 METER BELOW MEAN LOW WATER	
TIME	EARTH	STATION TIME	YMDL	12	STATIONS		1 METER BELOW MEAN LOW WATER	
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	12	OBS		SURFACE, MID DEPTH, BOTTOM	BECKMAN RS-7A INDUCTION SALINOMETER
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER OF INDIVIDUALS PER STATION PER SAMPLING PERIOD	110	OBS		SURFACE, MID DEPTH, BOTTOM	10 REPLICATE SAMPLES AT EACH STATION AND SAMPLING PERIOD,

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION PER SAMPLING PERIOD, NUMBER OF INDIVIDUALS PER SPECIES	110	OBS		SURFACE, MID DEPTH, BOTTOM	PLEXIGLASS CORER 9.4 CM DIAM, 0.0069 M SQ, 15 CM LONG 10 REPLICATE SAMPLES AT EACH STATION AND SAMPLING PERIOD, PLEXIGLASS CORER 9.4 CM DIAM, 0.0069 M SQ, 15 CM LONG
SIZE ANALYSIS	SEDIMENT	SIEVE	PERCENT COMPOSITION PHI SIZE	110	OBS			
SIZE ANALYSIS	SEDIMENT	SETTLING/VISUAL	PERCENT COMPOSITION PHI SIZE	110	OBS			
COMMUNITY STRUCTURE ANALYSIS	BOTTOM	CALCULATED	NUMBERS	110	OBS			ANALYSIS INCLUDES INDEX OF DOMINANCE, DISPERSION, RICHNESS, EQUATIBILITY AND RANK ANALYSIS

000233

RESIDENT SPECIES OF ESTUARINE FINFISH
DATA COLLECTED: JUNE 1954 TO PRESENTPAGE 01
RECEIVED: MAY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND

ABSTRACT:

LONG-TERM SEINE SURVEY IN MARYLAND TRIBUTARIES TO CHESAPEAKE BAY. MONITORING OF YEAR CLASS STRENGTH, SPECIES COMPOSITION, AND SEASONALITY OF FISHES. CONSISTENT DATA FILE FOR WHOLE PROJECT PERIOD IN POTOMAC, CHOPTANK, NANTICOKE, SUSQUEHANNA, WICOMICO, SASSAFRAS, ELK, NORTHEAST, AND BOHEMIA RIVERS. OTHER RIVERS INCLUDED BUT NOT FOR THE ENTIRE TIME FRAME WERE CHESTER, PATUXENT, MANOKIN, BIG ANNEMESSEX, POCOMOKE, BLACKWATER, TRANSQUAKING, CHICAMACOMICO, MILES, SOUTH, MAGOTHY, PATAPSCO, BACK, AND MIDDLE RIVERS.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

DATA SHEETS
25 3 INCH THICK NOTEBOOKS

FUNDING:

COST OF DUPLICATION 1954 THROUGH 1963 SUPPORTED UNDER MARYLAND DINGELL-JOHNSON PROJECT AS F3 R11 AFTER 1963 SUPPORT FROM MD DNR D.J. PROJECT F27-R AFTER 1973

INVENTORY:

PUBLICATIONS:

CONTACT:

JOSEPH BOONE 301-267-5785
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730785 730787 730795 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	2000	STATIONS			
TIME	EARTH	STATION TIME	YMOHL	2000	STATIONS			
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG F	2000	OBS	3 TIMES PER YEAR	1 FOOT DEPTH	
DEPTH	WATER	VISUAL	FEET	2000	OBS	3 TIMES PER YEAR	BOTTOM	GRADUATED STAFF
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	1000	OBS	3 TIMES PER YEAR	1 FOOT DEPTH	RECORDED EBB OR FLOOD TIDE
SALINITY	WATER	TITRATION	PARTS PER THOUSAND	1000	OBS	3 TIMES PER YEAR	1 FOOT DEPTH	RECORDED EBB OR FLOOD TIDE
BOTTOM TYPE	BOTTOM	VISUAL	SAND, MUD,	2000	OBS	3 TIMES PER YEAR	BOTTOM	

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
VISIBILITY	WATER	VISUAL	GRAVEL, MIXED FEET	2000	OBS	YEAR 3 TIMES PER YEAR		DEPTH TO WHICH SHOES VISIBLE BY WEARER, APPROXIMATE SECCHI DEPTH SEPARATED FLOATING AND ROOTED GROUPS
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES, ABUNDANCE PER SPECIES	2000	OBS	3 TIMES PER YEAR	BOTTOM	
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RANK ABUNDANCE	2000	OBS	3 TIMES PER YEAR	BOTTOM	SEPARATED FLOATING AND ROOTED GROUPS
WEATHER	AIR	VISUAL	CLEAR, CLOUDY, RAIN, SNOW	2000	OBS	3 TIMES PER YEAR		
WIND SPEED	AIR	VISUAL	KNOTS	2000	OBS	3 TIMES PER YEAR		
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY	NUMBER PER STATION	10	OBS	3 TIMES PER YEAR		2 SEINE HAULS PER STATION, 100 FT X 4 FT X 1/4 INCH SEINE, STANDARD SWINGLE TOW, OVER 2000 SEINE HAULS
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER PER STATION	40	OBS	3 TIMES PER YEAR		2 SEINE HAULS PER STATION, 100 FT X 4 FT X 1/4 INCH SEINE, STANDARD SWINGLE TOW, OVER 2000 SEINE HAULS
COUNT OF PELAGIC FISH	WATER	VISUAL	NUMBER PER SPECIES, TOTAL NUMBER PER TOW	10	OBS	3 TIMES PER YEAR		2 SEINE HAULS PER STATION, 100 FT X 4 FT X 1/4 INCH SEINE, STANDARD SWINGLE TOW, OVER 2000 SEINE HAULS
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES, TOTAL NUMBER PER TOW	40	OBS	3 TIMES PER YEAR		2 SEINE HAULS PER STATION, 100 FT X 4 FT X 1/4 INCH SEINE, STANDARD SWINGLE TOW, OVER 2000 SEINE HAULS

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MILLIMETERS, LENGTH FREQUENCY TABULAR-	5000	OBS	3 TIMES PER YEAR		MORONE SAXATILIS, ALL MEASURED, SOME DATA IN EARLY YEARS IS IN FORK LENGTH
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MILLIMETERS, LENGTH FREQUENCY TABULAR-	5000	OBS	3 TIMES PER YEAR		MORONE AMERICANA, SUBSAMPLE OF CATCH MEASURED, MOSTLY YOUNG OF YEAR
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	LENGTH RANGE IN MILLIMETERS	5000	OBS	3 TIMES PER YEAR		ALL SPECIES EXCEPT STRIPED BASS AND WHITE PERCH
LENGTH OF PELAGIC FISH	WATER	TOTAL LENGTH	LENGTH RANGE IN MILLIMETERS	1000	OBS	3 TIMES PER YEAR		
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER TOW	2000	OBS	3 TIMES PER YEAR		CALLINECTES SAPIDUS, GRASS SHRIMP, CRANGON
COUNT OF PELAGIC ANIMALS	WATER	VISUAL	NUMBER PER TOW	2000	OBS	3 TIMES PER YEAR		CTENOPHORES, JELLYFISH
COUNT OF PELAGIC ANIMALS	BOTTOM	KEY	NUMBER PER TOW	2000	OBS	3 TIMES PER YEAR		CALLINECTES SAPIDUS, GRASS SHRIMP, CRANGON
COUNT OF PELAGIC ANIMALS	WATER	KEY	NUMBER PER TOW	2000	OBS	3 TIMES PER YEAR		CTENOPHORES, JELLYFISH
LENGTH OF BENTHIC ANIMALS	BOTTOM	DIRECT	MILLIMETERS CARAPACE WIDTH	2000	OBS	3 TIMES PER YEAR		CALLINECTES SAPIDUS
AGE DATING OF DEMERSAL FISH	WATER	SCALES	YEARS	5000	OBS			ALL MORONE SAXATILIS
COUNT OF DEMERSAL FISH	WATER	VISUAL	INDEX OF ABUNDANCE AVERAGE NUMBER PER TOW WITHIN EACH RIVER SYSTEM	1000	OBS	1 VALUE PER YEAR		MORONE SAXATILIS, MORONE AMERICANA, LEIOSTOMUS XANTHURUS
COUNT OF PELAGIC FISH	WATER	VISUAL	INDEX OF ABUNDANCE AVERAGE NUMBER PER TOW WITHIN EACH RIVER SYSTEM	100	OBS	1 VALUE PER YEAR		ALOSA SAPIDISSIMA YOUNG OF YEAR

000245

THE COMPARATIVE ECOLOGY OF TWO SPECIES OF PIPE FISH IN THE YORK RIVER, VIRGINIA
DATA COLLECTED: APRIL 1971 TO MARCH 1972PAGE 01
RECEIVED: DECEMBER 05, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, COASTAL, YORK RIVER

ABSTRACT:

38 TRAWL AND SEINE STATIONS WERE SAMPLED FOR ONE YEAR ALONG THE YORK RIVER, VIRGINIA, TO DETERMINE THE ABUNDANCE, DISTRIBUTION, FOOD HABITS AND SPAWNING ACTIVITY OF TWO SPECIES OF PIPE FISH.

DATA AVAILABILITY:

M A THESIS LINDA PUSHEE MERCER

PLATFORM TYPES:

FIXED STATION; SHIP

ARCHIVE MEDIA:

REPORTS; PUNCHED CARDS; DATA SHEETS

SEVERAL NOTEBOOKS OF DATA SHEETS; ONE FILE BOX OF PUNCHED CARDS; UNPUBLISHED M A THESIS.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN 804-642-2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	38	STATIONS		25 TRAWL STATIONS, 5M SEMI-BALLOON OTTER TRAWL; 13 SEINE STATIONS, 91 METER BEACH SEINE
TIME	EARTH	STATION TIME	YMDH	417	OBS	MONTHLY	TRAWL FOR 12 MONTHS, SEINE FOR 9 MONTHS
COUNT OF DEMERSAL FISH SPECIES DETERMINATION	WATER	VISUAL	NUMBER OF INDIVIDUALS	417	OBS	MONTHLY	SYNGNATHUS SP ONLY
	WATER	KEY	NUMBER OF SPECIES	417	OBS	MONTHLY	SYNGNATHUS SP ONLY

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
OF DEMERSAL FISH								
SALINITY	WATER	TITRATION	PARTS PER THOUSAND	417	OBS	MONTHLY	SURFACE	
DISSOLVED OXYGEN GAS	WATER	TITRATION	MG PER LITER	417	OBS	MONTHLY	SURFACE	
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG C	717	OBS	MONTHLY		SURFACE AND BOTTOM AT TRAWL STATIONS
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MILLIMETERS	417	OBS	MONTHLY		SYNGNATHUS SP ONLY
SEX DETERMINATION OF DEMERSAL FISH	WATER	VISUAL	MALE OR FEMALE	417	OBS	MONTHLY		SYNGNATHUS SP ONLY
GONADAL DEVELOPMENT OF DEMERSAL FISH	WATER	GROSS EXAMINATION	STAGE OF DEVELOPMENT	417	OBS	MONTHLY		SYNGNATHUS SP ONLY
STOMACH CONTENT ANALYSIS OF DEMERSAL FISH	WATER	VISUAL	FOOD TYPE	417	OBS	TIME		SYNGNATHUS SP ONLY
SECCHI DISC DEPTH	WATER	AVERAGE DEPTH	METERS	300	OBS	TIME		TRAWL STATIONS ONLY
WEATHER	AIR	VISUAL	TYPE	300	OBS	TIME		TRAWL STATIONS ONLY; TIDAL STAGE NOTED
BOTTOM TYPE	BOTTOM	VISUAL	TYPE	117	OBS	TIME		SEINE STATIONS ONLY
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES	117	OBS	TIME		SEINE STATIONS ONLY
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES	117	OBS	TIME		SEINE STATIONS ONLY

000254

DISTRIBUTION AND ABUNDANCE OF FISHES IN 4 MARSH TYPES OF THE CHOPTANK RIVER
DATA COLLECTED: JUNE 1971 TO DECEMBER 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

FISH POPULATIONS AND WETLAND TYPES

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, MARYLAND, COASTAL, CHOPTANK RIVER

ABSTRACT:

EXTENSIVE COLLECTION SERIES OF JUVENILE FISHES AND YOUNGER AGE GROUP FISHES UTILIZING VARIOUS MARSH TYPES IN THE CHOPTANK RIVER SYSTEM. LENGTH, WEIGHT, NUMBERS, SPECIES COMPOSITION AND BIOMASS DATA FOR DESCRIPTION OF FISH COMMUNITY. GROWTH DATA FOR ALOSID JUVENILES AND CALCULATED GROWTH DATA FOR WHITE PERCH, YELLOW PERCH, AND PUMPKINSEED SUNFISH. BIOLOGICAL INFORMATION RETRIEVABLE ACROSS ENVIRONMENTAL PARAMETERS FOR ANALYSIS OF DISTRIBUTION AND ASSOCIATIONS WITHIN COMMUNITY (TYPE 7,12,16, AND 17 MARSHES BY BSFW DEFINITION)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

MAGNETIC TAPE DIGITAL; REPORTS
1 REEL MAGNETIC TAPE

FUNDING:

BSFW BOSTON OFFICE DEPARTMENT OF INTERIOR AND MARYLAND DNR

INVENTORY:

PUBLICATIONS:

PROJECT COMPLETION REPORT FOR MARYLAND AFS 7 CONTRACT

CONTACT:

W.R. CARTER 301-267-5361
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730785 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP	96	STATIONS		
TIME	EARTH	STATION TIME	YMDHL	96	STATIONS		
							BIOLOGICAL DATA TAKEN IS SEARCHABLE AND RETRIEVABLE RELATIVE TO 33 ENVIRONMENTAL PARAMETERS

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY	NUMBER OF SPECIES PER STATION PER TOW, PER GEAR TYPE	96	OBS	MONTHLY		WHICH WERE TAKEN IN THE STUDY AREA 16 FOOT SEMIBALLOON TRAWL AND A 200 FOOT X 10 FOOT X 1/4 INCH BEACH SEINE
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER OF SPECIES PER STATION PER TOW, PER GEAR TYPE	96	OBS	MONTHLY		16 FOOT SEMIBALLOON TRAWL AND A 200 FOOT X 10 FOOT X 1/4 INCH BEACH SEINE
COUNT OF PELAGIC FISH	WATER	VISUAL	NUMBER PER SPECIES, NUMBER PER SPECIES PER TOW AND PER HECTARE	96	OBS	MONTHLY		
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES, NUMBER PER SPECIES PER TOW AND PER HECTARE	96	OBS	MONTHLY		
WEIGHT OF PELAGIC FISH	WATER	WET WEIGHT	INDIVIDUAL WEIGHTS IN GRAMS FOR UP TO 500 FISH PER SPECIES PER STATION, AVERAGE WEIGHT OF 100 INDIVIDUALS, DATA BASE INCLUDES 42 SPECIES	96	OBS	MONTHLY		
WEIGHT OF DEMERSAL FISH	WATER	WET WEIGHT	INDIVIDUAL WEIGHTS IN GRAMS FOR UP TO 500 FISH PER SPECIES PER STATION, AVERAGE WEIGHT OF 100 INDIVIDUALS, DATA BASE INCLUDES 42 SPECIES	96	OBS	MONTHLY		

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
BIOMASS OF DEMERSAL FISH	WATER	WET WEIGHT	NUMBER AND WEIGHT PER HECTARE	96	OBS	MONTHLY		FOR EACH SPECIES AND FOR THE TOTAL POPULATION OF ALL SPECIES
BIOMASS OF PELAGIC FISH	WATER	WET WEIGHT	NUMBER AND WEIGHT PER HECTARE	96	OBS	MONTHLY		FOR EACH SPECIES AND FOR THE TOTAL POPULATION OF ALL SPECIES
LENGTH OF PELAGIC FISH	WATER	FORK LENGTH	MILLIMETERS, INDIVIDUAL AND MEAN LENGTH PER SPECIES PER STATION	96	OBS	MONTHLY		
LENGTH OF DEMERSAL FISH	WATER	FORK LENGTH	MILLIMETERS, INDIVIDUAL AND MEAN LENGTH PER SPECIES PER STATION	96	OBS	MONTHLY		125 EACH FOR WHITE PERCH, YELLOW PERCH, AND PUMPKIN SEED SUNFISH PER YEAR
AGE DATING OF DEMERSAL FISH	WATER	SCALES	YEARS	750	OBS			125 EACH FOR WHITE PERCH, YELLOW PERCH, AND PUMPKIN SEED SUNFISH PER YEAR
WEIGHT OF BENTHIC PLANTS	BOTTOM	WET WEIGHT	KILOGRAMS PER TOW	96	OBS			RECORDED FOR TRAWL AND BEACH SEINE TOWS

DATA COLLECTED: JUNE 1968 TO NOVEMBER 1969

RECEIVED: JANUARY 01, 1976

PROJECTS:

FISH COMMUNITIES OF SUSQUEHANNA RIVER

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, MARYLAND, COASTAL, SUSQUEHANNA FLATS

ABSTRACT:

EXTENSIVE COLLECTIONS OF JUVENILE AND YOUNGER AGE GROUP FISHES UTILIZING THE SUSQUEHANNA FLATS AREA AS A FEEDING GROUND AND NURSERY AREA. LENGTH, WEIGHT, NUMBERS, SPECIES COMPOSITION AND BIOMASS DATA FOR FISH COMMUNITY DESCRIPTION. GROWTH DATA FOR JUVENILE ALEWIFE, BLUEBACK, AND AMERICAN SHAD, SCALE READINGS AND CALCULATED GROWTH FOR WHITE PERCH, YELLOW PERCH, AND PUMPKINSEED SUNFISH. INFORMATION CORRELATED TO AND RETRIEVABLE ACROSS 33 PARAMETERS OR RANGES WITHIN EACH PARAMETER OR COMBINATION.

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

MAGNETIC TAPE DIGITAL; REPORTS
1 MAGNETIC TAPE REEL

FUNDING:

NMFS DEPARTMENT OF COMMERCE, BSWF DEPT INTERIOR, AND MARYLAND DNR

INVENTORY:

PUBLICATIONS:

ANNUAL PROJECT PROGRESS REPORT, MD AFSC 1-2; PROJECT COMPLETION REPORT, MD AFSC 1.

CONTACT:

W.R. CARTER 301-267-5361
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730795 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP	36	STATIONS		BIOLOGICAL DATA RETRIEVABLE AND SEARCHABLE WITHIN RANGES OF 33 OTHER PARAMETERS REPORT

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
TIME SPECIES DETERMINATION OF PELAGIC FISH	EARTH WATER	STATION TIME KEY	YMDHL NUMBER OF SPECIES PER STATION PER TOW, PER GEAR	36 36	STATIONS OBS	2 WEEK INTERVAL		INCLUDES 10 OF THE PARAMETER CORRELATIONS 16 FOOT SEMIBALLOON TRAWL, SURFACE AND BOTTOM TOWS AT EACH STATION, ALSO 200 FOOT X 10 FOOT X 1/4 INCH BEACH SEINE, DAY AND NIGHT COMPARED IN 1968
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER OF SPECIES PER STATION PER TOW, PER GEAR	36	OBS	2 WEEK INTERVAL		16 FOOT SEMIBALLOON TRAWL, SURFACE AND BOTTOM TOWS AT EACH STATION, ALSO 200 FOOT X 10 FOOT X 1/4 INCH BEACH SEINE, DAY AND NIGHT COMPARED IN 1968
COUNT OF PELAGIC FISH	WATER	VISUAL	NUMBER PER SPECIES, NUMBER PER SPECIES PER TOW AND PER HECTARE	36	OBS	2 WEEK INTERVAL		
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES, NUMBER PER SPECIES PER TOW AND PER HECTARE	36	OBS	2 WEEK INTERVAL		
WEIGHT OF PELAGIC FISH	WATER	WET WEIGHT	INDIVIDUAL WEIGHTS IN GRAMS FOR UP TO 500 INDIVIDUALS PER SPECIES PER STATION, AVERAGE WEIGHT OF 100 INDIVIDUALS, DATA ON 43 SPECIES	36	OBS	2 WEEK INTERVAL		

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
WEIGHT OF DEMERSAL FISH	WATER	WET WEIGHT	INDIVIDUAL WEIGHTS IN GRAMS FOR UP TO 500 INDIVIDUALS PER SPECIES PER STATION, AVERAGE WEIGHT OF 100 INDIVIDUALS, DATA ON 43 SPECIES	36	OBS	2 WEEK INTERVAL		
BIOMASS OF DEMERSAL FISH	WATER	WET WEIGHT	NUMBER AND WEIGHT PER HECTARE	36	OBS	2 WEEK INTERVAL		FOR EACH SPECIES AND FOR TOTAL POPULATION OF ALL SPECIES
BIOMASS OF PELAGIC FISH	WATER	WET WEIGHT	NUMBER AND WEIGHT PER HECTARE	36	OBS	2 WEEK INTERVAL		FOR EACH SPECIES AND FOR TOTAL POPULATION OF ALL SPECIES
LENGTH OF PELAGIC FISH	WATER	TOTAL LENGTH	MILLIMETERS, INDIVIDUAL AND MEAN LENGTH PER SPECIES PER STATION	36	OBS	2 WEEK INTERVAL		EMPIRICAL GROWTH CURVE FOR ALEWIFE, BLUEBACK AND AMERICAN SHAD, DEVELOPED FROM BEACH SEINE DATA, JUVENILE FISH
LENGTH OF DEMERSAL FISH	WATER	FORK LENGTH	MILLIMETERS, INDIVIDUAL AND MEAN LENGTH PER SPECIES PER STATION	36	OBS	2 WEEK INTERVAL		
COMMUNITY STRUCTURE ANALYSIS	WATER	CALCULATED	TROPHIC LEVEL BY WEIGHT AND NUMBER, DOMINANT FISHES BY WEIGHT AND NUMBER, DISTRIBUTION RELATED WITH MULTIPLE ENVIRONMENTAL FACTORS	36	OBS	2 WEEK INTERVAL		ANALYSIS BY COLLECTION AND BY SEASON
AGE DATING OF DEMERSAL FISH	WATER	SCALES	YEARS	375	OBS			125 EACH OF WHITE PERCH, YELLOW PERCH, AND PUMPKINSEED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
GONADAL DEVELOPMENT OF DEMERSAL FISH	WATER	GROSS EXAMINATION	STAGES AND FREQUENCY PER STAGE PER INTERVAL	200	OBS	2 WEEK INTERVAL		SUNFISH MALE WHITE PERCH, SEASONAL MATURATION RECORDED FOR TRAWL AND BEACH SEINE TOWS
WEIGHT OF BENTHIC PLANTS	BOTTOM	WET WEIGHT	KILOGRAMS PER TOW	36	OBS	2 WEEK INTERVAL		

001597

TALBOT COUNTY, MARYLAND SHELLFISH SURVEY
DATA COLLECTED: JUNE 1963 TO AUGUST 1963PAGE 01
RECEIVED: APRIL 15, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, TALBOT COUNTY, MARYLAND

ABSTRACT:

HYDRAULIC DREDGE SURVEY OF SHELLFISH BOTTOM IN TALBOT COUNTY, MARYLAND. ASSESSMENT OF SPECIES, ABUNDANCE, AND SIZE OF BENTHIC ANIMALS WITH EMPHASIS ON SOFT CLAM. POTENTIAL YIELD FIGURES GIVEN.
(CBL REFERENCE NUMBER 63-68)

DATA AVAILABILITY:

WRITTEN REQUEST

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
36 PAGE REPORT

FUNDING:

MARYLAND DEPARTMENT OF NATURAL RESOURCES

INVENTORY:

PUBLICATIONS:

CONTACT:

HAYES T. PFITZENMEYER 301 326 4281
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS MARYLAND USA 20688

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	712	STATIONS			
TIME	EARTH	STATION TIME	YMD	712	STATIONS			
DEPTH	WATER	WIRE LENGTH	FEET	712	OBS		BOTTOM	
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	SPECIES PER STATION	712	OBS			30 SQ FT SAMPLE WITH HYDRAULIC DREDGE
TAXONOMIC LIST OF BENTHIC ANIMALS	BOTTOM	KEY	GENERA PER STATION	712	OBS			30 SQ FT SAMPLE WITH HYDRAULIC DREDGE
BOTTOM TYPE	BOTTOM	VISUAL	USCGS TYPES	712	OBS			
LENGTH OF BENTHIC	BOTTOM	DIRECT	INCHES	712	OBS			SOFT CLAMS AND OYSTERS

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
ANIMALS COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SAMPLE, GROUPED MARKET AND SUBMARKET, ALSO AS BUSHELS PER ACRE	712	OBS			30 SQ FT SAMPLE WITH HYDRAULIC DREDGE
TAXONOMIC LIST OF BENTHIC PLANTS	BOTTOM	KEY	GENERA PER SAMPLE	712	OBS			INCIDENCE WITH SUBJECTIVE COMMENT ON ABUNDANCE

001595

HYDRAULIC DREDGE SURVEY IN VICINITY OF CHLORA POINT, CHOPTANK RIVER
DATA COLLECTED: AUGUST 1963 TO AUGUST 1963PAGE 01
RECEIVED: APRIL 15, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, CHLORA POINT, MARYLAND, CHOPTANK, RIVER

ABSTRACT:

SURVEY OF PRODUCTIVE SHELLFISH BOTTOM IN THE CHOPTANK RIVER. HYDRAULIC DREDGE SAMPLES AT 30 STATIONS IN THE VICINITY OF CHLORA POINT. DATA INCLUDES SPECIES LIST, ABUNDANCE, AND SIZE OF BENTHIC ANIMALS. OTHER OBSERVATIONS ON BOTTOM TYPE AND AQUATIC VEGETATION ARE INCLUDED.
(CBL REFERENCE NUMBER 63-44)

DATA AVAILABILITY:

WRITTEN REQUEST

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
4 PAGE TYPED REPORT

FUNDING:

MARYLAND DEPARTMENT OF NATURAL RESOURCES

INVENTORY:

PUBLICATIONS:

CONTACT:

HAYES T. PFITZENMEYER 301 326 4281
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS MARYLAND USA 20688

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	30	STATIONS			
TIME	EARTH	STATION TIME	YMD	30	STATIONS			
DEPTH	WATER	WIRE LENGTH	FEET	30	OBS		BOTTOM	
BOTTOM TYPE	BOTTOM	VISUAL	USCGS TYPES	30	OBS			
SPECIES	BOTTOM	KEY	SPECIES PER SAMPLE	30	OBS			20 SQ FT SAMPLE WITH HYDRAULIC DREDGE
DETERMINATION OF BENTHIC ANIMALS								
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES PER SAMPLE AND YIELD IN	30	OBS			MYA ARENARIA, CRASSOSTREA VIRGINICA, MOGULA, MACOMA

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
			BUSHELS PER ACRE					BALTHICA, TAGELUS PLEBIUS
LENGTH OF BENTHIC ANIMALS	BOTTOM	DIRECT	INCHES	30	OBS			GROUPED AS ABOVE AND BELOW 2 INCHES
TAXONOMIC LIST OF BENTHIC PLANTS	BOTTOM	KEY	INCIDENCE BY GENUS	30	OBS			ZOSTERA, RUPPIA, ELODEA, AND POTOMOGETON

001594

BOTTOM SURVEY, TOLLY POINT TO THOMAS POINT, ANNE ARUNDEL COUNTY, MARYLAND
DATA COLLECTED: JUNE 1959 TO JUNE 1959PAGE 01
RECEIVED: APRIL 15, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, TOLLY POINT TO THOMAS POINT, ANNE ARUNDEL COUNTY, MARYLAND

ABSTRACT:

SURVEY OF PRODUCTIVE SHELLFISH BOTTOM IN ANNE ARUNDEL COUNTY, MARYLAND. HYDRAULIC DREDGE SAMPLES AT 16 STATIONS. DATA ON SHELLFISH ABUNDANCE, SPECIES LIST, AND VEGETATION DISTRIBUTION.

DATA AVAILABILITY:

WRITTEN REQUEST

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

2 PAGE TYPED REPORT, CBL REFERENCE NUMBER 59-33

FUNDING:

STATE OF MARYLAND DEPARTMENT OF NATURAL RESOURCES

INVENTORY: -

PUBLICATIONS:

CONTACT:

HAYES T. PFITZENMEYER 301 326 4281
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS MARYLAND USA 20688

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	16	STATIONS			
TIME	EARTH	STATION TIME	YMD	16	STATIONS			
BOTTOM TYPE	BOTTOM	VISUAL	USCGS TYPES	16	OBS			HYDRAULIC DREDGE
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	LIST OF SPECIES PER STATION	16	OBS			HYDRAULIC DREDGE
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES PER STATION AND BUSHELS PER ACRE	16	OBS			20 SQ FT SAMPLE
LENGTH OF	BOTTOM	DIRECT	INCHES	16	OBS			GROUPED AS

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
BENTHIC ANIMALS SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	LIST OF SPECIES PER STATION	16	OBS			UNDER OR OVER 2 INCHES RECORD PRESENCE OR ABSENCE

ANNEX III

Part A

Section 1

"5"

Studies of marsh and intertidal areas where
submerged aquatic vegetation may be
sporadically noted.

001511

RESPONSE OF SALT MARSH COMMUNITY TO CHRONIC HYDROCARBON POLLUTION
DATA COLLECTED: NOVEMBER 1973 TO PRESENTPAGE 01
RECEIVED: MARCH 04, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., COASTAL, CHESAPEAKE BAY, WARE RIVER, SEVERN RIVER

ABSTRACT:

TWO TIDAL MARSHES ALONG THE SEVERN AND WARE RIVERS, VIRGINIA ARE SAMPLED MONTHLY OVER A TWO YEAR PERIOD TO DETERMINE FAUNAL POPULATION SIZES AND FLORAL PRODUCTIVITY. RESPIRATION RATES ARE MEASURED ON BOTH MACROFAUNA AND BENTHOS. COMPARISONS ARE MADE BETWEEN ONE CONTROL MARSH AND ONE MARSH TREATED WITH OIL.
(AVAILABLE AS VIMS PH D DISSERTATION, JUNE 1975)

DATA AVAILABILITY:

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

DATA SHEETS

SIX NOTEBOOKS OF 25 TO 50 DATA SHEETS EACH

FUNDING:

THE VIRGINIA INSTITUTE OF MARINE SCIENCE

INVENTORY:

PUBLICATIONS:

CONTACT:

CARL HERSHNER 804 642 2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS			TWO TIDAL MARSHES USED FOR SAMPLING
TIME	EARTH	STATION TIME	YMDH	96	OBS	MONTHLY		STUDY WILL CONTINUE FOR AN APPROXIMATE TWO YEAR PERIOD
COUNT OF INSECTS	LAND	VISUAL	NUMBER PER SPECIES	240	OBS	MONTHLY		TEN OBSERVATIONS PER MONTH
SPECIES DETERMINATION OF INSECTS	LAND	KEY	NUMBER PER SPECIES	240	OBS	MONTHLY		TEN OBSERVATIONS PER MONTH

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES AND POPULATION SIZE	190	OBS	MONTHLY		SEVERAL OBSERVATIONS IN EACH MARSH PER MONTH; MARK-RECAPTURE
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER PER SPECIES AND POPULATION SIZE	190	OBS	MONTHLY		SEVERAL OBSERVATIONS IN EACH MARSH PER MONTH; MARK-RECAPTURE
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MILLIMETERS	190	OBS	MONTHLY		
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		SEVERAL OBSERVATIONS IN EACH MARSH PER MONTH; MARK-RECAPTURE; MARSH DECAPODS ONLY
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		SEVERAL OBSERVATIONS IN EACH MARSH PER MONTH; MARK-RECAPTURE; MARSH DECAPODS ONLY
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		QUADRAT COUNTS OF MARSH GASTROPODS
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		QUADRAT COUNTS OF MARSH GASTROPODS
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		CORE SAMPLING OF MARSH MACRO- AND MEIO-FAUNA; COMMUNITY DIVERSITY INDICES CALCULATED
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER PER SPECIES AND POPULATION SIZE	96	OBS	MONTHLY		CORE SAMPLING OF MARSH MACRO- AND MEIO-FAUNA; COMMUNITY DIVERSITY INDICES CALCULATED
BIOMASS OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GRAMS PER M2	96	OBS	MONTHLY		PRODUCTIVITY OF MARSH GRASS BY CLIPPED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF BIRDS	AIR	VISUAL	NUMBER PER SPECIES	96	OBS	MONTHLY		QUADRAT SIGHTINGS OF BIRDS INHABITING MARSH AREA
SPECIES DETERMINATION OF BIRDS	AIR	KEY	NUMBER PER SPECIES	96	OBS	MONTHLY		SIGHTINGS OF BIRDS INHABITING MARSH AREA

RECEIVED: JULY 31, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, POROTANK RIVER

ABSTRACT:

FLORAL SURVEY AND COMMUNITY STRUCTURE ANALYSIS OF THE TIDAL MARSHES OF THE POROPOTANK RIVER VA.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

REPORTS
63 PAGES

FUNDING:

INVENTORY:

PUBLICATIONS:

VIMS THESIS, 1966, J A KERWIN

CONTACT:

LIBRARIAN 804-642-2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	6	STATIONS			RIVER SYSTEM DIVIDED INTO SIX SAMPLING STRATA
TIME SPECIES DETERMINATION OF BENTHIC PLANTS	EARTH LAND	STATION TIME KEY	YML NUMBER OF SPECIES PER STRATA	6 77	STATIONS OBS			SUMMER, 1964 CHECKLIST OF 77 SPECIES WITH SCIENTIFIC AND COMMON NAMES
COMMUNITY STRUCTURE ANALYSIS	WATER	CALCULATED	NUMBERS	6	STATIONS			MARSH PLANTS, RELATIVE FREQUENCY, DENSITY, DOMINANCE AND IMPORTANCE VALUES, E

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	13	OBS			PHILLIPS 1959 AVERAGE SALINITY OVER PERIOD OF STUDY

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA COASTAL WETLANDS

ABSTRACT:

UNDER SECTION 62.1-13.4 OF THE WETLANDS ACT, THE VIRGINIA INSTITUTE OF MARINE SCIENCE IS OBLIGATED TO INVENTORY THE TIDAL WETLANDS OF THE COMMONWEALTH OF VIRGINIA. A SERIES OF MARSH INVENTORY REPORTS ARE THEREFORE BEING COMPILED ON A COUNTY BASIS. EACH REPORT LOCATES AND DESCRIBES THE INDIVIDUAL TIDAL MARSHES WITHIN A COASTAL COUNTY. INFORMATION SUCH AS INDIVIDUAL MARSH ACREAGE, MARSH PLANT COMMUNITY PERCENTAGE AND ACREAGE, WATER-MARSH INTERFACE, INTERFACE MARSH AREA RATIO, AND MISCELLANEOUS OBSERVATIONS ARE PRESENTED IN TABULAR FORM. THE REPORTS RESULT FROM FIELD NOTES AND VEGETATION MAPS DRAWN IN THE FIELD AND OBSERVATIONS MADE USING AERIAL PHOTOGRAPHS AND TOPOGRAPHIC MAPS.
(ONLY SIX REPORTS COVERING LANCASTER COUNTY, MATHEWS COUNTY, YORK COUNTY AND TOWN OF POQUOSON, NORTHUMBERLAND COUNTY, STAFFORD COUNTY, AND PRINCE WILLIAM COUNTY AVAILABLE AS OF 197408)

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS

ONE 100 PAGE REPORT FOR EACH TIDAL COUNTY

FUNDING:

THE STATE OF VIRGINIA; RANN

INVENTORY:

PUBLICATIONS:

SPECIAL REPORT NO. 45 IN APPLIED MARINE SCIENCE AND OCEAN ENGINEERING

CONTACT:

DR. GENE M. SILBERHORN 804 642 2111
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062

GRID LOCATOR (LAT):

730786 730776 730766 730765 730775 730785 730787 730777

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	140	STATIONS			TWO COUNTY REPORTS ONLY
TIME	EARTH	STATION TIME	YEAR	140	OBS			TWO COUNTY REPORTS ONLY
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	PER CENT AREA	140	OBS			TWO COUNTY REPORTS ONLY

THE EFFECTS OF THERMAL LOADING BY THE BREMO POWER STATION ON A PIEDMONT SECTION
OF THE JAMES RIVER
DATA COLLECTED: JULY 1971 TO JUNE 1973

RECEIVED: JULY 13, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, JAMES RIVER, BREMO BLUFF TO COLUMBIA

ABSTRACT:

PIEDMONT SECTION OF JAMES RIVER, VIRGINIA STUDIED FOR EFFECTS OF THERMAL LOADING BY POWER STATION-INCLUDES PERIOD OF HURRICANE AGNES. ABIOTIC AND BIOTIC MEASUREMENTS MADE.
(DATA INCLUDES PERIOD OF HURRICANE AGNES; COLLECTIONS KEPT AT VA INST OF SCI RESEARCH)

DATA AVAILABILITY:

WITH APPROVAL REPORTS SENT TO OFFICE OF WATER RESEARCH, VIRGINIA ELECTRIC AND POWER COMPANY

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS; DATA SHEETS
25 PARAMETERS MEASURED OVER 24 MONTHS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

WILLIAM S WOOLCOTT 703-282-9581
VIRGINIA INSTITUTE FOR SCIENTIFIC RESEARCH
RICHMOND VIRGINIA USA 23229

GRID LOCATOR (LAT):

730776 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	10	STATIONS	60 TIMES PER YEAR		
TIME	EARTH	SAMPLING TIME	YMDHL	21600	STATIONS	60 TIMES PER YEAR		
TEMPERATURE	WATER	NON-REVERSING THERMOMETER	DEG C	21600	OBS	60 TIMES PER YEAR	SURFACE	TEMPERATURE PROFILES TAKEN 6 TIMES PER YEAR
PH	WATER	SPECIFIC ION ELECTRODE	UNITS	21600	OBS	60 TIMES PER YEAR	SURFACE	
DISSOLVED OXYGEN GAS	WATER	SPECIFIC ION ELECTRODE	MILLIGRAMS PER LITER	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	WINKLER TITRATION CHECK

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
AMMONIA	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
NITRATE	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
NITRITE	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
PHOSPHORUS	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
ORTHOPHOSPHATE	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
SECCHI DISC DEPTH	WATER	AVERAGE DEPTH	FEET	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER OF INDIVIDUALS PER SAMPLE	151200	OBS	60 TIMES PER YEAR	BOTTOM	108000 SHORE BENTHOS COLLECTED USING MODIFIED TONGS, ARTIFICIAL SUBSTRATE USED TO COLLECT 43,200 ORGANISMS SUSPENDED 1 FT. OFF BOTTOM
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER SAMPLE, NUMBER OF INDIVIDUALS PER SPECIES PER SAMPLE	151200	OBS	60 TIMES PER YEAR	BOTTOM	108000 SHORE BENTHOS COLLECTED USING MODIFIED TONGS, ARTIFICIAL SUBSTRATE USED TO COLLECT 43,200 ORGANISMS SUSPENDED 1 FT. OFF BOTTOM
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER OF INDIVIDUALS PER STATION	540	OBS	18 TIMES PER YEAR		220V 1 1/2 TO 3 AMP ELECTRIC SHOCK. 100 TO 250 YARDS PER STATION
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER OF SPECIES PER STATION, NUMBER OF INDIVIDUAL SPECIES PER STATION	540	OBS	18 TIMES PER YEAR		220V 1- 1/2 TO 3 AMP ELECTRIC SHOCK. 100 TO 250 YARDS PER STATION
BIOMASS OF DEMERSAL FISH	WATER	WET WEIGHT	GRAMS, SPECIES PER STATION	540	OBS	18 TIMES PER YEAR		
LENGTH OF DEMERSAL FISH	WATER	STANDARD LENGTH	MILLIMETERS	540	OBS	18 TIMES PER YEAR		LENGTH RANGE RECORDED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
DIVERSITY INDEX OF DEMERSAL FISH	WATER	SHANNON-WEAVER	NUMBERS	540	OBS	18 TIMES PER YEAR		
STOMACH CONTENT ANALYSIS OF DEMERSAL FISH	WATER	VISUAL	PERCENTAGE OF SPECIES INGESTED PER FISH SPECIES	540	OBS	18 TIMES PER YEAR		
SPECIES DETERMINATION OF BENTHIC PLANTS	LAND	KEY	NUMBER OF SPECIES PER STATION	540	OBS	18 TIMES PER YEAR		ESTIMATES AS TO QUANTITY, SAMPLES COLLECTED ON SHORE
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES PER SLIDE	180	OBS	6 TIMES PER YEAR		SAMPLES COLLECTED ON GLASS SLIDES SET IN RIVER
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER OF INDIVIDUALS PER SLIDE	180	OBS	6 TIMES PER YEAR		SAMPLES COLLECTED ON GLASS SLIDES SET IN RIVER
PARTICULATE MATTER	WATER	MEMBRANE FILTRATION	PARTS PER MILLION	21600	OBS	60 TIMES PER YEAR	SUB-SURFACE	

67

ANNEX III

Part A

Section 1

"6"

Areas near the Chesapeake Bay including
oceanside Maryland and Virginia, Delaware,
and the northern coast of North Carolina.

001625

CHINCOTEAGUE AND SINEPUXENT BAY BENTHOS
DATA COLLECTED: AUGUST 1969 TO AUGUST 1969PAGE 01
RECEIVED: APRIL 29, 1974PROJECTS:
ASSATEAGUE ECOLOGICAL STUDIESGENERAL GEOGRAPHIC AREA:
NORTH ATLANTIC, U.S., DELMARVA PENINSULA, CHINCOTEAGUE BAY, SINEPUXENT BAYABSTRACT:
DESCRIPTIVE SURVEY OF BENTHIC COMMUNITIES IN CHINCOTEAGUE AND SINEPUXENT BAYS CONDUCTED IN 1969. 139 STATIONS OCCUPIED WITH 3
REPLICATE SAMPLES PER STATION. DEPTH, SEDIMENT TYPE, AND BIOLOGICAL MATERIAL REPORTED FOR EACH STATION. MORE INTENSIVE
SAMPLING PERFORMED IN AREAS OF DREDGE BORROW PITS.
(ANALYSES BY KLAUS DROBECK, NRI REFERENCE 446, UNIVERSITY OF MARYLAND)DATA AVAILABILITY:
WRITTEN REQUESTPLATFORM TYPES:
SHIPARCHIVE MEDIA:
REPORTS
PART 6 OF 300 PAGE REPORTFUNDING:
NATIONAL PARKS SERVICE CONTRACT NUMBER 14-10-5-950-36

INVENTORY:

PUBLICATIONS:

CONTACT:
LIBRARIAN 301 326 4281
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS MARYLAND USA 20688GRID LOCATOR (LAT):
730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP	139	STATIONS			
TIME	EARTH	STATION TIME	YMD	139	STATIONS			
DEPTH	WATER	WIRE LENGTH	FEET	139	OBS		BOTTOM	
SIZE ANALYSIS	SEDIMENT	SETTLING/ WEIGHING	PHI UNITS	139	OBS			MEAN GRAIN SIZE, MEDIAN GRAIN SIZE, SKEWNESS, SORTING COEFFICIENT
ORGANIC CARBON	SEDIMENT	GRAVIMETRY	PERCENT OF SAMPLE	139	OBS			

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION	139	OBS			
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SPECIES	139	OBS			RELATIVE ABUNDANCE SCALE TO RANK THE DOMINANT SPECIES
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION	417	OBS			
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES PER REPLICATE PER STATION AND MEANS	417	OBS			
LENGTH OF BENTHIC ANIMALS	BOTTOM	DIRECT	MILLIMETERS	139	OBS			VENUS MERCENARIA, SIZE FREQUENCY PER STATION, MEAN LENGTH PER STATION
COMMUNITY STRUCTURE ANALYSIS	BOTTOM	CALCULATED	CORRELATIONS	139	OBS			DISTRIBUTION AND DENSITY OF CLAMS WITH OTHER FACTORS OF PHYSICAL AND BIOLOGICAL NATURE OF HABITAT

PROJECTS:
ASSATEAGUE ECOLOGICAL STUDIES

GENERAL GEOGRAPHIC AREA:
NORTH ATLANTIC, U.S., DELMARVA PENINSULA, CHINCOTEAGUE BAY

ABSTRACT:
SURVEY OF BENTHIC VEGETATION IN CHINCOTEAGUE BAY CONDUCTED AS PART OF A STUDY OF ASSATEAGUE NATIONAL PARK. DATA INCLUDED IN THIS STUDY ARE SPECIES LISTS, ABUNDANCE, WEIGHT, SIZE, AND GROWTH. OBJECTIVES WERE TO DEFINE THE DISTRIBUTION AND GROWTH OF BENTHIC VEGETATION IN THE AREA. SAMPLES TAKEN FROM MAY THROUGH AUGUST AT 2 WEEK INTERVALS DURING 1969 AND 1970 (WORK BY RICHARD R. ANDERSON, NRI REFERENCE NUMBER 446, UNIVERSITY OF MARYLAND)

DATA AVAILABILITY:
WRITTEN REQUEST

PLATFORM TYPES:
SHIP

ARCHIVE MEDIA:
REPORTS
PART 4 OF 300 PAGE REPORT

FUNDING:
NATIONAL PARKS SERVICE CONTRACT NUMBER 14-10-5-950-36

INVENTORY:

PUBLICATIONS:

CONTACT:
LIBRARIAN 301 326 4281
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS MARYLAND USA 20688

GRID LOCATOR (LAT):
730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	192	STATIONS			
TIME	EARTH	STATION TIME	YMD	192	STATIONS			
TIME	EARTH	STATION TIME	YMD	192	OBS			
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SPECIES	355	OBS	2 WEEK INTERVALS		EKMAN GRAB 15 CM
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION	355	OBS	2 WEEK INTERVALS		EKMAN GRAB 15 CM
LENGTH OF BENTHIC PLANTS	BOTTOM	DIRECT	MM	15000	OBS	2 WEEK INTERVALS		50 PER INTERVAL FOR ZOSTRA AND

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
WEIGHT OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GRAMS	15000	OBS	2 WEEK INTERVALS		RUPPIA, COMPUTED GROWTH FROM MEAN LENGTHS 50 PER INTERVAL FOR ZOSTRA AND RUPPIA, COMPUTED GROWTH FROM MEAN LENGTHS
BIOMASS OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GRAMS PER SQ METER	355	OBS	2 WEEK INTERVALS		

000148

QUALITATIVE SURVEY OF SUBMERGENT VEGETATION
DATA COLLECTED: JULY 1967 TO AUGUST 1969PAGE 01
RECEIVED: NOVEMBER 07, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, EASTERN SHORE, MARYLAND

ABSTRACT:

EXTENSIVE SURVEY OF SUBMERGED ROOTED AQUATIC PLANTS, QUALITATIVE RANKED ABUNDANCE, RELATE TO FORAGE FOR MIGRANT WATERFOWL.
OVER 1000 STATIONS, 1 VISIT, 4 REPLICATES PER STATION. 3 DEPTH STRATA, DATA ON 12 SPECES OF ROOTED AQUATIC PLANTS PLUS SEVERAL
GENERA OF ALGAE.
(STATE SUPPORTED PREDECESSOR TO BSFW STUDY)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS

3 STANDARD FILE CABINET DRAWERS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS 301-267 5195
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730775 730785 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1000	STATIONS	1 TIME		
TIME	EARTH	STATION TIME	YMDH 5 MINUTE INTERVAL	1000	STATIONS	1 TIME		
DEPTH	WATER	WIRE LENGTH	FEET	3000	OBS	1 TIME	BOTTOM	DEPTHS STRATIFIE D 0 TO 3 FT, 4 TO 6 FT, AND 7 TO 12 FT
BOTTOM TYPE	BOTTOM	VISUAL	U S GEODETIC TYPES	3000	OBS	1 TIME	BOTTOM	
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	100	OBS	1 TIME	SURFACE	RS-5
TEMPERATURE	WATER	THERMISTOR	DEGREES C	100	OBS	1 TIME	SURFACE	

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
ELECTRICAL CONDUCTIVITY	WATER	IN SITU CONDUCTIVITY CELL/TEMPERATURE CORRECTED	MILLIOHMS	100	OBS	1 TIME	SURFACE	
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES PER STRATUM	12000	OBS	1 TIME	BOTTOM	14 INCH CULTIVATOR RAKE DRAGGED OVER AREA, 4 REPLICATE DRAGS PER STATION, 12 SPECIES OF ROOTED PLANTS AND SEVERAL GENERA OF FILAMENTOUS ALGA
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER STRATUM	12000	OBS	1 TIME	BOTTOM	SPONGES, CORALS, TUNICATES
TAXONOMIC LIST OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER OF SPECIES PER STRATUM	12000	OBS	1 TIME	BOTTOM	ALGAE TO GENUS
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE, AVERAGE INDEX PER STATION PER SPECIES	12000	OBS	1 TIME	BOTTOM	RARE, OCCASIONAL, COMMON, ABUNDANT PER SPECIES PER DRAG

000146

ESTUARINE BENTHIC SURVEY
DATA COLLECTED: AUGUST 1959 TO SEPTEMBER 1961PAGE 01
RECEIVED: NOVEMBER 07, 1973

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY

ABSTRACT:

VEGETATIVE SURVEY OF OCEANSIDE EASTERN SHORE MARYLAND AND TRIBUTARIES ANNUAL FALL SURVEY OF WATERFOWL HABITAT. DATA INCLUDES 1959-1961 SEASONS. VEGETATION-VOLUMES AND SPECIES, BENTHIC ANIMALS-COUNTS AND SPECIES LISTS PER STATION (BUREAU OF SPORT FISHERIES AND WILDLIFE AND MARYLAND, REGION IV)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS; REPORTS

3 CUBIC FEET OF DATA SHEETS

FUNDING:

PITTMAN-ROBERTSON ACT, PROJECT W30 R

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS 301-267-5195
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2880	STATIONS	1 TIME PER YEAR		
TIME	EARTH	STATION TIME	YMDHML	2880	STATIONS	1 TIME PER YEAR		
DEPTH	WATER	WIRE LENGTH	FEET FROM MLW	2880	OBS	1 TIME PER YEAR	BOTTOM	RECORDED IN HALF FEET, MAXIMUM 12 FEET
BOTTOM TYPE	BOTTOM	VISUAL	GENERAL U S COAST AND GEODETIC CLASSES	2880	OBS	1 TIME PER YEAR	BOTTOM	

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
PARTICULATE MATTER	WATER	GRAVIMETRY	CUBIC CENTIMETER S	2880	OBS	1 TIME PER YEAR	BOTTOM	WET WASH CONTENTS FROM 0.56 SQ FOOT PETERSON GRAB, DETRITUS
SIZE ANALYSIS	SEDIMENT	DISPLACEMENT	CUBIC CENTIMETER S	2880	OBS	1 TIME PER YEAR	BOTTOM	VOLUME DETERMINA TION OF SHELL
VOLUME DETERMINA TION OF BENTHIC PLANTS	BOTTOM	SETTLING	CUBIC CENTIMETER S	2880	OBS	1 TIME PER YEAR	BOTTOM	VOLUME OF EACH PLANT SPECIES IN SAMPLE, RELATE TO BIRDS
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY	NUMBER PER STATION	2880	OBS	1 TIME PER YEAR	BOTTOM	RELATE TO WATERFOWL
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	TOTAL NUMBER PER STATION	2880	OBS	1 TIME PER YEAR	BOTTOM	RELATE TO WATERFOWL
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER STATION	2880	OBS	1 TIME PER YEAR	BOTTOM	SAMPLE SIEVED THROUGH 1 MM

000256

EVALUATION OF CHANNELIZATION EFFECTS ON AQUATIC HABITAT
DATA COLLECTED: JULY 1973 TO PRESENTPAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., CHESAPEAKE BAY, COASTAL, MARYLAND, EASTERN SHORE

ABSTRACT:

EXTENSIVE DATA BASE ON 19 CHANNELIZED STREAMS INCLUDING WATER CHEMISTRY, BENTHOS, AND FISHES. COMPARISONS ACROSS STREAMS BASED UPON TIME SINCE CHANNELIZED. DETERMINATION OF RECOVERY TIME AND SEQUENCE OF BIOTA AND CHEMICAL FACTORS.

DATA AVAILABILITY:

WITH REQUEST AND COST OF DUPLICATION

PLATFORM TYPES:

ARCHIVE MEDIA:

DATA SHEETS
2 STANDARD FILE DRAWERS

FUNDING:

BSFW DINGELL-JOHNSON ACT AND MARYLAND DNR, PROJECT MD F 24 R

INVENTORY:

PUBLICATIONS:

CONTACT:

W.R. CARTER 301-267-5361
MARYLAND DEPARTMENT OF NATURAL RESOURCES
TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730785 730786 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP	648	STATIONS			
TIME	EARTH	STATION TIME	YMDHL	648	STATIONS			
TEMPERATURE	WATER	THERMISTOR	DEG C	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	BECKMAN RS-5
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	BECKMAN RS-5
DISSOLVED OXYGEN GAS	WATER	SPECIFIC ION ELECTRODE	PARTS PER MILLION	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	YSI MODEL 54
SULFATE	WATER	COLORIMETRY	PARTS PER MILLION	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	HACH KIT TEST
PH	WATER	SPECIFIC ION ELECTRODE	PH UNITS	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	BECKMAN LAB MODEL
PHOSPHATE	WATER	COLORIMETRY	PARTS PER MILLION	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	HACH KIT TEST

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
HARDNESS	WATER	EDTA TITRATION	PARTS PER MILLION	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	
TOTAL ALKALINITY	WATER	TITRATION	PARTS PER MILLION	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	
LIGHT ATTENUATION	WATER	SPECTROPHOTOMETRY	PARTS PER MILLION AS SILICON DIOXIDE	1296	OBS	2 TIMES PER MONTH	SURFACE AND BOTTOM	HELLIGE
SECCHI DISC DEPTH	WATER	AVERAGE DEPTH	0 PT 1 METERS	1296	OBS	2 TIMES PER MONTH		
DEPTH	WATER	WIRE LENGTH	FEET	1296	OBS	2 TIMES PER MONTH	BOTTOM	
BOTTOM TYPE	BOTTOM	VISUAL	SAND, MUD, SHELL, MIXED	1296	OBS	2 TIMES PER MONTH	BOTTOM	
BATHYMETRY	WATER	LEAD LINE	CROSS SECTION AREA IN SQ FT	540	OBS			STREAM PROFILE
WEIGHT OF BENTHIC PLANTS	BOTTOM	WET WEIGHT	PER SQ FT PER TRANSECT	540	OBS	2 TIMES		SAMPLE EVERY THIRD FOOT ON TRANSECT
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	INTERCEPTED INCHES ON TRANSECT	540	OBS	2 TIMES	BOTTOM	10 TRANSECTS ON 27 STREAMS
CURRENT SPEED	WATER	IMPELLOR METER	FT PER SECOND	540	OBS	2 TIMES		SEASONAL READINGS
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	AVERAGE NUMBER PER AREA	540	OBS	2 TIMES		SMALL PETERSEN GRAB, 1 SAMPLE PER TRANSECT
TAXONOMIC LIST OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER PER GENUS	540	OBS	2 TIMES		SMALL PETERSEN GRAB, 1 SAMPLE PER TRANSECT
COMMUNITY STRUCTURE ANALYSIS	BOTTOM	CALCULATED	RANK ANALYSIS	54	OBS			BENTHIC ANIMALS
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY	NUMBER PER SPECIES PER AREA, SPECIES LIST	27	OBS			100 FOOT ROTENONE SAMPLE
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY	NUMBER PER SPECIES PER AREA, SPECIES LIST	27	OBS			100 FOOT ROTENONE SAMPLE
COUNT OF DEMERSAL FISH	WATER	VISUAL	AVERAGE NUMBER PER AREA	27	OBS			
COUNT OF PELAGIC FISH	WATER	VISUAL	AVERAGE NUMBER PER AREA	27	OBS			
COMMUNITY STRUCTURE ANALYSIS	WATER	CALCULATED	RANK ANALYSIS	27	OBS			FISH COMMUNITY
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	MILLIMETERS	5000	OBS			ALL GAME FISHES
WEIGHT OF DEMERSAL FISH	WATER	WET WEIGHT	GRAMS	5000	OBS			ALL GAME FISHES
AGE DATING OF	WATER	SCALES	YEARS	5000	OBS			ALL GAME FISHES

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....

DEMERSAL FISH

000174

MARINE FINFISH AND SHELLFISH SURVEY
DATA COLLECTED: JUNE 1971 TO PRESENTPAGE 01
RECEIVED: MAY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, OCEAN SIDE

ABSTRACT:

BEACHSEINE AND TRAWL SURVEY OF FISHES OCCURRING IN BAYS ON OCEANSIDE EASTERN SHORE, MARYLAND. HYDRO DATA WITH EACH COLLECTION, SPECIES LISTS, SIZE RANGE, NUMBERS. STANDARD COLLECTION TECHNIQUE APPLIED AND DATA EXPANDED TO AREA ESTIMATES. MAINLY SUMMER DATA, TO BECOME QUARTERLY SURVEY.
(SOME DATA APPEARS IN WILLIAM SIPPLE FILE ECOLOGICAL WETLANDS ASSESSMENT)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

DATA SHEETS

FILED BY YEAR, LOOSE TYPED FIELD SHEETS, SEINE AND TRAWL SAMPLES SEPARATED BY YEAR

FUNDING:

MARYLAND DEPT NATURAL RESOURCES

INVENTORY:

197 SEINE SAMPLES (SITE LESS THAN 3.5' IN DEPTH), 459 TRAWL SAMPLES (SITES GREATER THAN 3.5' IN DEPTH), 5 HOOP TRAP SAMPLES

PUBLICATIONS:

IN HOUSE PUBLICATIONS AVAILABLE BY FISCAL 1977

CONTACT:

JIM CASEY 301-827-8122
WYEMILLS REGIONAL STATION
P O BOX 68
WYEMILLS MARYLAND USA 21679

GRID LOCATOR (LAT):

730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP	480 STATIONS			
TIME	EARTH	STATION TIME	YMDHML	480 STATIONS			
DEPTH	WATER	WIRE LENGTH	FEET	480 OBS	2 TIMES PER STATION PER YEAR	BOTTOM	RECORD DEPTH RANGE DURING TOW, SHALLOWEST TO DEEPEST FOR SEINE AND BEGINNING AND END FOR TRAWL

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
DISSOLVED OXYGEN GAS	WATER	SPECIFIC ION ELECTRODE	PARTS PER MILLION	480	OBS	2 TIMES PER STATION PER YEAR	ONE FOOT OFF BOTTOM	PROFILE 2 FT INTERVALS AT DEEP STATIONS AND WETLAND EVALUATION SITES, YSI MODEL 51A
SALINITY	WATER	CONDUCTIVITY	PARTS PER THOUSAND	480	OBS	2 TIMES PER STATION PER YEAR	ONE FOOT OFF BOTTOM	YSI MODEL 33
TEMPERATURE	WATER	THERMISTOR	DEG C	480	OBS	2 TIMES PER STATION PER YEAR	ONE FOOT OFF BOTTOM	YSI MODELS 33 AND 51A
WEATHER	AIR	VISUAL	CLEAR, PROPORTION CLOUD COVER, HAZE, PRECIPITATION, RAIN, SNOW, SLEET	480	OBS	2 TIMES PER STATION PER YEAR		
WAVE AMPLITUDE	WATER	VISUAL	SEA STATE	480	OBS	2 TIMES PER STATION PER YEAR		
WIND SPEED	AIR	VISUAL	MPH	480	OBS	2 TIMES PER STATION PER YEAR		
WIND DIRECTION	AIR	VISUAL	COMPASS POINTS	480	OBS	2 TIMES PER STATION PER YEAR		
BOTTOM TYPE	BOTTOM	VISUAL	GEODETIC CLASSES	480	OBS	2 TIMES PER STATION PER YEAR		PIPE PLUG SAMPLE
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	RELATIVE ABUNDANCE	480	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	1 TO 4 SCALE, SCARCE, COMMON, ABUNDANT, VERY ABUNDANT
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY	SPECIES PER TOW AND PER AREA BY GEAR	15	OBS	2 TIMES PER STATION PER YEAR		TRAWL AND SEINE, SEINE IS 100 FT X 6 FT X 1/4 INCH WITH 6X6X6 FT BAG SAMPLE COVERS 5500 SQ FT PER TOW, TRAWL 16 FOOT SEMIBALLOON OTTER TRAWL WITH 1/4 INCH LINER, SAMPLE COVERS 40,000 SQ FT
SPECIES DETERMINATION OF DEMERSAL	WATER	KEY	SPECIES PER TOW AND PER AREA BY GEAR	50	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	TRAWL AND SEINE, SEINE IS 100 FT X 6

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
FISH								FT X 1/4 INCH WITH 6X6X6 FT BAG SAMPLE COVERS 5500 SQ FT PER TOW, TRAWL 16 FOOT SEMIBALLOON OTTER TRAWL WITH 1/4 INCH LINER, SAMPLE COVERS 40,000 SQ FT
COUNT OF PELAGIC FISH	WATER	VISUAL	NUMBER PER SPECIES PER TOW PER AREA, TOTAL NUMBER PER TOW AND AREA	15	OBS	2 TIMES PER STATION PER YEAR		
COUNT OF DEMERSAL FISH	WATER	VISUAL	NUMBER PER SPECIES PER TOW PER AREA, TOTAL NUMBER PER TOW AND AREA	50	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	
LENGTH OF PELAGIC FISH	WATER	TOTAL LENGTH	CENTIMETER, RANGE PER SPECIES, PER TOW PER AREA	15	OBS	2 TIMES PER STATION PER YEAR		
LENGTH OF DEMERSAL FISH	WATER	TOTAL LENGTH	CENTIMETER, RANGE PER SPECIES, PER TOW PER AREA	50	OBS	2 TIMES PER STATION PER YEAR		
BIOMASS OF PELAGIC FISH	WATER	WET WEIGHT	POUNDS PER ACRE	480	OBS	2 TIMES PER STATION PER YEAR		
BIOMASS OF DEMERSAL FISH	WATER	WET WEIGHT	POUNDS PER ACRE	480	OBS	2 TIMES PER STATION PER YEAR		
BIOMASS OF BENTHIC ANIMALS	BOTTOM	WET WEIGHT	POUNDS PER ACRE	480	OBS	2 TIMES PER STATION PER YEAR		CALLINECTES SAPIDUS
COMMUNITY STRUCTURE ANALYSIS	WATER	CALCULATED	DOMINANCE RANKING, HABITAT TYPE	480	OBS	2 TIMES PER STATION PER YEAR		ALL FISH DATA TREATED BY GEAR TYPE AND COMBINED GEAR
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY	NUMBER OF SPECIES PER TOW, PER AREA	10	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	HERMIT CRAB, LADY CRAB, ROCK CRAB, PENAEID SHRIMP, MANTIS SHRIMP, GRASS SHRIMP, CRANGON, BLUE

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
COUNT OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER PER SPECIES IN EACH TOW, EACH AREA, TOTAL NUMBER	480	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	CRAB HERMIT CRAB, LADY CRAB, ROCK CRAB, PENAEID SHRIMP, MANTIS SHRIMP, GRASS SHRIMP, CRANGON, BLUE CRAB
SEX DETERMINATION OF BENTHIC ANIMALS	BOTTOM	VISUAL	NUMBER MALE, FEMALE, AND IMMATURE	480	OBS	2 TIMES PER STATION PER YEAR	BOTTOM	CALLINECTES SAPIDUS
LENGTH OF BENTHIC ANIMALS	BOTTOM	DIRECT	INCH GROUPS FOR CARAPACE WIDTH	480	OBS	2 TIMES PER STATION PER YEAR		CALLINECTES SAPIDUS
SPECIES DETERMINATION OF REPTILES	WATER	KEY	NUMBER PER SPECIES	1	OBS	2 TIMES PER STATION PER YEAR		DIAMONDBACK TURTLE
COUNT OF REPTILES	WATER	VISUAL	NUMBER PER TOW, PER AREA	480	OBS	2 TIMES PER STATION PER YEAR		DIAMONDBACK TURTLE

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., COASTAL, DELAWARE BAY, CANARY CREEK

ABSTRACT:

THE MARSH CRAB, SESARMA RETICULATUM (SAY), FEEDS PRIMARILY UPON THE CODGRASS, SPARTINA ALTERNIFLORA, DURING THE SUMMER MONTHS IN CANARY CREEK MARSH (LEWES, DELAWARE). IN SO DOING, SESARMA IS A PART OF THE SECOND, OR HERBIVORE, TROPHIC LEVEL IN THE MARSH. A STUDY WAS UNDERTAKEN TO DETERMINE THE ENERGY UTILIZED BY SESARMA IN FEEDING UPON SPARTINA OVER LUNAR-MONTHLY PERIODS. AMOUNTS OF SPARTINA INGESTED AND ASSIMILATED, IN TERMS OF GRAMS DRY WEIGHT, WERE FOUND FOR THREE GROUPS OF CRABS. THESE STUDIES INDICATE A POSSIBLE RELATIONSHIP BETWEEN THE QUANTITY (I.E. GRAMS DRY WEIGHT) AND/OR QUALITY (I.E. ASSOCIATED WITH MATURITY) OF SPARTINA AVAILABLE TO THE CRABS AND THE AMOUNTS INGESTED AND ASSIMILATED. THESE DATA, IN ADDITION TO DATA FROM RESPIRATION MEASUREMENTS, WERE COMBINED WITH INFORMATION FROM THE LITERATURE TO CONSTRUCT ENERGY BUDGETS, IN TERMS OF CALORIC VALUES, FOR THE THREE GROUPS. SUBSEQUENTLY, THE DATA WERE EXTRAPOLATED TO THE MARSH ECOSYSTEM TO OBTAIN ESTIMATES OF ENERGY UTILIZATION BY THE MARSH POPULATION OF SESARMA.

DATA AVAILABILITY:

ALSO AT UNIVERSITY OF DELAWARE, MARINE STATION LIBRARY

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

REPORTS
61 PAGES

FUNDING:

STATE OF DELAWARE DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENTAL CONTROL

INVENTORY:

PUBLICATIONS:

RESEARCHERS JOAN R. JACKEWICZ. DATA INCLUDED IN UNPUBLISHED M.S. THESIS, U. OF DELAWARE

CONTACT:

JOHN C. BRYSON 302 678 4403
DELAWARE DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENTAL CONTROL
DOVER DELAWARE USA 19901

GRID LOCATOR (LAT):

730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	DEG	1	STATIONS	MONTHLY	SURFACE	
TIME	EARTH	STATION TIME	YMD	35	OBS	MONTHLY	SURFACE	
WEIGHT OF BENTHIC ANIMALS	BOTTOM	WET WEIGHT	GRAMS	35	OBS	MONTHLY	SURFACE	
COUNT OF	BOTTOM	VISUAL	NUMBER	35	OBS	MONTHLY	SURFACE	

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
BENTHIC ANIMALS								
APPARENT OXYGEN UTILIZATION	WATER	TITRATION	PPT	35	OBS	MONTHLY	SURFACE	
SPECIES DETERMINATION OF BENTHIC ANIMALS	BOTTOM	KEY		35	OBS	MONTHLY	SURFACE	
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY		35	OBS	MONTHLY	SURFACE	
STOMACH CONTENT OF BENTHIC ANIMALS	BOTTOM	VISUAL		35	OBS	MONTHLY	SURFACE	

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., DELAWARE, LEWES, CANARY CREEK MARSH, COASTAL

ABSTRACT:

QUANTITATIVE MEASUREMENTS WERE MADE IN SELECTED AREAS ON THE CANARY CREEK SALT MARSH TO DETERMINE THE QUANTITY OF ANGIOSPERM PLANT MATERIAL PRODUCED DURING THE 1960 GROWING SEASON. THE MARSH WAS FOUND TO PRODUCE 445 GRAMS AT A RATE OF 5.32 GRAMS PER DAY OF DRY WEIGHT PER SQUARE METER.

DATA AVAILABILITY:

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

REPORTS
34 PAGES

FUNDING:

UNIVERSITY OF DELAWARE RESEARCH FOUNDATION, INC.

INVENTORY:

PUBLICATIONS:

MARSHA H. MORGAN, 1961 UNPUBLISHED M.S. THESIS

CONTACT:

INTERLIBRARY LOAN 302 738 2236
MORRIS LIBRARY, UNIVERSITY OF DELAWARE
NEWARK DELAWARE USA 19711

GRID LOCATOR (LAT):

7307854170

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	DM	24	STATIONS			
TIME	EARTH	STATION TIME	YMD	8	STATIONS	BIWEEKLY		
GROWTH STUDIES OF BENTHIC PLANTS	BOTTOM	VISUAL	GM/M2	24	OBS	BIWEEKLY	SURFACE	8 TOTAL HARVESTS
YIELD OF BENTHIC PLANTS	BOTTOM	PLANT WEIGHT	GM/M2	24	OBS	BIWEEKLY	SURFACE	8 TOTAL HARVESTS

008423

MOSQUITOES AND WILDLIFE IN IMPOUNDMENTS
DATA COLLECTED: JANUARY 1959 TO OCTOBER 1960PAGE 01
RECEIVED: AUGUST 27, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., DELAWARE, KENT COUNTY, LITTLE CREEK WILDLIFE AREA

ABSTRACT:

THIS STUDY DETERMINES THE MOSQUITO BREEDING POTENTIAL OF A PREIMPOUNDED MARSH. IT STUDIES THE CHANGING ECOLOGICAL AND ENVIRONMENTAL CONDITIONS OF A MARSH AFTER IMPOUNDING, AND IT COMPARES THE WILDLIFE UTILIZATION AND MOSQUITO BREEDING POTENTIAL BETWEEN A NATURAL MARSH AND AN IMPOUNDED MARSH. FROM APRIL, 1959 TO OCTOBER, 1960 THE FOLLOWING PARAMETERS WERE STUDIED IN THE LITTLE CREEK WILDLIFE AREA: PH, SALINITY, AIR AND WATER TEMPERATURE, WATER DEPTH, RAINFALL, SPECIATION OF FISH, VEGETATION, WILDLIFE, AND MOSQUITOES.

DATA AVAILABILITY:

AVAILABLE UPON REQUEST FROM FRANK MURPHY IN THE DEPARTMENT OF ENTOMOLOGY, UNIVERSITY OF DELAWARE

PLATFORM TYPES:

FIXED STATION

ARCHIVE MEDIA:

REPORTS
121 PAGES

FUNDING:

UNIVERSITY OF DELAWARE

INVENTORY:

PUBLICATIONS:

CONTACT:

FRANK MURPHY 302 738 2526
DEPARTMENT OF ENTOMOLOGY
UNIVERSITY OF DELAWARE
NEWARK DELAWARE USA 19711

GRID LOCATOR (LAT):

7307951200

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATIONS	45	STATIONS	WEEKLY	WATER SURFACE	
TIME	EARTH	STATION TIME	YMD	45	OBS	WEEKLY	WATER SURFACE	
SPECIES DETERMINATION OF INSECTS	LAND	KEY		45	OBS	WEEKLY	WATER SURFACE	IMMATURE MOSQUITOES
COUNT OF INSECTS	LAND	VISUAL		45	OBS	WEEKLY	WATER SURFACE	IMMATURE MOSQUITOES
SPECIES DETERMINATION OF BENTHIC	BOTTOM	KEY		45	OBS	WEEKLY	WATER SURFACE	

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
PLANTS								
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL		45	OBS	WEEKLY	WATER SURFACE	
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY		45	OBS	WEEKLY	WATER SURFACE	
COUNT OF PELAGIC FISH	WATER	VISUAL		45	OBS	WEEKLY	WATER SURFACE	
SPECIES DETERMINATION OF MAMMALS	WATER	KEY		45	OBS	WEEKLY	WATER SURFACE	
COUNT OF MAMMALS	WATER	VISUAL		45	OBS	WEEKLY	WATER SURFACE	
PH	WATER	PH METER	PH UNITS	45	OBS	WEEKLY	WATER SURFACE	
SALINITY	WATER	CONDUCTIVITY	PPM	45	OBS	WEEKLY	WATER SURFACE	
TEMPERATURE	WATER	REVERSING THERMOMETER	DEG C	45	OBS	WEEKLY	WATER SURFACE	
TEMPERATURE	AIR	MERCURY THERMOMETER	DEG F	45	OBS	WEEKLY	WATER SURFACE	
BATHYMETRY	WATER	LEAD LINE	FEET	45	OBS	WEEKLY	WATER SURFACE	
PRECIPITATION AMOUNT	AIR	RAIN GAGE	INCHES	45	OBS	WEEKLY	WATER SURFACE	

8
C.

003571

EURASIAN MILFOIL COMMUNITY METABOLISM, KITTY HAWK BAY, NORTH CAROLINA
DATA COLLECTED: JUNE 1974 TO JULY 1974PAGE 01
RECEIVED: MAY 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., NORTH CAROLINA, KITTY HAWK BAY

ABSTRACT:

A STUDY OF METABOLISM IN A EURASIAN WATER MILFOIL COMMUNITY. WATER MONITORING INCLUDES DISSOLVED OXYGEN, NITRATE, AMMONIA, NITRITE, AND PHOSPHORUS AT KITTY HAWK BAY, NORTH CAROLINA.

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
THIRTY PAGES

FUNDING:

EAST CAROLINA UNIVERSITY

INVENTORY:

PUBLICATIONS:

HALL, A. 1975. COMMUNITY METABOLISM IN A EURASIAN WATER MILFOIL COMMUNITY. M.S. THESIS

CONTACT:

LIBRARIAN 19 758 6718
EAST CAROLINA UNIVERSITY
DEPARTMENT OF BIOLOGY
GREENVILLE NORTH CAROLINA USA 27834

GRID LOCATOR (LAT):

730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	2 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHML	2 STATIONS	WEEKLY		EIGHT TWENTY- FOUR HOUR STATIONS IN TWO MONTHS WITH SAMPLES EVERY THREE HOURS DURING TWENTY-FOUR HOUR PERIOD
SPECIES DETERMINATION	BOTTOM	KEY		2 STATIONS	WEEKLY		EURASIAN WATER MILFOIL

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
OF BENTHIC PLANTS								
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SPECIES	2	STATIONS	WEEKLY		EURASIAN WATER
DISSOLVED OXYGEN GAS	WATER	TITRATION	MILLIGRAMS PER LITER	2	STATIONS	WEEKLY	BOTTOM	MILFOIL WINKLER
NITRATE	WATER	TITRATION		2	STATIONS	WEEKLY		
AMMONIA	WATER	TITRATION		2	STATIONS	WEEKLY		
NITRITE	WATER	TITRATION		2	STATIONS	WEEKLY		
PHOSPHORUS	WATER	COLORIMETRY		2	STATIONS	WEEKLY		

003572

EURASIAN WATER MILFOIL COMMUNITY IN EASTERN NORTH CAROLINA
DATA COLLECTED: JUNE 1974 TO JULY 1974PAGE 01
RECEIVED: MAY 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., NORTH CAROLINA, CURRITUCK SOUND, ALBEMARLE SOUND

ABSTRACT:

A STUDY OF BIOMASS AND POPULATION DENSITY OF A EURASIAN WATER MILFOIL COMMUNITY PRIOR TO AND FOLLOWING 24-D TREATMENT IN CURRITUCK AND ALBEMARLE SOUNDS OF NORTH CAROLINA.

DATA AVAILABILITY:

PLATFORM TYPES:

SHIP

ARCHIVE MEDIA:

REPORTS
THIRTY PAGES

FUNDING:

EAST CAROLINA UNIVERSITY

INVENTORY:

PUBLICATIONS:

GETSINGER, K. 1975. CHANGES IN STRUCTURE AND METABOLISM IN A MYRIOPHYLLUM SPICATUM L. COMMUNITY FOLLOWING 2, 4-D TREATMENT.
M.S. THESISCONTACT:
LIBRARIAN 919 758 6718
EAST CAROLINA UNIVERSITY
DEPARTMENT OF BIOLOGY
GREENVILLE NORTH CAROLINA USA 27834

GRID LOCATOR (LAT):

730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	3 STATIONS			
TIME	EARTH	STATION TIME	YMD	3	MONTHLY		
SPECIES DETERMINATION OF BENTHIC PLANTS	BOTTOM	KEY		3 STATIONS	MONTHLY		EURASIAN WATER MILFOIL
BIOMASS OF BENTHIC PLANTS	BOTTOM	DRY WEIGHT	GRAMS PER SQUARE METER	3	MONTHLY		EURASIAN WATER MILFOIL
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SPECIES	3	MONTHLY		EURASIAN WATER MILFOIL

003553

BIOLOGICAL REPORTS FOR PERMIT APPLICATIONS TO ALTER MARSHLANDS, ESTUARINE
BOTTOMS, TIDELANDS, AND STATE-OWNED LAKES OF NORTH CAROLINA
DATA COLLECTED: JANUARY 1970 TO PRESENT

PAGE 01

RECEIVED: APRIL 02, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., NORTH CAROLINA, COASTAL

ABSTRACT:

BIOLOGICAL REPORTS WHICH DETERMINE EFFECTS OF BUILDING AND DREDGING PROJECTS ON COASTAL MARSH LANDS, ESTUARINE BOTTOMS, TIDELANDS AND STATE-OWNED LAKES OF NORTH CAROLINA. AERIAL PHOTOGRAPHY IS USED TO MONITOR ANY BUILDING OR DREDGING PERMIT VIOLATIONS.

DATA AVAILABILITY:

NO RESTRICTIONS

PLATFORM TYPES:

SHIP; AIRCRAFT

ARCHIVE MEDIA:

REPORTS

ONE 35 PAGE REPORT

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

JAMES T. BROWN 919 726 7021
NORTH CAROLINA DEPARTMENT OF NATURAL AND ECONOMIC RESOURCES
DIVISION OF COMMERCIAL AND SPORTS FISHERIES P.O. BOX 769
MOOREHEAD CITY NORTH CAROLINA USA 28557

GRID LOCATOR (LAT):

730738 730739 730745 730746 730747 730755 730756 730765

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	250	STATIONS			
TIME	EARTH	STATION TIME	YMD	250	STATIONS	YEARLY		
SPECIES	BOTTOM	KEY		250	STATIONS	YEARLY		DESCRIBES MARSH TYPE
DETERMINATION OF BENTHIC PLANTS								
COUNT OF BENTHIC PLANTS	BOTTOM	VISUAL	NUMBER PER SPECIES	250	STATIONS	YEARLY		AERIAL PHOTOGRAP HY USED TO DETERMINE IF ENVIRONMENT ALTERED

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
SPECIES DETERMINATION OF DEMERSAL FISH	WATER	KEY		250 STATIONS	YEARLY		
SPECIES DETERMINATION OF PELAGIC FISH	WATER	KEY		250 STATIONS	YEARLY		

ANNEX III

Part A

Section 2

Aerial Photographs

Aerial photographs represent the bulk of the existing data files. More than half (75) of the 142 files were initiated prior to January 1, 1973. Of these, only three are pre-1970, including a coastal survey of the United States from 1927 to present, a North Carolina beach erosion study from 1938 to 1971 and a North Carolina coastal survey from 1957 to 1959. All these files are included because they may be useful in detecting historic trends, submerged aquatic vegetation presence and mapping distributions.

A photographic file includes one or more flights or missions which may take from several pictures to several hundred pictures. Most flights originate from NASA's Wallops Island Flight Center, Virginia. Altitudes vary from 250 to 17,500 feet. Most photographs are color (120 files) which give the best characterization of submerged aquatic vegetation. Other files are strictly black and white (6) or infrared (15). Of the two, black and white is better for identifying the subject.

The files are divided as follows:

General - 1 file; coastal survey of the United States.

Delaware - 13 files.

District of Columbia - 22 files; surveys of Dutch Elm Disease, possibly containing valuable information of submerged aquatic vegetation in the upper Potomac River.

Maryland

Shoreline - 10 files; water-land interface including wetlands.

Rivers - 31 files; arranged alphabetically.

Cities - 3 files.

Oceanside - 3 files.

Maryland-Virginia - 15 files; missions flown over both Maryland and Virginia.

North Carolina - 5 files.

Pennsylvania - 1 file.

Virginia

General - 2 files; western shore Chesapeake Bay, Virginia and Virginia wetlands.

Rivers - 18 files; arranged alphabetically.

Bay - 8 files; most concern the area at the head of the Bay.

Oceanside - 10 files.

ANNEX III

Part A

Section 2

"General"

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, NORTH PACIFIC OCEAN, U.S., COASTAL, MAINE, NEW HAMPSHIRE, MASSACHUSETTS, RHODE ISLAND, CONNECTICUT, NEW YORK, NEW JERSEY, PENNSYLVANIA, DELAWARE, MARYLAND, DISTRICT OF COLUMBIA, VIRGINIA, NORTH CAROLINA, SOUTH CAROLINA, GEORGIA, FLORIDA, ALABAMA, MISSISSIPPI, LOUISIANA, TEXAS, CALIFORNIA, OREGON, WASHINGTON, ALASKA, HAWAII

ABSTRACT:

THIS FILE CONTAINS AERIAL PHOTOGRAPHS USED BY THE NATIONAL OCEAN SURVEY IN CONNECTION WITH NAUTICAL AND AERONAUTICAL CHARTING PROGRAMS. PHOTOGRAPHS ARE AVAILABLE FOR MOST OF THE COASTAL AREAS OF THE UNITED STATES. AERIAL PHOTOGRAPHS ARE AVAILABLE AS CONTACT PRINTS, ENLARGEMENTS, FILM POSITIVES, NEGATIVES; SOME COLOR PHOTOGRAPHY IS AVAILABLE FOR SOME REGIONS. SINGLE-LENS PHOTOGRAPHS ARE USUALLY TAKEN AT 1:10,000, 1:20,000, 1:24,000, 1:30,000 OR 1:40,000 SCALE. THE SCALES ARE APPROXIMATE DUE TO SHRINKAGE OR EXPANSION OF PAPER, UNCERTAINTY IN REPORTED FLIGHT ALTITUDE, TIP AND TILT OF THE AIRCRAFT AND THE EFFECT OF GROUND RELIEF.

DATA AVAILABILITY:

ALL PHOTOGRAPHS AVAILABLE AT COST OF REPRODUCTION. CONTACT PRINTS \$2.00 EACH. ENLARGEMENTS \$4.00 TO \$8.00. COLOR PHOTOGRAPHS \$7.00 EACH.

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

ALL PHOTOS AVAILABLE AT COST OF REPRODUCTION. CONTACT PRINTS \$3.00 EACH. ENLARGEMENTS \$8.00. COLOR PHOTOS \$9.00 EACH.

FUNDING:

INVENTORY:

PUBLICATIONS:

LEAFLET: NATIONAL OCEAN SURVEY - REPRODUCTIONS OF AERIAL PHOTOGRAPHS - AVAILABLE FREE. INDEX OF PHOTOGRAPHY ON 1:250,000 BASE MAPS AVAILABLE AT \$0.50 UPON REQUEST.

CONTACT:

CHIEF, PHOTOMAP AND IMAGERY INFORMATION SECTION 301 496 9601
NATIONAL OCEAN SURVEY
6001 EXECUTIVE BOULEVARD
ROCKVILLE MARYLAND USA 20852

GRID LOCATOR (LAT):

740648 740657 740647 740646 740656 740649 740639 740730 740720 740710 740619 740711 740712 740713 740702 740703 740704 740705
730794 730795 730796 730797 730784 730785 730786 730787 730775 730776 730777 730765 730766 730755 730756 730757 730746 730747
730748 730737 730738 730739 730810 730811 730801 720890 720891 720892 720893 720894 720895 720880 720881 720882 720870 720872
720860 720861 720862 720850 720851 720840 720841 720842 720835 720836 720837 720976 720977 720967 720957 731127 731128 731250
731251 731261 731262 731272 731281 731282 731283 731293 731284 741204 741214 741224 741234 741244 741253 741254 741263 741264
741272 741273 741274 741282 741283 741284 741285 7512 7513 7514 7515 7516 7517 7613 7614 7615 7616 7617 7713 7714 7715 7716
711595 711594 711595 711596 721505 721506 721507 731137 731138 731139 731230 731148 731149 731240 721516 721517 721518 721519
721610 721529 721620

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
TIME	EARTH	STATION TIME	YMDL	39	YRS			
POSITION	EARTH	FIXED POINT		39	YRS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		39	YRS		SURFACE	ONE PRINT ON FILE FOR MOST AREAS OF THE U.S. COAST
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT		39	YRS		SURFACE	ONE PRINT ON FILE FOR MOST AREAS OF THE U.S. COAST
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT		39	YRS		SURFACE	ONE PRINT ON FILE FOR MOST AREAS OF THE U.S. COAST

ANNEX III

Part A

Section 2

Delaware

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSATGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY

ABSTRACT:
MISSION W218, FLI. 1, JULY 7, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND AN I2S CAMERA SYSTEM IN COOPERATION WITH COLLEGE OF MARINE STUDIES OF UNIV. OF DEL. OBJECTIVE - TO OBTAIN INTERMEDIATE ALTITUDE IMAGERY OF DEL. COASTLINE OF DEL. BAY AND TRANSECTS OF BAY AT COHANSEY RIVER-BOMBAY HOOK AND AT CAPE MAY-CAPE HENLOPEN. FLIGHT MADE TO COINCIDE WITH ERTS OVERPASS AND IN SUPPORT OF GROUND TRUTH TEAMS TAKING WATER SAMPLES FROM NASA WALLOPS HELICOPTER AND UNIV. OF DEL. POWER BOATS. WEATHER - HAZY, AIR TEMP. 6 DEG. C AT 11,500 FT, MSL WITH WIND OF 14 KNOTS FROM 300 DEG. (MISSION NO W218, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
300 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730795 730785 730784 730794

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMOHML	4	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	300	OBS	11500 FT	100 MM AND 152 MM FOCAL LENGTH

001260

UNIVERSITY OF DELAWARE COASTAL ZONE STUDIES
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSAT

GENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, DELAWARE, NEW CASTLE TO OCEAN CITY

ABSTRACT:
MISSION W160, FLT. 2, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA ON AUG. 22, 1972, IN COOPERATION WITH COLLEGE OF MARINE SCI., UNIV. OF DEL. ALONG COAST ZONES OF DEL. RIVER AND DEL.-MD. ATLANTIC COASTAL REGIONS. OBJECTIVE - TO USE REMOTELY SENSED FALSE-COLOR IMAGERY TO EVALUATE COASTAL ZONE AQUATIC SPECIES IDENTIFICATION AND DISTRIBUTION IN PREPARATION FOR ERTS OVERPASSES. FLIGHT IN GOOD WEATHER WITH NO OVERCAST, VISIBILITY 10-12 MILES, AIR TEMP. 10 DEG. C AT 11,500 FT., MSL WITH WIND OF 5 KNOTS FROM 310 DEG.
(MISSION NO W160, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
79 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730795 730785 730784

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	79 OBS		11500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., NEW JERSEY, DELAWARE RIVER

ABSTRACT:

MISSION W093, FLIGHT01, WAS ACCOMPLISHED ON NOVEMBER 11, 1971, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND AN RS-7 THERMAL INFRARED SCANNER AND A PRT-5 PRECISION RADIATION THERMOMETER. THE FLIGHT WAS MADE IN COOPERATION WITH THE WATERWAYS EXPERIMENT STATION OF THE CORPS OF ENGINEERS AT VICKSBURG, MISSISSIPPI. THE OBJECTIVE OF THE FLIGHT WAS TO DEFINE THE LOCATION AND EXTENT OF THERMAL DISCHARGE PLUMES FROM DEEPWATER, EDDYSTONE, AND BURLINGTON FOSSIL FUEL ELECTRIC GENERATING PLANTS.
(MISSION W093, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

130 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

74070415 73079555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	130	OBS			
TIME	EARTH	STATION TIME	YMD	130	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	130	OBS	1 FLIGHT PER LINE	2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	130	OBS	1 FLIGHT PER LINE	2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
TEMPERATURE	WATER	INFRARED SCANNER	DEG C	130	OBS	1 FLIGHT PER LINE		

000055

DELAWARE RIVER POWER PLANT THERMAL PLUMES STUDY WATERWAYS EXPERIMENT STATION, U
S ARMY CORPS OF ENG

PAGE 01

DATA COLLECTED: NOVEMBER 1971 TO NOVEMBER 1971

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, DELAWARE RIVER

ABSTRACT:

MISSION W093, FLT. 1, NOV. 11, 1971, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA, AN RS-7 THERMAL INFRARED SCANNER AND A PRT-5 PRECISION RADIATION THERMOMETER. FLIGHT MADE IN COOPERATION WITH WATERWAYS EXPERIMENT STATION OF CORPS OF ENGINEERS AT VICKSBURG, MISSISSIPPI. OBJECTIVE - TO DEFINE THE LOCATION AND EXTENT OF THERMAL DISCHARGE PLUMES FROM DEEPWATER, EDDYSTONE AND BURLINGTON FOSSIL FUEL ELECTRIC GENERATING PLANTS.
(MISSION NO W093, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

134 9" X 9" FRAMES AND SCANNER FILM.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 740704

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		28 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	28	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	134	OBS	2500 FT	152 MM FOCAL LENGTH, SCANNER, 28 FLIGHT LINES AND A THERMISTO R BOLOMETER

007220

DEEPWATER THERMAL POWER PLANT STUDY-DELAWARE
DATA COLLECTED: MARCH 1972 TO MARCH 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH AMERICA, U.S., DELAWARE

ABSTRACT:

MISSION W115, FLIGHT 01, WAS ACCOMPLISHED ON MARCH 27, 1972, UTILIZING A WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND A AAD-2 THERMAL IR SCANNER, IN COOPERATION WITH THE U.S. ARMY ENGINEER WATERWAYS EXPERIMENT STATION. THE OBJECTIVE OF THE FLIGHT WAS TO IMAGE TIDAL CHANGES IN THE POSITION, EXTENT, AND INTENSITY OF THERMAL PLUMES EMITTED BY THE DEEPWATER POWER PLANT THROUGHOUT A TIDAL CYCLE. THE IR SCANNER PRINTS DID NOT TAKE.
(MISSION W115, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
262 9"X9" PRINTS

FUNDING:
NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
73079555 73079554

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	262	OBS			
TIME	EARTH	STATION TIME	YMD	262	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	262	OBS	1 FLIGHT PER LINE	1000, 2500 & 10,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

000182

BOMBAY HOOK NATIONAL WILDLIFE REFUGE BASE LINE STUDY
DATA COLLECTED: OCTOBER 1970 TO OCTOBER 1970

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., DELAWARE BAY, DELAWARE BOMBAY HOOK ISLAND

ABSTRACT:

MISSION W029, FLT. 1, OCTOBER 19, 1970. WITH WALLOPS STATION CHARTERED BELL 205 HELICOPTER EQUIPPED WITH A POD OF 4 T-11 AERIAL MAPPING CAMERAS. FLIGHT MADE FOR CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE FOR PURPOSE OF OBTAINING BASE LINE REMOTE SENSOR DATA OVER THE BOMBAY HOOK WILDLIFE REFUGE BETWEEN THE SMYRNA RIVER AND LITTLE RIVER ON DELAWARE SHORE OF DELAWARE BAY. FLIGHT IN CLEAR WEATHER, SLIGHT HAZE, AIR TEMP. 0 DEG. C AT 10,000 FT., MSL WITH WIND OF 28 KNOTS FROM 280 DEG. (MISSION NO W029, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

108 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	108 OBS		10000 FT	6 INCH FOCAL LENGTH

001278

BRANDYWINE RIVER POLLUTION STUDY
DATA COLLECTED: JUNE 1973 TO JUNE 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, DELAWARE, BRANDYWINE RIVER

ABSTRACT:

MISSION W224, FLT. 1, JUNE 12, 1973, WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE U. S. GEOLOGICAL SURVEY AND CHESTER COUNTY, PENN. HEALTH DEPT. OBJECTIVE - TO PROVIDE SUPPORT TO CHESTER COUNTY HEALTH DEPT. IN LOCATING POSSIBLE SOURCES OF ANIMAL AND/OR HUMAN WASTE MATERIALS IN CHADS FORD AREA OF BRANDYWINE RIVER.
(MISSION NO W224, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

72 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	72	OBS		5500 FT	152 MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., DELAWARE BAY, DELAWARE, BRANDYWINE RIVER

ABSTRACT:

MISSION W225, FLT. 1, JULY 5, 1973, WITH WALLOPS STATION HELICOPTER EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH CHESTER COUNTY HEALTH DEPT. AND THE U.S. GEOLOGICAL SURVEY. OBJECTIVE - TO OBTAIN LARGE SCALE AERIAL PHOTOGRAPHY OF BRANDYWINE RIVER FROM ITS CONFLUENCE WITH THE DELAWARE RIVER AND INTERSECTION OF PENN. RT. 162 WITH ITS EAST AND WEST BRANCHES. IMAGERY TO BE USED FOR LOCATING POLLUTION OUTFALLS ON RIVER AND FOR LOCATING POSSIBLE DUMPING SITES OF ANIMAL OR HUMAN WASTE. FLIGHT IN SCATTERED CLOUDS, VISIBILITY UP TO 5 MILES, AIR TEMP. 18 DEG. C AT 1250 FT., MSL WITH WIND OF 10 KNOTS FROM 360 DEG.
(MISSION NO W225, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

490 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	490	OBS	304 OBS AT 600 FT, 186 OBS AT 1250 FT	152 MM FOCAL LENGTH

000030

WETLANDS MARSH STUDIES
DATA COLLECTED: MAY 1972 TO MAY 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, NEW JERSEY, REHOBOTH

ABSTRACT:

MISSION W128, FLT. 1, WAS ACCOMPLISHED MAY 26, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS, IN COOPERATION WITH U. S. FISH AND WILDLIFE SERVICE. OBJECTIVE - TO DETERMINE THE FEASIBILITY OF DISTINGUISHING VARIOUS TYPES OF MARSH GRASSES FROM INTERPRETING INFRARED AERIAL FILM. FLIGHT IN CLEAR WEATHER, AIR TEMP. 10 DEG. C AT 4,500 FT., MSL WITH WIND OF 20 KNOTS FROM 040 DEG.
(MISSION W128, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

257 70MM B/W FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	210	OBS		4500 FT	152 MM FOCAL LENGTH

004438

INDIAN RIVER INLET WAVE PATTERN STUDY
DATA COLLECTED: DECEMBER 1973 TO DECEMBER 1973PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., DELAWARE, INDIAN RIVER INLET

ABSTRACT:

MISSION W258, FLIGHT 01 WAS ACCOMPLISHED ON 10 DECEMBER, 1974. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY WAVE PATTERNS IN THE INDIAN RIVER INLET AND BETHANY BEACH AREAS OF THE DELAWARE COAST.
(MISSION W258 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
61 PHOTOPRINTS

FUNDING:

NASA

INVENTORY:

PUBLICATIONS:

CONTACT:

C. WHITLOCK 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	2 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	2 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		2 STATIONS		5,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

00739C

REHOBETH BAY AND INDIAN RIVER BAY WETLANDS STUDY DELAWARE
DATA COLLECTED: OCTOBER 1973 TO OCTOBER 1973PAGE 01
RECEIVED: NOVEMBER 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., DELAWARE

ABSTRACT:

MISSION W244, FLIGHT 01, WAS ACCOMPLISHED ON OCTOBER 15, 1973, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE COLLEGE OF MARINE STUDIES OF THE UNIVERSITY OF DELAWARE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN COLOR AND FALSE COLOR INFRARED PHOTOGRAPHY OF THE DELAWARE WETLANDS SURROUNDING REHOBETH AND INDIAN RIVER BAYS. THIS IMAGERY WILL BE USED IN MAPPING SPECIES, LOCATION AND EXTENT OF WETLAND VEGETATION IN THESE BAY AREAS. (MISSION W244, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

266, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078551 73078541 73078531

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	266	OBS			
TIME	EARTH	STATION TIME	YMD	266	OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	266	OBS	5 FLIGHTS PER LINE	6000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	266	OBS	5 FLIGHTS PER LINE	6000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

001259

U S FISH AND WILDLIFE SERVICE WETLAND STUDIES
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, DELAWARE, REHOBOTH AND INDIAN RIVER

ABSTRACT:

MISSION W160, FLT. 1 WITH WALLOPS STATION C54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA ON AUG. 22, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. FISH AND WILDLIFE SERVICE IN REHOBOTH AND INDIAN RIVER, DEL. AREA. OBJECTIVE - TO USE REMOTELY SENSED FALSE-COLOR IMAGERY TO EVALUATE CULTURAL MODIFICATIONS OF TIDAL MARSHLANDS AND DEVELOP ENVIRONMENTAL IMPACT ANALYSIS OF THIS PORTION OF THE DEL. COASTAL ZONE ENVIRONMENT. FLIGHT IN GOOD WEATHER, NO OVERCAST, LIGHT HAZE, AIR TEMP. 18 DEG. C AT 3500 FT., MSL WIND OF 16 KNOTS FROM 310 DEG.
(MISSION NO W160, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

91 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			10 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	10	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	91	OBS		3500 FT	6 INCH FOCAL LENGTH

007235

INDIAN RIVER INLET WAVE STUDY
DATA COLLECTED: AUGUST 1973 TO AUGUST 1973PAGE 01
RECEIVED: OCTOBER 19, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., DELAWARE, MARYLAND

ABSTRACT:

MISSION W229, FLIGHT 02, WAS ACCOMPLISHED ON AUGUST 17, 1973, UTILIZING THE WALLOPS STATION C54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND A HELIUM NEON LASER IN COOPERATION WITH THE NASA LANGLEY RESEARCH CENTER AND THE COLLEGE OF MARINE STUDIES AT THE UNIVERSITY OF DELAWARE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL PHOTOGRAPHY AND LASER PROFILES OF WAVES APPROACHING INDIAN RIVER BAY, DELAWARE FROM A DISTANCE OF 50 MILES OFF SHORE UP TO THE INDIAN RIVER INLET.
(MISSION W229, FLIGHT 02)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

45, 9"X9" PRINTS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078541 73078542 73078543 73078544 73078545 73078520

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	2 STATIONS			
TIME	EARTH	STATION TIME	YMD	2 OBS	1 FLIGHT		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	2 OBS	1 FLIGHT	5000 & 500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
WAVE AMPLITUDE	WATER	LASER		2 OBS	1 FLIGHT		
WAVE DIRECTION	WATER	LASER		2 OBS	1 FLIGHT		
WAVE SPEED	WATER	LASER		2 OBS	1 FLIGHT		
WAVE PERIOD	WATER	LASER		2 OBS	1 FLIGHT		

•
•

ANNEX III

Part A

Section 2

District of Columbia

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W286, FLIGHT 01, WAS ACCOMPLISHED ON SEPTEMBER 19, 1974, UTILIZING THE WALLOPS FLIGHT STATION C-54 AIRCRAFT EQUIPPED WITH AN I2S "B" MULTISPECTRAL CAMERA AND A T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE NATIONAL CAPITAL PARKS SERVICE. THIS WAS ONE OF A SERIES OF REMOTE SENSING FLIGHTS MADE OVER THE POTOMAC PARK AND TIDAL BASIN IN WASHINGTON, D.C.. THE PURPOSE OF THE FLIGHT IS TO COMPILE A PERMANENT RECORD OF THE VARIOUS STAGES THAT ELM TREES GO THROUGH WHEN UNDERGOING DUTCH ELM DISEASE INFESTATION.
(MISSION W286, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

296 70MM PRINTS; 152 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	448	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	448	OBS	6 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	296	OBS	6 FLIGHTS PER LINE	1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	152	OBS	1500 FEET	100 MM FOCAL LENGTH	

008662

DUTCH ELM DISEASE STUDY-WASHINGTON, D.C.
DATA COLLECTED: AUGUST 1974 TO AUGUST 1974PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W285, FLIGHT 01, WAS ACCOMPLISHED ON AUGUST 29, 1974, UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH AN I2S "B" MULTISPECTRAL CAMERA SYSTEM AND A T-11 AERIAL MAPPING CAMERA, IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE NATIONAL CAPITOL PARKS SERVICE. THIS WAS ONE FLIGHT OF AN ON-GOING REMOTE SENSING PROGRAM DESIGNED TO STUDY THE DETECTION AND EFFECTS OF THE DUTCH ELM DISEASE ON ELM TREES IN THE POTOMAC PARK AREA OF WASHINGTON, D.C..
(MISSION W285, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

316 70MM PRINTS; 82 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	398	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	398	OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	316	OBS	5 FLIGHTS PER LINE	1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	82	OBS	5 FLIGHTS PER LINE	1500 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W284, FLIGHT 01, WAS ACCOMPLISHED ON AUGUST 12, 1974, UTILIZING THE WALLOPS FLIGHT CENTER BELL UH1H HELICOPTER EQUIPPED WITH AN I2S "B" MULTISPECTRAL CAMERA SYSTEM AND THREE T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE CAPITAL PARK SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN LARGE SCALE IMAGERY OF ELM TREES THAT HAVE BEEN INNOCULATED WITH A DUTCH ELM DISEASE AGENT. THESE IMAGES WILL BE STUDIED WITH PREVIOUS FILM AND LATER PHOTOS IN AN EFFORT TO TRACE THE COURSE OF THE DISEASE BY REMOTE SENSING TECHNIQUES.
(MISSION W284, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

105 9"X9"PRINTS; 140 70MM PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	245	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	245	OBS	7 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	105	OBS	7 FLIGHTS PER LINE	500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	140	OBS	7 FLIGHTS PER LINE	500 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W283, FLIGHT 01, WAS ACCOMPLISHED ON JULY 30, 1974, UTILIZING THE WOLLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS AND AN I2S "B" MULTISPECTRAL CAMERA SYSTEM IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE NATIONAL CAPITOL PARKS SERVICE. THIS WAS ONE OF A SERIES OF REMOTE SENSING FLIGHTS OF DISEASED ELM TREES IN THE WASHINGTON, D.C. AREA. THE FLIGHTS ARE MADE THROUGHOUT THE GROWING SEASON IN ORDER TO PROVIDE A DOCUMENTED HISTORY OF THE DISEASED TREES FROM INCEPTION OF THE DISEASE UNTIL THE LOSS OF FOLIAGE.
(MISSION W283, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

64 70MM PRINTS; 32 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WOLLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	96	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	96	OBS	12 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	64	OBS	12 FLIGHTS PER LINE	500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	32	OBS	12 FLIGHTS PER LINE	500 FEET	100MM FOCAL LENGTH

008665

CONTROLLED DUTCH ELM DISEASE STUDY-WASHINGTON, D.C.
DATA COLLECTED: JULY 1974 TO JULY 1974

PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:
MISSION W282, FLIGHT 01, WAS ACCOMPLISHED ON JULY 22, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH THREE T-11 AERIAL CAMERAS AND AN I2S "B" MULTISPECTRAL CAMERA SYSTEM. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN MULTIBAND PHOTOGRAPHIC IMAGERY OF A GROUP OF AMERICAN ELM TREES ON DANGERFIELD ISLAND THAT HAVE HAD A DUTCH ELM DISEASE INNOCULATION. (MISSION W282, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
508 94MM PRINTS; 387 9"X9" PRINTS

FUNDING:
NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:
MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	892	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	892	OBS	7 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	508	OBS	7 FLIGHTS PER LINE	500, 1300, 1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH*
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	387	OBS	7 FLIGHTS PER LINE	500, 1300, 1500 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W281, FLIGHT 01, WAS ACCOMPLISHED ON JULY 12, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH AN I2S "B" MULTISPECTRAL CAMERA AND TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE CAPITOL PARKS SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN MULTISPECTRAL IMAGERY OF ELM TREES IN WASHINGTON D.C. AND GREAT FALLS, AND POTOMAC RIVER AREAS.
(MISSION W281, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

577 70MM PRINTS; 342 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	919	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	919	OBS	6 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	577	OBS	6 FLIGHTS PER LINE	1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	342	OBS	6 FLIGHTS PER LINE	1500 FEET	100MM FOCAL LENGTH

008667

DUTCH ELM DISEASE STUDY-WASHINGTON, D.C.
DATA COLLECTED: JULY 1974 TO JULY 1974PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W280, FLIGHT 01, WAS ACCOMPLISHED ON JULY 3, 1974, UTILIZING THE WALLOPS FLIGHT CENTER 424 HELICOPTER EQUIPPED WITH AN I2S "B" CAMERA SYSTEM, AND THREE T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE CAPITOL PARKS SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN EARLY FOLIAGE IMAGERY OF THE ELM TREES ON DANGERFIELD ISLAND. (MISSION W280, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

60 70MM PRINTS; 45 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	105	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	105	OBS	21 FLIGHTS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	60	OBS	21 FLIGHTS	600, 1000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	45	OBS	21 FLIGHTS	600, 1000 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W277, FLIGHT 01, WAS ACCOMPLISHED ON JUNE 6, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 EQUIPPED WITH AN I2S "B" CAMERA SYSTEM AND A T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE CAPITOL PARKS SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN EARLY FOLIAGE IMAGERY OF ELM TREES ON EAST AND WEST POTOMAC PARK, THEODORE ROOSEVELT ISLAND, AND DANGERFIELD ISLAND.
(MISSION W277, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

280 70MM PRINTS; 72 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078750

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	352	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	352	OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	280	OBS	5 FLIGHTS PER LINE	1,500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	72	OBS	5 FLIGHTS PER LINE	1,500 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., WASHINGTON, D.C.

ABSTRACT:

MISSION W292, FLIGHT 01 WAS ACCOMPLISHED ON JUNE 19, 1974, UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND AN I2S "B" MULTILENS MAPPING SYSTEM IN COOPERATION WITH THE ECOLOGICAL SERVICES LABORATORY OF THE CAPITAL PARKS SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN PHOTOGRAPHIC IMAGERY OF HEALTHY AND INFECTED ELM TREES IN THE EAST AND WEST POTOMAC PARK AREAS OF WASHINGTON, D.C.
(MISSION W292, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

320 70MM PRINTS, 80 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078753

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	400	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	400	OBS	5 FLIGHTS/ LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	320	OBS	5 FLIGHTS/ LINE	1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	80	OBS	5 FLIGHTS/ LINE	1500 FEET	100MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W171, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA AND 4 HASSELBLAD CAMERAS ON OCTOBER 3, 1972, AS CONTINUING EFFORT OF MISSION W166 AND W168 IN COOPERATION WITH DEPT. OF INTERIOR, U. S. PARK SERVICE IN WASHINGTON, D.C. OBJECTIVE - TO COLLECT NATURAL COLOR AND MULTI-CHANNEL BLACK AND WHITE REMOTE IMAGERY TO DEVELOP IMAGE COMPOSITES AND ENHANCEMENT TECHNIQUES TO AID IN DISTINGUISHING EARLY STAGES OF LOSS OF PLANT LEAF VIGOR AS RESULT OF DUTCH ELM INFESTATION. FLIGHT, CLEAR WEATHER, VISIBILITY 10-15 MILES, AIR TEMP. 20 DEG. C AT 1500 FT. MSL WITH WIND OF 12 KNOTS FROM 070 DEG.

(MISSION NO W171, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

245 9" X 9" AND 70-MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	245	OBS		1500 FT	6 INCH AND 40 MM FOCAL LENGTH, MULTI- CHANNEL
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	PHOTOGRAPHS	245	OBS		1500 FT	40 MM FOCAL LENGTH, MULTI- CHANNEL

001267

U S PARK SERVICE DUTCH ELM DISEASE STUDY
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W166, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA AND ONE FOUR-CHANNEL I2S CAMERA SYSTEM ON AUG. 23, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. PARK SERVICE IN WASHINGTON, D. C. AREA AND CALIBRATION RUN OVER CALIBRATION TARGETS AT WALLOPS STATION, VA. OBJECTIVE - TO USE MULTI-CHANNEL BLACK AND WHITE AND FALSE-COLOR REMOTE IMAGERY TO INVESTIGATE DUTCH ELM DISEASE IN VARYING LEVELS OF INFESTATION AND DEVELOP TECHNIQUES FOR EARLY SYMPTOM WARNINGS. FLIGHT IN CLEAR WEATHER, MODERATE HAZE, AIR TEMP. 20 DEG. C AT 1500 FT., MSL WITH WIND OF 5 KNOTS FROM 230 DEG. (MISSION NO W166, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

42 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	PHOTOGRAPHS	42	OBS		41 OBS AT 1500 FT, 1 OBS AT 500 FT	6 INCH FOCAL LENGTH, MULTI- CHANNEL
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	42	OBS		41 OBS AT 1500 FT, 1 OBS AT 500 FT	100 MM FOCAL LENGTH, MULTI- CHANNEL

000072

DUTCH ELM DISEASE STUDY
DATA COLLECTED: AUGUST 1973 TO AUGUST 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W236, FLT. 1, AUGUST 8, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS, IN COOPERATION WITH ECOLOGICAL SERVICE LAB. OF NATIONAL CAPITAL PARKS SERVICE. ONE OF A SERIES OF FLIGHTS MADE OVER EAST AND WEST POTOMAC PARKS FOR PURPOSE OF RECORDING SPECTRAL DIFFERENCES BETWEEN HEALTHY AND DISEASED ELM TREES THROUGHOUT A COMPLETE GROWTH CYCLE. FLIGHT MADE IN HAZE WEATHER, VISIBILITY 5-7 MILES, AIR TEMP. +24 DEG. C AT 1,500 FT., MSL WITH WIND OF 10 KNOTS FROM 170 DEG.
(MISSION NO W236, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
150 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		5 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	5	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	150	OBS	1500 FT	152 MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W241, FLT. 1, ACCOMPLISHED ON AUG. 23, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARKS SERVICE. ONE OF A SERIES OF FLIGHTS TAKEN OVER EAST AND WEST POTOMAC PARK AREAS OF WASHINGTON, D.C. FLIGHTS RECORD INCIDENCE AND SPREAD OF DUTCH ELM DISEASE IN PARK. FLIGHT IN SCATTERED WEATHER CONDITIONS. VISIBILITY 8-10 MILES, AIR TEMP. +18 DEG. C AT 1,500 FT., MSL WITH WIND OF 9 KNOTS FROM 330 DEG.

(MISSION NO W241, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

122 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			5 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	5	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	122	OBS		1500 FT	152 MM FOCAL LENGTH

000196

DUTCH ELM DISEASE STUDY
DATA COLLECTED: JUNE 1973 TO JUNE 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W216, FLT. 1, JUNE 4, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARK SERVICE. OBJECTIVE - TO OBTAIN NARROW BAND SPECTRAL DATA OF HEALTHY AND DISEASED ELM TREES IN TIDAL BASIN AND WEST POTOMAC PARK AREAS OF WASHINGTON, D.C. FLIGHT IN CLEAR WEATHER WITH MODERATE HAZE, AIR TEMP. +20 DEG. C AT 1500 FT., MSL WITH WIND OF 15 KNOTS FROM 138 DEG.
(MISSION NO W216, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
120 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	120	OBS		1500 FT	152 MM FOCAL LENGTH

000197

DUTCH ELM DISEASE STUDY
DATA COLLECTED: JUNE 1973 TO JUNE 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W219, FLT. 1, JUNE 11, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARK SERVICE. OBJECTIVE - TO OBTAIN CONTRASTING IMAGERY, BY USE OF PRE-DETERMINED LENS/FILTER COMBINATIONS, OF HEALTHY VS. DISEASED ELM TREES IN EAST POTOMAC PARK AND WEST POTOMAC PARK AREAS. (MISSION NO W219, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
118 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	118 OBS		1500 FT	152 MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W221, FLT. 1, JULY 6, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CMAERAS IN COOPERATION WITH ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARK SERVICE. ONE OF A SERIES OF FLIGHTS BEING MADE OVER EAST AND WEST POTOMAC PARK AREAS IN WASHINGTON, D.C. OBJECTIVE - TO ACCENTUATE SPECTRAL DIFFERENCES OF REFLECTED LIGHT FROM THE SICK AND HEALTHY TREES BY USE OF PRE-DETERMINED LENS/FILTER COMBINATIONS. FLIGHT IN CLOUDY WEATHER, VISIBILITY 7-10 MILES, AIR TEMP. 20 DEG. C AT 1500 FT., MSL WITH WIND OF 15 KNOTS FROM 350 DEG.
(MISSION NO W221, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

114 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	114	OBS	1500 FT	152 MM FOCAL LENGTH

001204

DUTCH ELM DISEASE STUDY, NATIONAL PARK SERVICE
DATA COLLECTED: MAY 1973 TO MAY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, WASHINGTON, D C

ABSTRACT:

MISSION W207, FLIGHT 1, MAY 10, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH 2 T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH NATIONAL PARK SERVICE. OBJECTIVE - TO OBTAIN EARLY SPRING IMAGERY OF ELM TREES AROUND TIDAL BASIN AND WEST POTOMAC PARK IN WASHINGTON, D C IMAGERY IS TO BE USED IN STUDY OF EARLY IDENTIFICATION OF DUTCH ELM DISEASED TREES USING REMOTE SENSOR DATA IN CONJUNCTION WITH GROUND TRUTH SPECTRAL DATA. WEATHER - CLEAR, VISIBILITY 5 MILES.
(MISSION NO W207, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

100 9" X 9" FRAMES

FUNDING:

INVENTORY:

1 PUBLICATIONS:

20 C CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	100 OBS		1500 FT	152 MM FOCAL LENGTH

000189

U S PARK SERVICE DUTCH ELM DISEASE STUDY
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W159, FLT. 1, AUGUST 16, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS IN COOPERATION WITH THE DEPT. OF INTERIOR, U.S. PARK SERVICE IN WASHINGTON, D.C. AREA. OBJECTIVE - TO USE SPECIALLY SELECTED FILTER-FILM COMBINATIONS TO IDENTIFY AND INVENTORY DISEASED DUTCH ELM TREES AND ATTEMPT TO EVALUATE THE TOXICITY OF AUTOMOTIVE EXHAUST FUMES ON DUTCH ELM LEAF. FLIGHT IN CLEAR WEATHER WITH FEW SCATTERED CLOUDS, AIR TEMP. 16 DEG. C AT 1500 FT., MSL WITH WIND OF 12 KNOTS FROM 090 DEG.
(MISSION NO W159, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

104 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		7 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	7	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	104	GBS	1500 FT	6 INCH FOCAL LENGTH

001253

U S FOREST SERVICE DUTCH ELM DISEASE STUDY
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W154, FLI. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON AUG. 3, 1972, IN COOPERATION WITH NATIONAL CAPITOL PARK SERVICE FOR INVESTIGATIONS OF DR. GARY CLEMANS. OBJECTIVE - TO ASSESS THE QUALITY AND VIGOR OF URBAN VEGETATION, SPECIFICALLY THE ELM TREES INFESTED WITH DUTCH ELM DISEASE. FLIGHT IN GOOD WEATHER, NO OVERCAST, SLIGHT HAZE, AIR TEMP. 22 DEG. AT 2500 FT., MSL WITH WIND OF 10 KNOTS FROM 270 DEG.
(MISSION NO W154, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

108 9" X 9" FRAMES.

FUNDING:

INVENTORY:

1 PUBLICATIONS:

00 CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	108	OBS		2500 FT	6 INCH FOCAL LENGTH

001270

U S PARK SERVICE DUTCH ELM DISEASE STUDY
DATA COLLECTED: SEPTEMBER 1972 TO SEPTEMBER 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W168, FLT. 1, WAS ACCOMPLISHED WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS AS A CONTINUING EFFORT OF MISSION W166 IN COOPERATION WITH THE DEPT. OF INTERIOR, U. S. PARK SERVICE IN WASHINGTON, D. C. AREA AND A CALIBRATION RUN OVER CALIBRATION TARGETS LOCATED AT WALLOPS STATION, VA. OBJECTIVE - TO USE TWO DISTINCTIVE BLACK AND WHITE FILMS, SPECIAL FILTERS, SPECIAL CHEMICAL FILM PROCESSING TO OBTAIN REMOTE IMAGERY THAT WILL PROVIDE MAXIMUM CONTRAST BETWEEN HEALTHY AND DISEASED DUTCH ELM FOLIATION. FLIGHT IN CLEAR WEATHER, SLIGHT HAZE, VISIBILITY UP TO 8 MILES, AIR TEMP. 24 DEG. C AT 1500 FT., MSL WITH WIND OF 10 KNOTS.
(MISSION NO W168, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

106 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	PHOTOGRAPHS	106	OBS		1500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W253, FLT. 1, SEPTEMBER 10, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARKS SERVICE. OBJECTIVE - TO OBTAIN SPECTRAL READINGS IN THE RED AND NEAR INFRARED REGIONS OF ELM TREES AFFLICTED WITH THE DUTCH ELM DISEASE IN THE POTOMAC PARK AREA OF WASHINGTON, D.C. IMAGERY WILL BE STUDIED BY SCIENTISTS OF THE ECOLOGICAL SERVICES LAB. OF THE NATIONAL CAPITAL PARK SERVICE FOR DETERMINING SIGNATURES OF DISEASED TREES.
(MISSION NO W253 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

126 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		5
TIME	EARTH	SAMPLING TIME	YMDHML	5	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	126	OBS	1500 FT	152 MM FOCAL LENGTH

001280

DUTCH ELM DISEASE STUDY
DATA COLLECTED: JULY 1973 TO JULY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, WASHINGTON, D C

ABSTRACT:

MISSION W231, FLI. 1, JULY 12, 1973, WITH WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH ECOLOGICAL SERVICES LAB. OF NATIONAL CAPITAL PARK SERVICE. OBJECTIVE - TO OBTAIN AERIAL IMAGERY IN RED AND INFRARED SPECTRAL WAVE BANDS OF DISEASED AND HEALTHY ELM TREES IN POTOMAC PARK-TIDAL BASIN AREA OF WASHINGTON, D.C. BY USE OF SPECIAL FILTERS AND CONTROLLED FILM PROCESSING, TREES EXHIBITING ONLY SUBTLE SIGNS OF DUTCH ELM DISEASE WILL BE MADE APPARENT ON IMAGERY BY CONTRASTING DENSITIES. FLIGHT MADE IN SCATTERED CLOUDS, VISIBILITY UP TO 10 MILES, AIR TEMP. 17 DEG. C AT 1,500 FT., MSL WITH WIND OF 25 KNOTS FROM 350 DEG.
(MISSION NO W231, FLT 1)

DATA AVAILABILITY:

MISSION NO W231, FLT 1

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
198 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	198	OBS		142 OBS AT 1500 FT, 56 OBS AT 4000 FT	152 MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Maryland - "Shoreline"

GEOLOGICAL INVESTIGATIONS OF MARYLAND'S ATLANTIC OCEAN AND CHESAPEAKE BAY
SHORELINES, GEOLOGICAL SURVEY BRANCH OF THE MARYLAND DEPARTMENT OF NATURAL
RESOURCES

DATA COLLECTED: MAY 1973 TO MAY 1973

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSAT

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER, LITTLE ASSAWOMAN BAY TO CHINCOTEAGUE BAY

ABSTRACT:

MISSION W214, FLT. 1, MAY 17, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S CAMERA SYSTEM IN COOPERATION WITH GEOLOGICAL SURVEY BRANCH OF MD. DEPT. OF NATURAL RESOURCES. OBJECTIVE - TO OBTAIN REMOTE SENSING IMAGERY IN WAVE LENGTH BANDS OF THE MULTI-SPECTRAL SCANNER ABOARD THE ERTS SATELLITE. IMAGERY WILL BE USED AS "GROUND TRUTH" FOR INTERPRETING ERTS IMAGERY WITH RESPECT TO GEOLOGIC AND WATER RESOURCES DATA. WEATHER - CLOUDY WITH VISIBILITY 3-5 MILES. AIR TEMP. 2 DEG. C AT 9500 FT., MSL WITH A WIND OF 17 KNOTS FROM 230 DEG.
(MISSION NO W214, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
534 2.7" AND 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730786 730787 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	534	OBS	9500 FT	100 MM AND 152 MM FOCAL LENGTH

INVESTIGATIONS OF MARYLANDS TIDAL SHORELINES OF THE CHESAPEAKE BAY AND THE
ATLANTIC OCEAN
DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

MISSION W174, FLIGHT 1, OCTOBER 20, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA AND A 12S FOUR-CHANNEL CAMERA IN COOPERATION WITH MD. GEOLOGICAL SURVEY THROUGHOUT A LARGE PORTION OF CHESAPEAKE BAY, MD. REGION.
OBJECTIVE - TO ACQUIRE AIRBORN MULTI-CHANNEL BLACK & WHITE AND FALSE COLOR IMAGERY FOR INVESTIGATION OF MD. TIDAL SHORELINES TO SUPPORT ERTS INVESTIGATIONS. WEATHER - CLEAR, VISIBILITY 10-12 MILES, AIR TEMP. 10 DEG. C AT 10,500 FT., MSL WITH A WIND OF 35 KNOTS FROM 320 DEG.
(MISSION NO W174, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

252 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730786 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			12 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	12	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	252	OBS		10500 FT	6 INCH FOCAL LENGTH; MULTI- BAND CAMERA 100 MM FOCAL LENGTH

008672

WETLAND MAPPING STUDY-MARYLAND
DATA COLLECTED: JULY 1974 TO JULY 1974PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH AMERICA, U.S., MARYLAND

ABSTRACT:

MISSION W288, FLIGHT 01, WAS ACCOMPLISHED ON JULY 31, 1974, UTILIZING THE WALLOPS STATION UH-1H HELICOPTER EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS AND AN I2S "B" MULTISPECTRAL CAMERA SYSTEM IN COOPERATION WITH THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO PROVIDE REMOTE SENSING IMAGERY IN MULTIPLE WAVELENGTH BANDS AT A VARIETY OF SCALES FOR USE IN DETERMINING THE BEST TECHNIQUES IN MAKING DETAILED WETLAND MAPPING STUDIES.
(MISSION W288, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
340 70MM PRINTS; 171 9"X9" PRINTSFUNDING:
NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:
MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337GRID LOCATOR (LAT):
73078525 73078640

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	511	OBS			
TIME	EARTH	STATION TIME	YMD	511	OBS	12 FLIGHTS/ LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	340	OBS	12 FLIGHTS/ LINE	250, 450, 500 AND 1500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	171	OBS	12 FLIGHTS/ LINE	250, 450, 500 AND 1500 FEET	100MM FOCAL LENGTH

000158

WETLAND BOUNDARY MAPS
DATA COLLECTED: AUGUST 1971 TO AUGUST 1972PAGE 01
RECEIVED: MAY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND

ABSTRACT:

AERIAL PHOTOGRAPH FILE OF ALL LAND AND WATER INTERFACES IN THE STATE OF MARYLAND. USED TO DELINEATE LANDWARD BOUNDARY OF TIDAL WETLANDS. PHOTOGRAMETRIC STANDARDS MET. COLOR AND IR PHOTOS 1 INCH TO 1000 FT SCALE. BLOWUP PRINTS 1 INCH TO 200 FT SCALE. (PHOTOGRAPHS ARE AVAILABLE FOR EXAMINATION IN DNR OFFICES.)

DATA AVAILABILITY:

PHOTOGRAPHS (SCALE 1" = 1000') PURCHASABLE FROM RAYTHEON AUTOMETRIC OPERATION WAYLAND, MASSACHUSETTS AND PHOTOSCIENCE INC GAITHERSBURG, MARYLAND. PHOTOMAPS AVAILABLE AT DNR (SCALE 1" = 200')

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

1 CUBIC YARD

FUNDING:

STATE OF MARYLAND DNR

INVENTORY:

PUBLICATIONS:

CONTACT:

WILLIAM SIPPLE 301-267-5877
MARYLAND DEPARTMENT OF NATURAL RESOURCES
WATER RESOURCES ADMINISTRATION TAWES STATE OFFICE BUILDING
ANNAPOLIS MARYLAND USA 21401

GRID LOCATOR (LAT):

730785 730787 730795 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2000	STATIONS			
TIME	EARTH	STATION TIME	YMD	2000	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	SCALE 1 INCH TO 1000 FEET	2000	OBS	ONE TIME		FLIGHTS COVERED ALL LAND AND WATER INTERFACE S IN MARYLAND
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	SCALE 1 INCH TO 1000 FEET	2000	OBS	ONE TIME		FLIGHTS COVERED ALL LAND AND WATER INTERFACE S IN MARYLAND

001268

UNITED STATES GEOLOGICAL SURVEY STUDY OF FRESHWATER WETLANDS
DATA COLLECTED: SEPTEMBER 1972 TO SEPTEMBER 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, ELKTON WETLANDS, PATUXENT RIVER

ABSTRACT:

MISSION W167, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON SEPT. 8, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. GEOLOGICAL SURVEY (VIRGINIA CARTER, OFFICE OF REMOTE SENSING) IN ELKTON, MD. REGION. OBJECTIVE - TO ACQUIRE NATURAL AND FALSE-COLOR IMAGERY OF FRESH-WATER WETLANDS IN CONJUNCTION WITH FIELD OBSERVATIONS TO SUPPORT ERTS IMAGERY OF SAME AREA. FLIGHT IN CLEAR WEATHER, VISIBILITY 6-8 MILES, AIR TEMP. 10 DEG. C AT 10,000 FT., MSL WITH WIND OF 12 KNOTS FROM 290 DEG.
(MISSION NO W167, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
36 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	36	OBS	10000 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, ELKTON WETLANDS

ABSTRACT:

MISSION W162, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON AUG. 25, 1972 IN COOPERATION WITH MD. DEPT. OF CHESAPEAKE BAY AFFAIRS IN ELK RIVER SECTION. OBJECTIVE - TO USE NATURAL AND FALSE-COLOR IMAGERY FOR INVESTIGATION OF MARSHLAND AQUATIC COMMUNITIES FOR IDENTIFICATION AND DISTRIBUTION. FLIGHT IN GOOD WEATHER WITH SOME SCATTERED CLOUDS, EXTREMELY HAZY, AIR TEMP. 10 DEG C AT 9500 FT., MSL WITH WIND OF 10 KNOTS FROM 205 DEG.
(MISSION NO W162, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
44 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-324-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMCHML	2	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	44	OBS	9500 FT	6 INCH FOCAL LENGTH

000034

MARYLAND DEPARTMENT OF CHESAPEAKE BAY AFFAIRS WETLANDS STUDIES
DATA COLLECTED: JUNE 1972 TO JUNE 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, ELKTON

ABSTRACT:

MISSION W131, FLT. 2 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON JUNE 3, 1972, IN COOPERATION WITH THE MD. DEPT OF CHESAPEAKE BAY AFFAIRS IN ELKTON, MD. REGION. OBJECTIVE - TO ACQUIRE NATURAL AND FALSE-COLOR REMOTELY SENSED IMAGERY OF WETLAND VEGETATION SPECIES AND MARSHES TO ESTABLISH BASELINE DATA FOR FUTURE EARTH RESOURCES TECHNICAL SATELLITE EXPERIMENTS. FLIGHT IN CLEAR WEATHER, MODERATE HAZE, AIR TEMP. 2 DEG. C AT 10,000 FT. 16 DEG. C AT 2500 FT., MSL WITH WIND OF 15 KNOTS FROM 260 DEG.
(MISSION W131, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

214 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	214 OBS		112 OBS AT 10000 FT, 102 OBS AT 2500 FT	6 INCH FOCAL LENGTH

006646

CECIL COUNTY WETLAND STUDIES-MARYLAND
DATA COLLECTED: OCTOBER 1971 TO OCTOBER 1971PAGE 01
RECEIVED: AUGUST 30, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, CECIL COUNTY

ABSTRACT:

MISSION W090, FLIGHT01, WAS ACCOMPLISHED ON OCTOBER 15, 1971, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS IN COOPERATION WITH THE UNITED STATES GEOLOGICAL SURVEY AND THE MARYLAND DEPARTMENT OF CHESAPEAKE BAY AFFAIRS. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY THE SEASONAL CHANGES OF FRESHWATER AND ESTUARINE MARSHES USING COLOR AND FALSE COLOR INFRARED AERIAL PHOTOGRAPHY.
(MISSION W090, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

246 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73079555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	246	OBS			
TIME	EARTH	STATION TIME	YMD	246	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	246	OBS	1 FLIGHT PER LINE	10000 AND 2000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	246	OBS	1 FLIGHT PER LINE	10000 AND 2000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

000206

BLACKWATER NATIONAL WILDLIFE REFUGE WETLANDS MAPPING STUDY
DATA COLLECTED: SEPTEMBER 1973 TO SEPTEMBER 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, BLACKWATER WILDLIFE REFUGE

ABSTRACT:

MISSION W238, FLT. 1, ACCOMPLISHED ON SEPT. 24, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF SMITHSONIAN INSTITUTE. OBJECTIVE - TO OBTAIN COLOR AND COLOR INFRARED IMAGERY OF BLACKWATER NATIONAL WILDLIFE REFUGE WETLANDS FOR USE IN MAPPING THE WETLAND VEGETATION. (MISSION NO W238, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

160 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		12 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	12	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	160	OBS	6000 FT	152 MM FOCAL LENGTH

000183

BLACKWATER WILDLIFE REFUGE BASE LINE STUDY
DATA COLLECTED: OCTOBER 1970 TO OCTOBER 1970PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, BLACKWATER WILDLIFE REFUGE

ABSTRACT:

MISSION W029, FLT. 2, OCTOBER 19, 1970, WITH WALLOPS STATION CHARTERED BELL 205 HELICOPTER EQUIPPED WITH A POD OF 4 T-11 AERIAL MAPPING CAMERAS. OBJECTIVE - TO OBTAIN BASE LINE REMOTE SENSOR DATA FOR CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE OVER THE BLACKWATER WILDLIFE REFUGE LOCATED IN THE CHESAPEAKE BAY WETLANDS AREA SOUTH OF CAMBRIDGE, MD. FLIGHT IN CLEAR WEATHER, SLIGHTLY HAZY, AIR TEMP. 10 DEG. C AT 1000 FT. AND 8 DEG. C FROM 10,000 FT., MSL WITH WIND OF 20 KNOTS FROM 280 DEG. (MISSION NO W029, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

132 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	132 OBS		48 OBS AT 1000 FT, 44 OBS AT 5000 FT, 40 OBS AT 10000 FT	6 INCH FOCAL LENGTH

ANNEX III

Part A

Section 2

Maryland - "Rivers"

000073

DYNAMIC RIVER BASIN CHARACTERISTICS STUDY-SOWBRIDGE RIVER, DELAWARE AND BEAVER
DAM RIVER, MARYLAND
DATA COLLECTED: JULY 1973 TO JULY 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSAT

GENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, BEAVER DAM RIVER; DELAWARE BAY, DELAWARE, SOWBRIDGE RIVER

ABSTRACT:
MISSION W237, FLT. 1, JULY 25, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S MULTISPECTRAL CAMERA SYSTEM IN COOPERATION WITH WATER RESOURCES DIV. OF U. S. GEOLOGICAL SURVEY. OBJECTIVE - TO OBTAIN MULTISPECTRAL IMAGERY OF SOWBRIDGE AND BEAVER DAM RIVERS PERIODICALLY FOR USE IN COMPILING A HISTORY OF DRAINAGE BASIN DYNAMICS OF EACH OF THE RIVERS. FLIGHT MADE IN HAZE WEATHER WITH SOME SCATTERED AND BROKEN CLOUDS, AIR TEMP. 14 DEG. C AT 5500 FT., 8 DEG. C AT 9500 FT., MSL WITH WIND OF 10-15 KNOTS FROM 225 DEG.
(MISSION NO W237, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
75 9" X 9" AND 2.7" X 2.7" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730786 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	75	OBS	55 OBS AT 5500 FT, 20 OBS AT 9500 FT	152 MM AND 100 MM FOCAL LENGTH, 12-S MULTISPECTRAL

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSATGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, MARYLAND, EASTON, DELAWARE ELLENDALE

ABSTRACT:

MISSION W208, FLI. 1, MAY 7, 1973, WITH WALLOPS STATION HELICOPTER EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S CAMERA SYSTEM IN COOPERATION WITH WATER RES. DIV. OF U. S. GEOLOGICAL SURVEY. OBJECTIVE - TO OBTAIN IMAGERY OF EMERGENT LEAF AND PLANT ACTIVITY IN SOWBRIDGE AND BEAVER DAM RIVER BASINS. WEATHER - CLEAR, WITH MOD. HAZE, AIR TEMP. -3 DEG. AT 5500 FT., MSL WITH WIND AT 15 KNOTS FROM 33 DEG.
(MISSION NO W208, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
66 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730785 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	66	OBS	50 OBS AT 5500 FT, 16 OBS AT 9500 FT	100 MM AND 152 MM FOCAL LENGTH

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSATGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, MARYLAND, EASTON, DELAWARE, ELLENDALEABSTRACT:
MISSION W192, FLIGHT 1, APRIL 9, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S CAMERA SYSTEM IN COOPERATION WITH WATER RESOURCES DIV. OF U. S. GEOLOGICAL SURVEY. OBJECTIAL SCANNER WAVE-LENGTH BANDS OF VEGETATION AND DRAINAGE CHARACTERISTICS OF SOWBRIDGE AND BEAVERDAM RIVER BASINS DURING EARLY SPRING. WEATHER - HAZY WITH LOW AND HIGH SCATTERED CLOUDS, AIR TEMP. 2 DEG. C AT 9500 FT., MSL WITH WIND OF 12 KNOTS FROM 090 DEG.
(MISSION NO W192, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
130 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

I INVENTORY:

C PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337GRID LOCATOR (LAT):
730785 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS		7 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	7	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA	PHOTOGRAPHS	130	OBS	40 OBS AT	100 MM AND 152
		FROM AIRCRAFT				9500 FT, 90	MM FOCAL
						OBS AT 5500	LENGTH
						FT	

DATA COLLECTED: NOVEMBER 1972 TO NOVEMBER 1972

RECEIVED: JANUARY 01, 1976

PROJECTS:

LANDSAT

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, BEAVER DAM BRANCH, DELAWARE, SOWBRIDGE BRANCH

ABSTRACT:

MISSION W180, FLT. 1, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH T-11 AND AN I25 CAMERA SYSTEM ON NOV 16, 1972, IN COOPERATION WITH THE GEOLOGICAL SURVEY OF THE DEPT OF INTERIOR. THE FLIGHT MADE OVER SOWBRIDGE AND BEAVER DAM RIVERS IN DEL. AND MD. OBJECTIVE - TO EXPOSE ANY DYNAMIC BASIN CHARACTERISTIC CHANGES THAT HAVE TAKEN PLACE SINCE THE LAST PHOTO MISSION OF OCT. 25, 1972. GOOD WEATHER WITH THIN OVERCAST, VISIBILITY 5-6 MILES. AIR TEMP. 8 DEG C AT 5000 FT. AND 2 DEG C AT 10,000 FT.. WIND OF 20 KNOTS FROM 138 DEG.
(MISSION NO W180, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM
204 9 X 9 FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	204	OBS	164 AT 5000 FT, 40 AT 10000 FT	6 INCH FOCAL LENGTH

DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, DELAWARE BAY, DELAWARE, SOWBRIDGE RIVER, CHESAPEAKE BAY, MARYLAND, BEAVER DAM RIVER

ABSTRACT:

MISSION W164, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AND I2S CAMERA SYSTEMS ON OCTOBER 26, 1972, IN COOPERATION WITH U. S. GEOLOGICAL SURVEY OF DEPT. OF INTERIOR. FLIGHT MADE OVER SOWBRIDGE AND BEAVER DAM RIVERS IN DEL. AND MD. OBJECTIVE - TO COMPILE A BASE LINE STUDY OF EACH RIVER BASINS FOR USE IN OBSERVING DYNAMIC BASIN CHARACTERISTICS FROM ERTS IMAGERY. FLIGHT IN CLEAR WEATHER, VISIBILITY 7-10 MILES, AIR TEMP. 10 DEG. C AT 5000 FT., MSL WITH WIND OF 5 KNOTS FROM 210 DEG.
(MISSION NO W164, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
230 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS			6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	230	OBS		180 OBS AT 5000 FT, 50 OBS AT 10000 FT	6 INCH FOCAL LENGTH

001288

SHORELINE EROSION OF CHESTER RIVER AREA
DATA COLLECTED: NOVEMBER 1971 TO OCTOBER 1972PAGE 01
RECEIVED: SEPTEMBER 17, 1973PROJECTS:
CHESTER RIVER STUDYGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, CHESTER RIVERABSTRACT:
PHOTOGRAPHIC AND VISUAL SURVEY OF SHORELINE EROSION, SHORELINE STRUCTURES AND SHORELINE TYPE ON THE CHESTER RIVER, MARYLAND.

DATA AVAILABILITY:

PLATFORM TYPES:
SHIPARCHIVE MEDIA:
PHOTOPRINTS
98 MILES OF SHORELINE CLASSIFIED; APPROX 200 PHOTOGRAPHSFUNDING:
WESTINGHOUSE, MARYLAND DEPT OF NATURAL RESOURCES

INVENTORY:

PUBLICATIONS:
CHESTER RIVER STUDY, WESTINGHOUSE, VOL 1, 2, 3CONTACT:
HAROLD PALMER 301-765-1000
WESTINGHOUSE ELECTRIC CORPORATION
OCEAN RESEARCH LABORATORY, BOX 1771
ANNAPOLIS MARYLAND USA 21404GRID LOCATOR (LAT):
730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		CHESTER RIVER COMPLEX CONSIDERED AS ONE STATION
TIME PHOTOGRAPH	EARTH	STATION TIME COLOR CAMERA FROM GROUND	YMDL PHOTOGRAPHS, 35 MM COLOR SLIDES	1 98	STATIONS MILES		200 PHOTOGRAPHS, SHORELINE CONDITIONS CLASSIFIED AS SEVERE EROSION, MODERATE EROSION;

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
DEPOSITION	SEDIMENT	VISUAL	PERCENT	98	MILES			BEACH, NATURAL PROTECTION; MAN-MADE PROTECTIVE DEVICES 200 PHOTOGRAPHS, SHORELINE CONDITIONS CLASSIFIED AS SEVERE EROSION, MODERATE EROSION; BEACH, NATURAL PROTECTION; MAN-MADE PROTECTIVE DEVICES

000069

MARYLAND DEPARTMENT OF CHESAPEAKE BAY AFFAIRS WETLANDS STUDIES
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, ELK RIVER

ABSTRACT:

MISSION W125, FLT. 1, APRIL 28, 1972, WITH WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL CAMERAS IN COOPERATION WITH MD. DEPT. OF CHESAPEAKE BAY AFFAIRS IN ELK RIVER, MD. AREA. OBJECTIVE - TO UTILIZE AIRBORN NATURAL AND FALSE-COLOR IMAGERY FOR IDENTIFICATION AND DISTRIBUTION OF MARSHLAND AQUATIC COMMUNITIES IN PREPARATION FOR ERTS OVERPASSES. FLIGHT IN GOOD WEATHER WITH MODERATE HAZE, AIR TEMP. 6 DEG. C AT 2,500 FT., MSL WITH WIND OF 15 KNOTS FROM 320 DEG.
(MISSION NO W125, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

155 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	228	OBS		136 OBS AT 10000 FT, 92 OBS AT 2500 FT	6 INCH FOCAL LENGTH

000190

NASA/LANGLEY PLANKTON DETECTION STUDIES
DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W175, FLT. 1, OCT. 17, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AND AN I2S CAMERA SYSTEM IN COOPERATION WITH NASA'S LANGLEY RES. CTR. AND ENVIRONMENTAL PROTECTION AGENCY. OBJECTIVE - TO IDENTIFY ACCUMULATIONS OF PHYTOPLANKTON AT SALT WEDGE OF POTOMAC RIVER USING AERIAL CAMERAS WITH PRE-DETERMINED FILM/FILTER COMBINATIONS. MISSION A FOLLOW ON OF MISSION W141. FLIGHT IN CLEAR WEATHER, SOME HAZE, AIR TEMP. 10 DEG.C AT 6500 FT., MSL WITH WIND OF 40 KNOTS FROM 275 DEG.
(MISSION NO W175, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

189 9" X 9" AND 70-MM FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	189	OBS	110 OBS AT 4400 FT, 79 OBS AT 6500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W175, FLT. 2, OCT. 17, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11, AND I2S CAMERA SYSTEM IN COOPERATION WITH NASA'S LANGLEY RES. CTR. AND ENVIRONMENTAL PROTECTION AGENCY. OBJECTIVE - TO IDENTIFY ACCUMULATIONS OF PHYTOPLANKTON AT SALT WEDGE OF POTOMAC RIVER USING AERIAL CAMERAS WITH PRE-DETERMINED FILM/FILTER COMBINATIONS. MISSION A FOLLOW UP OF MISSION W141. FLIGHT IN CLEAR WEATHER, SOME HAZE, AIR TEMP. 11 DEG. C AT 6500 FT., MSL WITH WIND OF 40 KNOTS FROM 275 DEG.
(MISSION NO W175, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

197 9" X 9" AND 70-MM FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	197	OBS	106 OBS AT 4400 FT, 91 OBS AT 6500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W167, FLT. 2, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON SEPT. 8, 1972, IN COOPERATION WITH THE MD. DEPT. OF CHESAPEAKE BAY AFFAIRS IN ELKTON, MD. AREA. OBJECTIVE - TO OBTAIN NATURAL AND FALSE-COLOR IMAGERY TO INVESTIGATE MARSHLAND ECOLOGY IN ELK RIVER AREA. FLIGHT IN CLEAR WEATHER, VISIBILITY 6-8 MILES, AIR TEMP. 10 DEG. C AT 10,000 FT., MSL WITH WIND OF 12 KNOTS FROM 290 DEG.
(MISSION NO W167, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

202 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	202	OBS		106 OBS AT 10000 FT, 96 OBS AT 2500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W162, FLT. 2 WITH WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL CAMERAS ON AUG. 25, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. GEOLOGICAL SURVEY (VIRGINIA CARTER, OFFICE OF REMOTE SENSING) IN PATUXENT RIVER, MD. AREA. OBJECTIVE - TO USE AIRBORNE NATURAL AND FALSE-COLOR IMAGERY TO IDENTIFY AND STUDY DISTRIBUTION OF FRESHWATER WETLAND AQUATIC PLANT CANOPIES IN PATUXENT RIVER AREA IN PREPARATION FOR FUTURE ERTS OVERPASSES. FLIGHT IN GOOD WEATHER, NO OVERCAST, VERY HAZY, AIR TEMP. 7 DEG. C AT 9500 FT., MSL WITH WIND OF 10 KNOTS FROM 170 DEG.
(MISSION NO W162, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

40 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA	PHOTOGRAPHS	40	OBS		9500 FT	6 INCH FOCAL
		FROM AIRCRAFT						LENGTH

000050

USGS FRESHWATER WETLANDS STUDY
DATA COLLECTED: JULY 1972 TO JULY 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W147, FLT. 2 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON JULY 10, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. GEOLOGICAL SURVEY (VA. CARTER OFFICE OF REMOTE SENSING) IN PATUXENT RIVER, MD. REGION. OBJECTIVE - TO ACQUIRE BOTH NATURAL AND FALSE-COLOR AIRBORN IMAGERY FOR INVESTIGATION OF SPECIES TYPE AND DELINATION OF FRESHWATER AQUATIC COMMUNITIES. FLIGHT IN GOOD WEATHER, AIR TEMP. 5 DEG. C AT 10,000 FT. MSL WITH WIND OF 15-20 KNOTS FROM 240 DEG. (MISSION W147, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

39 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	39	OBS	10000 FT	6 INCH FOCAL LENGTH

000033

USGS FRESHWATER WETLANDS STUDIES
DATA COLLECTED: JUNE 1972 TO JUNE 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

MISSION W131, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON JUNE 3, 1972, IN COOPERATION WITH DEPT. OF INTERIOR, U. S. GEOLOGICAL SURVEY IN THE PATUXENT RIVER, MD. REGION. OBJECTIVE - TO ACQUIRE NATURAL AND FALSE-COLOR IMAGERY TO INVESTIGATE FRESHWATER WETLAND PLANT CANOPIES IN PREPARATION FOR ERTS INVESTIGATIONS. FLIGHT IN CLEAR WEATHER, MODERATE HAZE, AIR TEMP. 2 DEG. C AT 10,000 FT., 16 DEG. C AT 2500 FT., MSL WITH WIND OF 15 KNOTS FROM 260 DEG. (MISSION W131, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

33 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	38	OBS	10000 FT	6 INCH FOCAL LENGTH

001702

PATUXENT RIVER MARYLAND WETLAND PHOTOGRAPHY
DATA COLLECTED: SEPTEMBER 1970 TO SEPTEMBER 1970

PAGE 01
RECEIVED: MARCH 28, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

AN EXPERIMENTAL REMOTE SENSING PROGRAM CONDUCTED FOR THE STATE OF MARYLAND IN SEPTEMBER 1970 RESULTED IN A FILE OF COLOR AND COLOR IR 9X9 PHOTOGRAPHY AT SCALES OF 1 TO 3000, 1 TO 6000, 1 TO 9000 AND 1 TO 12000 OF A 3X10 MILE STRIP OF WETLANDS ON THE PATUXENT RIVER.

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

ONE FOLDER OF 9X9 PHOTOGRAPHS

FUNDING:

STATE OF MARYLAND

INVENTORY:

PUBLICATIONS:

CONTACT:

W.C. COULBOURN, APPLIED TECHNOLOGY 516 575 0574
GRUMMAN ECOSYSTEMS CORPORATION
1111 STEWART AVENUE
BETHPAGE NEW YORK USA 11714

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		
TIME	EARTH	STATION TIME	YMD	1	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	9X9 PHOTOGRAPH	1	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	9X9 PHOTOGRAPH	1	STATIONS		

A 3 BY 10 MILE
TEST STRIP OF
WETLANDS ON
THE PATUXENT
RIVER

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POCOMOKE RIVER

ABSTRACT:

MISSION W208, FLI. 2, MAY 16, 1973, WITH WALLOPS STATION HELICOPTER EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S CAMERA SYSTEM IN COOPERATION WITH U. S. GEOLOGICAL SURVEY. OBJECTIVE - TO OBTAIN REMOTE SENSING IMAGERY OF POCOMOKE RIVER AND ADJACENT LOWLAND FOR IDENTIFICATION OF WETLAND VEGETATION ALONG RIVER.
(MISSION NO W208, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

202 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	202	OBS		56 OBS AT 9500 FT, 146 OBS AT 6500 FT	100 MM AND 152 MM FOCAL LENGTH, REMOTE SENSING

001198

POCOMOKE RIVER BASIN STUDY
DATA COLLECTED: APRIL 1973 TO APRIL 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POCOMOKE SOUND AND RIVER

ABSTRACT:

MISSION W192, FLIGHT 2, APRIL 9, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND AN I2S CAMERA SYSTEM IN COOPERATION WITH MD. DEPT OF CHESAPEAKE BAY AFFAIRS. OBJECTIVE - TO OBTAIN MULTI-BAND IMAGERY OF POCOMOKE RIVER WETLANDS FOR USE IN ANALYZING WETLAND VEGETATION. WEATHER - HAZY WITH LOW AND HIGH BROKEN CLOUDS, AIR TEMP. 2 DEG. C AT 9500 FT., MSL WITH WIND OF 12 KNOTS FROM 090 DEG.
(MISSION NO W192, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

128 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

1
91
7-1

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA	PHOTOGRAPHS	128	OBS	92 OBS AT 9500 FT, 36 OBS AT 5500 FT	100 MM AND 152 MM FOCAL LENGTH, MULTI- BAND IMAGERY
		FROM AIRCRAFT					

001275

RHODE RIVER VEGETATIVE AND DRAINAGE STUDIES
DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER WATERSHED

ABSTRACT:

MISSION W170, FLI. 1, ACCOMPLISHED WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO AERIAL CAMERAS, T-11 AND I2S, ON OCTOBER 11, 1972, IN COOPERATION WITH SMITHSONIAN INSTITUTE. MISSION OVER WETLANDS AREAS OF RHODE RIVER AND TRIBUTARIES. ONE OF A SERIES TAKEN OVER RHODE RIVER FOR PURPOSE OF DEFINING WETLAND VEGETATION SIGNATURES THROUGHOUT YEARLY GROWTH CYCLE. FLIGHT IN CLEAR WEATHER WITH VISIBILITY 10-12 MILES, AIR TEMP. +5 DEG. AT 2500 FT., MSL WITH WIND OF 8 KNOTS FROM 360 DEG. (MISSION NO W170, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

696 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			13 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	13	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	645	OBS		420 OBS AT 2500 FT, 120 OBS AT 1200 FT, 51 OBS AT 1000 FT, 105 OBS AT 500 FT	6 INCH FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W165, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON AUG. 30, 1972, IN COOPERATION WITH CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES (SMITHSONIAN INSTITUTE) IN RHODE RIVER, MD. REGION. OBJECTIVE - TO ACQUIRE AIRBORN NATURAL AND FALSE-COLOR IMAGERY FOR INVESTIGATION OF VEGETATION GROWTH AND DRAINAGE PATTERNS WITHIN THE RHODE RIVER WATERSHED. FLIGHT IN GOOD WEATHER, NO OVERCAST, SLIGHT HAZE, AIR TEMP. 23 DEG. C AT 2500 FT., MSL WITH WIND OF 15 KNOTS FROM 285 DEG.
(MISSION NO W165, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
260 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	260	OBS	162 OBS AT 2500 FT; 52 OBS AT 1200 FT, 46 OBS AT 500 FT	6 INCH FOCAL LENGTH

001249

RHODE RIVER VEGETATIVE AND DRAINAGE STUDIES
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER WATERSHED

ABSTRACT:

MISSION W149, FLI., 1 WITH WALLOPS STATION C-54 AIRCRAFT WITH ONE T-11 AERIAL CAMERA AND H.R.B. SINGER AAD-2 THERMAL SCANNER ON AUG. 10, 1972, IN COOPERATION WITH CHESAPEAKE BAY CTR. FOR ENVIRONMENTAL STUDIES. OBJECTIVE - TO USE FALSE COLOR NEAR INFRARED PHOTOGRAPHY AND PASSIVE INFRARED TO STUDY VEGETATION AND DRAINAGE PATTERNS WITH RHODE RIVER WATERSHED. FLIGHT IN CLEAR WEATHER WITH SLIGHT HAZE, AIR TEMP. 15 DEG. C AT 2500 FT., MSL WITH WIND 45 KNOTS FROM 250 DEG.
(MISSION NO W149, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
178 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	168	OBS	14 OBS AT 12000 FT, 17 OBS AT 3000 FT, 147 OBS AT 2500 FT	6 INCH FOCAL LENGTH FALSE COLOR NEAR INFRARED AND PASSIVE INFRARED

000047

RHODE RIVER VEGETATIVE AND DRAINAGE STUDIES
DATA COLLECTED: JUNE 1972 TO JUNE 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W146, FLT. 1, JUNE 26, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS, IN COOPERATION WITH CHESAPEAKE BAY CTR. FOR ENVIRONMENTAL STUDIES. OBJECTIVE-TO CORRELATE GROUND TRUTH INFORMATION WITH REMOTE SENSED IMAGERY FOR VEGETATIVE GROWTH CHARACTERISTICS, SOIL CONDITIONS, SURFACE WATER LOCATIONS, AND DRAINAGE PATTERNS. LIGHT OVERCAST AND SLIGHT HAZE, AIR TEMP. 20 DEG. C AT 1500 FT., MSL WITH WIND OF 8 KNOTS FROM 300 DEG.
(MISSION W146, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

268 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	268	OBS	1500 FT	152 MM FOCAL LENGTH

000070

RHODE RIVER VEGETATION AND DRAINAGE STUDY
DATA COLLECTED: MAY 1972 TO MAY 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W126, FLT. 1, MAY 5, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS, IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF SMITHSONIAN INSTITUTE. OBJECTIVE - TO OBTAIN SPRING IMAGERY OF MARSH AND BASIN VEGETATION FOR USE IN MAKING SPECTRAL COMPARISONS OF SAME PLANTS THROUGHOUT GROWING SEASON. FLIGHT MADE WITH GOOD VISIBILITY, SCATTERED CLOUD COVERAGE, AIR TEMP. 16 DEG. C AT 2500 FT., 12 DEG. C AT 10,000 FT., MSL WITH WIND OF 15 KNOTS FROM 290 DEG.
(MISSION NO W126, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

229 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	12	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	229	OBS		208 OBS AT 2500 FT, 21 OBS AT 10000 FT	152 MM FOCAL LENGTH

000064

SHORELINE STUDY, SMITHSONIAN INSTITUTION
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W122, FLT. 1, APRIL 21, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ATT-11 AERIAL CAMERA IN COOPERATION WITH CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. OBJECTIVE - TO RECORD VARIATIONS IN LOCATION OF SHORE-LINE OF RHODE RIVER ESTUARY BY USE OF AERIAL PHOTOGRAPHY IN CONJUNCTION WITH GROUND MEASUREMENTS. FLIGHT MADE IN CLOUD-FREE WEATHER WITH MODERATE HAZE, VISIBILITY 5-7 MILES, AIR TEMP. 0 DEG. C AT 5000 FT., MSL WITH WIND OF 10 KNOTS FROM SWE.
(MISSION NO W122, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

42 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			3
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	42	OBS		5000 FT	6 INCH FOCAL LENGTH

000060

CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES VEGETATION IDENTIFICATION
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W119, FLT. 1, APRIL 18, 1972, WITH WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL CAMERAS. IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES (CBCES) TO USE VISIBLE AND NEAR INFRARED IMAGERY TO IDENTIFY VEGETATION IN RHODE RIVER WATERSHED. FLIGHT MADE IN CLEAR WEATHER, AIR TEMP. 2 DEG. C AT 12,500 FT., AND 8 DEG. C AT 2500 FT., MSL WITH WIND OF 30 KNOTS FROM 290 DEG.
(MISSION NO W119, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

269 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	14 STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	269 OBS		24 OBS AT 12500 FT, 245 OBS AT 2500 FT	6 INCH FOCAL LENGTH

007222

RHODE RIVER VEGETATIVE AND DRAINAGE STUDIES-MARYLAND
DATA COLLECTED: MARCH 1972 TO MARCH 1972PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W116, FLIGHT 02, WAS ACCOMPLISHED ON MARCH 28, 1972, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA AND ONE AAD-2 THERMAL IR SCANNER IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO PROVIDE COMPARATIVE COLOR AND INFRARED IMAGERY OF THE RHODE RIVER WATERSHED.
(MISSION W116, FLIGHT 02)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
140 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	36	OBS			
TIME	EARTH	STATION TIME	YMD	36	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	36	OBS	1 FLIGHT PER LINE	2500 & 10,000 FEET	152 AND FOUR- TENTHS MM AND 20 AND ONE- TENTH MM FOCAL LENGTHS
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	36	OBS	1 FLIGHT PER LINE	2500 & 10,000 FEET	152 AND FOUR- TENTHS MM AND

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
							20 AND ONE- TENTH MM FOCAL LENGTHS

007210

RHODE RIVER WATERSHED DRAINAGE STUDY
DATA COLLECTED: JANUARY 1972 TO JANUARY 1972PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, RHODE RIVER WATERSHED

ABSTRACT:

MISSION W105, FLIGHT 01, WAS ACCOMPLISHED ON JANUARY 21, 1972 UTILIZING A WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN WINTER IMAGERY OF THE RHODE RIVER WATERSHED TO BE USED IN STUDING EROSIONAL PROCESSES AT WORK WITHIN THE AREA WITHOUT THE INTERFERENCE OF LEAF COVERAGE IN WOODED AREAS. A RUN WAS MADE OVER POPLAR AND COACHES ISLANDS FOR OBTAINING DATA OF EROSIONAL PROCESSES AT WORK ON THE BAYSIDE OF THE ISLANDS.
(MISSION, W105, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

184 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	184	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	184	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	184	OBS	1 FLIGHT PER LINE	2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, RHODE RIVER

ABSTRACT:

MISSION W089, FLIGHT01, WAS ACCOMPLISHED ON OCTOBER 7, 1971, UTILIZING A WALLOPS FLIGHT CENTER LEASED HELICOPTER EQUIPPED WITH FOUR T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL IMAGERY OF THE RHODE RIVER WATERSHED FOR USE BY SMITHSONIAN INSTITUTE INVESTIGATORS IN COMPILING AN INTEGRATED STUDY OF THE WATERSHED VEGETATION, SOIL, AND SURFACE WATER OVER AN EXTENDED PERIOD OF TIME.
(MISSION W089, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

172 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	172	OBS			
TIME	EARTH	STATION TIME	YMD	172	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	172	OBS	1 FLIGHT PER LINE	5000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

007202

RHODES RIVER WATERSHED VEGETATIVE AND DRAINAGE STUDIES
DATA COLLECTED: AUGUST 1971 TO AUGUST 1971

PAGE 01
RECEIVED: SEPTEMBER 14, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, RHODES RIVER WATERSHED

ABSTRACT:

MISSION W030, FLIGHT01, WAS ACCOMPLISHED ON AUGUST 23, 1971, UTILIZING A WALLOPS FLIGHT CENTER LEASED HELICOPTER EQUIPPED WITH FOUR T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN LARGE AND SMALL IMAGERY OF THE RHODES RIVER WATERSHED. THE IMAGERY WILL BE USED IN CONJUNCTION WITH EXTENSIVE GROUND TRUTH INFORMATION IN PREPARING A COMPREHENSIVE LAND USE AND ECOSYSTEMS STUDY OF THE WATERSHED.
(MISSION W080, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

327 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	327	OBS			
TIME	EARTH	STATION TIME	YMD	327	OBS	3 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	327	OBS	3 FLIGHTS PER LINE	3500 AND 10,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

007191

RHODE RIVER WATERSHED STUDY
DATA COLLECTED: JULY 1971 TO JULY 1971PAGE 01
RECEIVED: SEPTEMBER 14, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, RHODES RIVER WATERSHED

ABSTRACT:

MISSION W073, FLIGHT01, WAS ACCOMPLISHED ON JULY 13, 1971, UTILIZING A WALLOPS FLIGHT CENTER LEASED HELICOPTER EQUIPPED WITH FOUR T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE CHESAPEAKE BAY CENTER FOR ENVIRONMENTAL STUDIES OF THE SMITHSONIAN INSTITUTE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN LARGE SCALE COLOR AND FALSE COLOR INFRARED IMAGERY OF THE RHODE RIVER WATERSHED FOR USE IN STUDYING THE INTERRELATIONSHIPS OF BIOLOGICAL, CULTURAL, AND METEOROLOGICAL FACTORS ON THE WATERSHED OVER AN EXTENDED PERIOD OF TIME.
(MISSION W073, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

190 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	190	OBS			
TIME	EARTH	STATION TIME	YMD	190	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	190	OBS	1 FLIGHT PER LINE	1200 AND 2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	190	OBS	1 FLIGHT PER LINE	1200 AND 2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

001150

RIVER PLANKTON DETECTION STUDY
DATA COLLECTED: JANUARY 1973 TO JANUARY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, SOUTH RIVER

ABSTRACT:

MISSION W184, FLT. 1, JAN. 12, 1973, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH 4 HASSELBLAD CAMERAS IN COOPERATION WITH THE NASA, LANGLEY RES. CTR. AND THE EPA. OBJECTIVE - TO CONTINUE THE STUDY OF IMAGING PLANKTON ACCUMULATIONS AT BORDERS OF THE SALT WEDGE ON ESTUARINE RIVERS USING AERIAL CAMERAS WITH PREDETERMINED FILM/FILTER COMBINATIONS. CLEAR WEATHER, VISIBILITY 10-12 MILES, AIR TEMP. 10 DEG. C AT 1000 FT., MSL WIND OF 25 KNOTS FROM 290 DEG.
(MISSION NO W184, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM

441 70 MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		17 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	17	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	441	OBS	4300 FT	40 MM FOCAL LENGTH

DATA COLLECTED: FEBRUARY 1973 TO FEBRUARY 1973

RECEIVED: OCTOBER 19, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, SOUTH RIVER AND SEVERN RIVER

ABSTRACT:

MISSION W189, FLIGHT 01, WAS ACCOMPLISHED ON FEBRUARY 22, 1973, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH THE NASA LANGLEY RESEARCH CENTER FOR THE ENVIRONMENTAL PROTECTION AGENCY. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN LARGE SCALE INFRARED PHOTOGRAPHIC IMAGERY OF THE CHESAPEAKE BAY AT THE JUNCTION OF THE BAY AND THE MOUTH OF THE SOUTH AND SEVERN RIVERS FOR SEWAGE OUTFALL DETECTION AND EUTROPHICATION STUDIES. (MISSION W189, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

230, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078634 730786 730796

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	7 STATIONS			
TIME	EARTH	STATION TIME	YMD	7 OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	7 OBS	1 FLIGHT PER LINE	700, 800, 1000, 3960, 10,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

000202

SHOALS AND ISLANDS OFF THE MOUTH OF THE SUSQUEHANNA RIVER
DATA COLLECTED: AUGUST 1973 TO AUGUST 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, SUSQUEHANNA RIVER, SASSAFRAS RIVER

ABSTRACT:

MISSION W227, FLT. 2, AUGUST 13, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS. OBJECTIVE - TO OBTAIN IMAGERY OF SHOALS AND ISLANDS OFF MOUTH OF SUSQUEHANNA RIVER IN CHESAPEAKE BAY. IMAGERY WILL BE COMPARED WITH IMAGERY TAKEN BEFORE TROPICAL STORM AGNES TO DETERMINE THE EFFECT OF THE STORM ON THESE SHOALS AND ISLANDS. FLIGHT MADE IN SCATTERED TO BROKEN CLOUDS WITH SOME HAZE, AIR TEMP. 5 DEG. C AT 10,500 FT., MSL WITH WIND OF 15 KNOTS FROM 320 DEG. (MISSION NO W227, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
50 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-324-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	50	OBS		12500 FT	152 MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Maryland - "Cities"

007203

BALTIMORE HARBOR BASE LINE STUDY
DATA COLLECTED: AUGUST 1971 TO AUGUST 1971

PAGE 01
RECEIVED: SEPTEMBER 14, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., MARYLAND, BALTIMORE HARBOR

ABSTRACT:

MISSION W081, FLIGHT01, WAS ACCOMPLISHED ON AUGUST 25, 1971, UTILIZING A WALLOPS FLIGHT CENTER CHARTERED HELICOPTER EQUIPPED WITH FOUR T-11 AERIAL MAPPING CAMERAS. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN BASE LINE DATA FOR THE CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE OF THE BALTIMORE HARBOR AND ITS INDUSTRIAL, COMMERCIAL, AND RESIDENTIAL BORDER AREAS.
(MISSION W081, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

90 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73079625

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	90	OBS			
TIME	EARTH	STATION TIME	YMD	90	OBS	4 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	90	OBS	4 FLIGHTS PER LINE	10,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

000193

BOWIE-ANNAPOLIS-BALTIMORE AND BALTIMORE-NEWARK URBAN AREA PLANNING STUDY
DATA COLLECTED: MARCH 1973 TO MARCH 1973PAGE 01
RECEIVED: JANUARY 01, 1976PROJECTS:
ERTSGENERAL GEOGRAPHIC AREA:
NORTH ATLANTIC, COASTAL, U.S., COASTAL, DELAWARE BAY, DELAWARE, MARYLAND, NEWARK, BOWIE-ANNAPOLIS AREAABSTRACT:
MISSION W193, FLT. 1, MARCH 16, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH AN I2S AND A T-11 AERIAL MAPPING CAMERA SYSTEM IN COOPERATION WITH MD. DEPT. OF STATE PLANNING. OBJECTIVE - TO OBTAIN LARGE SCALE AERIAL PHOTOGRAPHY FOR LAND USE PLANNING IN THE RAPIDLY DEVELOPING BOWIE-ANNAPOLIS-BALTIMORE AREA, AND THE BALTIMORE-NEWARK CORRIDOR. FLIGHT IN HAZY WEATHER WITH THIN OVERCAST, AIR TEMP. 5 DEG. C AT 9500 FT., MSL WITH WIND OF 30 KNOTS FROM 270 DEG.
(MISSION NO W193, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
335 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337GRID LOCATOR (LAT):
730796 730795

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		18 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	18	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	335	OBS	9500 FT	100 MM AND 152 MM FOCA± LENGTH

001196

URBAN AREA ANALYSIS-CAMBRIDGE, MARYLAND, MARYLAND DEPARTMENT OF STATE PLANNING
DATA COLLECTED: FEBRUARY 1973 TO FEBRUARY 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSATGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, MARYLAND, CAMBRIDGEABSTRACT:
MISSION W186, FLT. 2, FEB. 9, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 CAMERA AND AN I2S CAMERA SYSTEM IN COOPERATION WITH MD. DEPT. OF STATE PLANNING. FLIGHT COVERED CAMBRIDGE, MD. AND ITS ENVIRONS. OBJECTIVE - TO OBTAIN URBAN DEVELOPMENT AND LAND USE PATTERNS IN AND AROUND CAMBRIDGE. CLEAR WEATHER WITH VISIBILITY 15-20 MILES, AIR TEMP. 10 DEG. C AT 9500 FT., MSL WITH WIND OF 25 KNOTS FROM 350 DEG.
(MISSION NO W186, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
PHOTOPRINTS
38 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337GRID LOCATOR (LAT):
730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	38	OBS	9500 FT	100 MM AND 152 MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Maryland - "Oceanside"

007236

WAVE PROFILE STUDY-MARYLAND
DATA COLLECTED: AUGUST 1973 TO AUGUST 1973

PAGE 01
RECEIVED: OCTOBER 19, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., MARYLAND

ABSTRACT:

MISSION W229, FLIGHT 01, WAS ACCOMPLISHED ON AUGUST 17, 1973, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND A HELIUM NEON LASER, IN COOPERATION WITH THE NASA LANGLEY RESEARCH CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO MAKE A STUDY OF WAVE ACTION USING AERIAL PHOTOGRAPHY AND LASER PROFILE TAPES.
(MISSION W229, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

49, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

7307850150

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	1 STATIONS			
TIME	EARTH	STATION TIME	YMD	1 OBS	2 FLIGHTS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	1 OBS	2 FLIGHTS	5000 AND 500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
WAVE AMPLITUDE	WATER	LASER		1 OBS	2 FLIGHTS		
WAVE DIRECTION	WATER	LASER		1 OBS	2 FLIGHTS		
WAVE SPEED	WATER	LASER		1 OBS	2 FLIGHTS		
WAVE PERIOD	WATER	LASER		1 OBS	2 FLIGHTS		

000192

INVESTIGATIONS OF MARYLAND'S TIDAL SHORELINES
DATA COLLECTED: FEBRUARY 1973 TO FEBRUARY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:
ERTS

GENERAL GEOGRAPHIC AREA:
NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, MARYLAND, ASSATEAGUE ISLAND TO FENWICK ISLAND

ABSTRACT:
MISSION W188, FLT. 1, FEB. 12, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AND AN I2S CAMERA SYSTEM IN COOPERATION WITH MD. GEOLOGICAL SURVEY. OBJECTIVE - TO CONTINUE MONITORING THE MD. SHORELINES FOR CHANGES IN LAND FORM CONFIGURATION AND UNDERWATER SHIFTS IN SAND BARS AND CHANNELS. IMAGERY WILL ALSO BE USED WHEN POSSIBLE FOR LAND USE, COMMUNITY URBANIZATION, AND ARCHEOLOGICAL STUDIES. FLIGHT IN CLEAR WEATHER, AIR TEMP. 4 DEG. C AT 10,500 FT., MSL WITH WIND OF 28 KNOTS FROM 320 DEG.
(MISSION NO W188, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
235 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730787 730786 730796 730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	235	OBS	10500 FT	100 MM AND 152 MM FOCAL LENGTH

000068

CHINCOTEAGUE BAY OVERFLIGHT
DATA COLLECTED: APRIL 1972 TO APRIL 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, MARYLAND, CHINCOTEAGUE BAY

ABSTRACT:

MISSION W124, FLT. 2, APRIL 27, 1972, OVER CHINCOTEAGUE BAY, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL CAMERA. OBJECTIVE - TO OBTAIN BASE LINE INFORMATION OF WETLANDS AND CULTURAL CHANGES OCCURRING THROUGHOUT THE WINTER MONTHS. FLIGHT IN CLEAR WEATHER, VISIBILITY 7-8 MILES, AIR TEMP. 0 DEG. C AT 7000 FT., MSL WITH WIND OF 15 KNOTS FROM 290 DEG. (MISSION NO W124, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

103 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHMSL	3	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	103	OBS		7000 FT	152 MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Maryland - "Maryland-Virginia"

007223

CHESAPEAKE BAY AREA LAND FORMS
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY AREA

ABSTRACT:

MISSION W117, FLIGHT 01, WAS ACCOMPLISHED ON APRIL 5, 1972, UTILIZING A WALLOPS FLIGHT CENTER QUEEN AIR AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD CAMERAS, IN COOPERATION WITH NASA'S GODDARD SPACE FLIGHT CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL IMAGERY OF A VARIETY OF LAND FORMS FOUND IN THE CHESAPEAKE BAY AREA. IMAGES WERE TAKEN OF BARRIER ISLANDS, INLAND WETLANDS, HEAVILY DISCECTED UPLANDS, AND HEAVILY WOODED LOWLANDS.
(MISSION W117, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
277 70MM PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078550 73077555 73078503 73078635 73078634 73078754 73078740

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	277	STATIONS			
TIME	EARTH	STATION TIME	YMD	277	OBS	4 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	277	OBS	4 FLIGHTS PER LINE	5000 & 10,000 FEET	40 MM FOCAL LENGTH

004441

CHLOROPHYLL DETECTION STUDIES
DATA COLLECTED: JANUARY 1974 TO JANUARY 1974

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH ATLANTIC, COASTAL, U.S., POTOMAC RIVER

ABSTRACT:

MISSION W262, FLIGHT 01 WAS ACCOMPLISHED ON 30 JANUARY 1974. THE OBJECTIVE OF THE FLIGHT WAS TO DEVELOP TECHNIQUES FOR
DETECTING WATER BORNE CHLOROPHYLL USING AERIAL CAMERAS FOR MULTI-BAND IMAGERY.
(MISSION W262 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
54 PHOTOPRINTS

FUNDING:
NASA

INVENTORY:

PUBLICATIONS:

CONTACT:

G. GREW 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730786 730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	4 STATIONS			
TIME	EARTH	SAMPLING TIME	YMCHM	4 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		4 STATIONS		17,500 FEET	40 MM FOCAL LENGTH

004432

RESOURCE MANAGEMENT STUDY
DATA COLLECTED: OCTOBER 1973 TO OCTOBER 1973

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, WEST VIRGINIA

ABSTRACT:

MISSION W256, FLIGHT 1 WAS ACCOMPLISHED ON 12 OCTOBER 1973. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN MULTISPECTRAL IMAGERY OF RIVER, FOREST AREAS, AND STRIP MINES FOR USE IN MANAGEMENT STUDIES.
(MISSION NUMBER W256 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
520 PHOTOPRINTS

FUNDING:

NASA

INVENTORY:

PUBLICATIONS:

CONTACT:

MR. WALTERS 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730797 730798 730799

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	8 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	8 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		8 STATIONS		3,000 AND 10,000 FEET	100 MM AND 152 AND FOUR- TENTHS MM FOCAL LENGTHS

DATA COLLECTED: APRIL 1973 TO APRIL 1973

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, POTOMAC RIVER

ABSTRACT:

MISSION W204, FLIGHT 1, APRIL 13, 1973, UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD CAMERAS AND A MULTI-CHANNEL OCEAN COLOR SENSOR (MOCS) IN COOPERATION WITH NASA'S LANGLEY RESEARCH CENTER FOR ENVIRONMENTAL PROTECTION AGENCY. THE OBJECTIVE OF THE FLIGHT WAS TO DIFFERENTIATE POLLUTION FROM NORMAL WATER IN THE POTOMAC RIVERS BY USING FOUR HASSELBLAD CAMERAS EQUIPPED WITH DIFFERING FILM/FILTER COMBINATIONS FOR PRODUCING SPECIFIC SPECTRAL RESPONSES IN CONJUNCTION WITH THE MULTI-CHANNEL OCEAN COLOR SENSOR (MOCS). CLEAR WEATHER, FEW SCATTERED CLOUDS. AIR TEMPERATURE 12 DEG. C AT 10,500 FT. MSL, WIND OF 20 KNOTS FROM 300 DEG.
(MISSION NO W204, FLT 1)

DATA AVAILABILITY:

MISSION NO W204, FLT 1

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
192 70 MM FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			8 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	8	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	192	OBS		10500 FT	40 MM FOCAL LENGTH, MULTICHANNEL OCEAN COLOR SENSOR

000042

NASA/LANGLEY PLANKTON DETECTION STUDIES
DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER

ABSTRACT:

MISSION W141, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AND I2S CAMERA SYSTEM ON OCT. 2, 1972, IN COOPERATION WITH NASA'S LANGLEY RES. CTR. AND ENVIRONMENTAL PROTECTION AGENCY. OBJECTIVE - TO EXPLORE THE FEASIBILITY OF IMAGING PLANKTON ACCUMULATIONS AT THE BORDERS OF THE SALT WEDGE ON ESTUARINE RIVERS USING AERIAL CAMERAS WITH PRE-DETERMINED FILM/FILTER COMBINATIONS. FLIGHT IN CLEAR WEATHER, VISIBILITY 10-15 MILES, AIR TEMP. 5 DEG. C AT 10,000 FT., MSL WITH WIND 18 KNOTS FROM 300 DEG. AT 10,000 FT. AND 12 KNOTS FROM 335 DEG. AT 5000 FT.
(MISSION W141, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

400 9" X 9" AND 70-MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHL	4	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	400	OBS		140 OBS AT 10000 FT, 260 OBS AT 5000 FT	6 INCH FOCAL LENGTH

007390

POTOMAC AND PATUXENT RIVERS PHYTOPLANKTON STUDIES
DATA COLLECTED: OCTOBER 1973 TO OCTOBER 1973PAGE 01
RECEIVED: NOVEMBER 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, POTOMAC AND PATUXENT RIVERS

ABSTRACT:

MISSION W250, FLIGHT 01, WAS ACCOMPLISHED ON OCTOBER 24, 1973, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD CAMERAS, AND ONE T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH NASA'S LANGLEY RESEARCH CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN MULTISPECTRAL IMAGERY OF THE POTOMAC AND PATUXENT RIVERS FOR USE IN ANALYZING CHLOROPHYLL CONCENTRATIONS IN PLANKTON PLUMES IN THE REGION OF THE SALT WEDGES ON THE TWO RIVERS.
(MISSION W250, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

304, 70MM PRINTS, 73, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73078753 73078732 73078750 73078730 73078603 73078644 73078645 73078642

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	377	OBS			
TIME	EARTH	STATION TIME	YMD	377	OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	377	OBS	5 FLIGHTS PER LINE	10,000 AND 8000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	377	OBS	5 FLIGHTS PER LINE	10,000 AND 8000 FEET	40MM FOCAL LENGTH

000062

TRI-COUNTY COUNCIL FOR SOUTHERN MARYLAND WATER POLLUTION STUDIES
DATA COLLECTED: APRIL 1972 TO APRIL 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER, PATUXENT RIVER

ABSTRACT:

MISSION W119, FLT. 3 ACCOMPLISHED WITH WALLOPS STATION C-54 AIRCRAFT WITH TWO T-11 AERIAL CAMERAS ON APRIL 18, 1972. IN COOPERATION WITH TRI-COUNTY COUNCIL FOR SOUTHERN MARYLAND TO STUDY WATER POLLUTION. FLIGHT MADE IN CLEAR WEATHER, AIR TEMP. 0 DEG. C AT 10,500 FT., MSL WITH WIND OF 30 KNOTS FROM 290 DEG.
(MISSION NO W119, FLT 3)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
80 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730786 730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	80	OBS	10500 FT	6 INCH FOCAL LENGTH

..

101

001155

WATER POLLUTION STUDIES ON THE POTOMAC, SEVERN, AND SOUTH RIVERS
DATA COLLECTED: MARCH 1973 TO MARCH 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, MARYLAND POTOMAC RIVER, SOUTH RIVER, CAMBRIDGE-SECRETARY, PITTSVILLE-SALISBURY,
SEVERN RIVER

ABSTRACT:

MISSION W196, FLT. 1, MARCH 19, 1973, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH 3 HASSELBLAD CAMERAS AND AAD-2 IR SCANNER
IN COOPERATION WITH NASA'S LANGLEY RES. CTR. FOR THE EPA. OBJECTIVE - IMAGE WATER POLLUTION AND POLLUTION OUTFALLS ON POTOMAC,
SEVERN AND SOUTH RIVERS. LAND FILLS WERE IMAGED OVER THE MARYLAND TOWNS OF SALISBURY, PITTSVILLE, SECRETARY, AND BLACKWATER.
WEATHER OF BROKEN CLOUDS, VISIBILITY UP TO 7 MILES, AIR TEMP. 1 DEG. C AT 1000 FT., MSL WIND OF 30-40 KNOTS FROM 300 DEG.
(MISSION NO W196, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM
198 70 MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730786 730785

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMCHML	11	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	99	OBS		1000 FT	AAD-2 SCANNER 20.1 MM FOCAL LENGTH
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	99	OBS		1000 FT	40 MM FOCAL LENGTH

001216

CHLOROPHYLL CONCENTRATION STUDIES OF THE YORK, PAMUNKEY AND POTOMAC RIVERS
DATA COLLECTED: MAY 1973 TO MAY 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, POTOMAC RIVER, PAMUNKEY RIVER, YORK RIVER

ABSTRACT:

MISSION W215, FLIGHT 1, MAY 4, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH 4 HASSELBLADS AND 1 T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH NASA'S LANGLEY RES. CTR. AND EPA. OBJECTIVE - TO IMAGE CHLOROPHYLL CONCENTRATIONS DUE TO SUBMERGED PHYTOPLANKTON BUILDUP IN YORK, PAMUNKEY AND POTOMAC RIVERS. WEATHER - HEAVY TO BROKEN CLOUDS, VISIBILITY UP TO 6 MILES, AIR TEMP. 3 DEG. C AT 10,500 FT., MSL WITH WIND OF 25 KNOTS FROM 280 DEG.
(MISSION NO W215, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

140 70 MM AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730786

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS		3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	140	OBS	10500 FT	40 MM AND 152 MM FOCAL LENGTH

001220

MOVEMENT OF SUSPENDED PARTICULATE AND SOLUTE CONCENTRATIONS WITHIN THE
CHESAPEAKE BAY AND ITS MAJOR TRIBUTARIES
DATA COLLECTED: JUNE 1973 TO JUNE 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSAT

GENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, DELAWARE CANAL, CHOPTANK RIVER, WICOMICO RIVER, RAPPAHANNOCK RIVER, YORK RIVER

ABSTRACT:
MISSION W220, FLI. 1, JUNE 11, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S CAMERA SYSTEM IN COOPERATION WITH WATERWAYS EXPERIMENT STATION OF THE CORPS OF ENGINEERS. OBJECTIVE - TO OBTAIN MULTI-BAND IMAGERY OF THE MAJOR RIVERS EMPTYING INTO CHESAPEAKE BAY. IMAGERY WILL BE USED IN DELINEATING AREAS OF HIGH PARTICULATE AND SOLUTE CONCENTRATIONS. WEATHER - HAZY WITH A FEW SCATTERED CLOUDS, VISIBILITY UP TO 5 MILES, AIR TEMP. 10 DEG. C AT 10,000 FT., MSL WITH WIND OF 21 KNOTS FROM 320 DEG.
(MISSION NO W220, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
266 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730795 730786 730785 730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	5	STATIONS		11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	266	OBS	10500 FT	152 MM AND 100 MM FOCAL LENGTH MULTI- BAND IMAGERY

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, DELAWARE CANAL, CHOPTANK RIVER, WICOMICO RIVER, RAPPAHANNOCK RIVER, YORK RIVER

ABSTRACT:

MISSION W203, FLIGHT 1, MAY 16, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND I2S AERIAL CAMERA SYSTEM. FLIGHT MADE FOR U. S. ARMY ENGINEERS WATERWAYS EXPERIMENT STATION AS AN ERTS UNDERFLIGHT MISSION. OBJECTIVE-TO PROVIDE REMOTE SENSOR IMAGERY OF CHESAPEAKE BAY RIVERS IN SAME SPECTRAL BANDS FROM THE AIRCRAFT'S I2S CAMERA AS THAT OF MULTI-SPECTRAL SCANNER ON ERTS SATELLITE.
(MISSION NO W203, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

373 2.7" X 2.7" AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730795 730786 730785 730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	6	STATIONS		10 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	10	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	373	OBS	10000 FT	100MM AND 152 MM FOCAL LENGTH

001153

MOVEMENT OF SUSPENDED PARTICULATE AND SOLUBLE CONCENTRATIONS WITHIN THE
CHESAPEAKE BAY RIVER SYSTEMS
DATA COLLECTED: FEBRUARY 1973 TO FEBRUARY 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:
LANDSAT

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA YORK RIVER, RAPPAHANNOCK RIVER, WICOMICO RIVER, CHOPTANK RIVER, ELK RIVER TO DELAWARE RIVER

ABSTRACT:

MISSION W190, F1. 1, FEB. 28, 1973, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH I2S AND T-11 AERIAL MAPPING CAMERA SYSTEMS IN COOPERATION WITH U S ARMY ENGINEER WATERWAYS STA. FLIGHT COVERED PORTIONS OF THE RAPPAHANNOCK, YORK, CHOPTANK, WICOMICO, AND ELK RIVERS AND THE CHESAPEAKE AND DELAWARE CANAL. OBJECTIVE - TO OBTAIN WINTER IMAGERY OF THESE RIVERS FOR MONITORING THE INFLOW OF SUSPENDED PARTICLES AND DIFFERENTIATE MAGNITUDES OF SOLUTE CONCENTRATIONS.
(MISSION NO W190, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
ORIGINAL FILM
74 9 X 9 INCH FRAMES; 169 2.7 X 2.7 INCH FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730795 730786 730785 730776 730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	243	OBS		100 MM AND 152 MM FOCAL LENGTH

000063

U S PARK SERVICE NORTH CAROLINA, VIRGINIA, AND MARYLAND OUTER BANK STUDIES
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, MARYLAND, NORTH CAROLINA OUTER BANKS

ABSTRACT:

MISSION W120, FLT. 1, ACCOMPLISHED WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON APRIL 19, 1972, IN COOPERATION WITH U. S. PARK SERVICE AND UNIV. OF VA. OBJECTIVE - TO UTILIZE FALSE COLOR IMAGERY IN ASSESSING LAND AND BIOLOGICAL MODIFICATIONS OF N. C., VA. AND MARYLAND OUTER BANKS.
(MISSION NO W120, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

339 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775 730755

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		11 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	11	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	239	OBS	138 OBS AT 6000 FT, 201 OBS AT 10000 FT	6 INCH FOCAL LENGTH

ANNEX III

Part A

Section 2

North Carolina

002707

NORTH CAROLINA WETLANDS, THEIR DISTRIBUTION AND MANAGEMENT
DATA COLLECTED: AUGUST 1957 TO JULY 1959PAGE 01
RECEIVED: DECEMBER 05, 1974

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, COASTAL, U.S., NORTH CAROLINA

ABSTRACT:

A LARGE SCALE SURVEY OF WETLANDS IN COASTAL NORTH CAROLINA WAS CONDUCTED BETWEEN 1957 AND 1959. PRINCIPAL STUDY OBJECTIVES WERE TO LOCATE, CLASSIFY, AND MAP WETLAND AREAS, AND TO EVALUATE THEIR DEVELOPMENT POTENTIAL FOR WILDLIFE (ESPECIALLY WATERFOWL). THIS DATA BASE IS UTILIZED BY THE PERMIT SECTION OF THE N.C. DEPARTMENT OF NATURAL AND ECONOMIC RESOURCES WHEN PROJECTS INVOLVE WETLAND ALTERATIONS.
(TEXT, TABULATION, AND MAPS FOR EACH WETLAND COUNTY)

DATA AVAILABILITY:

COST OF DUPLICATION

PLATFORM TYPES:

AIRCRAFT; FIXED STATION

ARCHIVE MEDIA:

REPORTS

169 PAGE REPORT, DATED APRIL 1962

FUNDING:

FEDERAL AID IN WILDLIFE RESTORATION, PROJECT W-6-R

INVENTORY:

PUBLICATIONS:

CONTACT:

KENNETH A. WILSON 919 829 7896
NORTH CAROLINA WILDLIFE RESOURCES COMMISSION
RALEIGH NORTH CAROLINA USA 27611

GRID LOCATOR (LAT):

730765 730766 730755 730756 730757 730746 730747 730748 730737 730738

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	GENERAL AREA	MAP	41	STATIONS			
TIME	EARTH	STATION TIME	YMD	41	STATIONS			
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	MARSH ACRES	41	OBS			PHOTOS TRANSFERR ED TO DETAILED COUNTY MAPS TO LOCATE MARSH TYPE MAPS FOR 41 COASTAL PLAIN COUNTIES
SPECIES DETERMINATION	LAND	KEY	LIST PER WETLAND TYPE,	41	OBS			

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
OF BENTHIC PLANTS COMMUNITY STRUCTURE ANALYSIS	LAND	CALCULATED	BY COUNTY DOMINANCE PER TYPE OF WETLAND PER COUNTY	41	OBS			

004750

NORTH CAROLINA BEACH EROSION
DATA COLLECTED: 1938 TO 1971

PAGE 01
RECEIVED: DECEMBER 29, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., NORTH CAROLINA

ABSTRACT:

A SURVEY OF BEACH EROSION OF NORTH CAROLINA WAS CONDUCTED FROM 1938 TO 1971. UTILIZING BLACK AND WHITE CAMERA'S FROM AIRPLANES, THE RATE OF EROSION WAS DETERMINED BY THE RELATIONSHIP OF THE BEACH TO FIXED REFERENCE POINTS.

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

REPORTS

ONE 31 PAGE REPORT

FUNDING:

NORTH CAROLINA DIVISION OF WATERWAYS AND SEASHORES

INVENTORY:

PUBLICATIONS:

DATA CONTAINED IN REPORT NUMBER 73-1, A SURVEY OF NORTH CAROLINA BEACH EROSION BY PHOTO METHODS

CONTACT:

H.E. WAHLS 919 737 3326
NORTH CAROLINA STATE UNIVERSITY
THE CENTER FOR MARINE AND COASTAL STUDIES
RALEIGH NORTH CAROLINA USA 27607

GRID LOCATOR (LAT):

730738 730747 730756 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	15	STATIONS		
TIME	EARTH	STATION TIME	YMD	15	STATIONS		
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT		15	STATIONS		
DEPOSITION RATE	LAND	VISUAL		15	STATIONS		

001203

CHLOROPHYLL CONCENTRATION STUDIES IN ALBERMARLE SOUND AND THE CHOWAN RIVER
DATA COLLECTED: APRIL 1973 TO APRIL 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, NORTH CAROLINA, ALBERMARLE SOUND, CHOWNN RIVER

ABSTRACT:

MISSION W206, FLIGHT 1, APRIL 20, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH 4 HASSELBLAD CAMERAS AND 1 T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH NASA'S LANGLEY RES. CTR. AND EPA. OBJECTIVE - TO IMAGE CHLOROPHYLL CONCENTRATIONS DUE TO PHYTOPLANKTON IN ALBERMARLE SOUND-CHOWAN RIVER AREA OF N. C.
(MISSION NO W206, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

167 70 MM AND 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	167	OBS		

001199

BARRIER ISLAND STUDIES OF NORTH CAROLINA
DATA COLLECTED: MAY 1973 TO MAY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, NORTH CAROLINIA OUTER BANKS

ABSTRACT:

MISSION W195, FLIGHT 1, MAY 11, 1973, WITH WALLOPS STATION C-54 AIRCRAFT WITH A T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH UNIV. OF VA. AND U. S. PARK SERVICE. FLIGHT A CONTINUATION OF A PROGRAM OF MISSIONS DESIGNED TO ILLUSTRATE CHANGING CHARACTERISTICS OF BARRIER ISLANDS DUE TO WAVE AND WIND ACTIONS FROM NEAR SHORE CURRENTS AND STORMS.
(MISSION NO W195, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
254 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730765 730755

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			5 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	5 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	254 OBS		9500 FT	152 MM FOCAL LENGTH

007215

NORTH CAROLINA BARRIER ISLAND STUDY
DATA COLLECTED: FEBRUARY 1972 TO FEBRUARY 1972PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., NORTH CAROLINA, BARRIER ISLANDS

ABSTRACT:

MISSION W107, FLIGHT 01, WAS ACCOMPLISHED ON FEBRUARY 4, 1972, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH THE GEOLOGICAL DEPARTMENT OF THE UNIVERSITY OF VIRGINIA FOR THE U.S. PARK SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL IMAGERY OF THE NORTH CAROLINA BARRIER ISLANDS FOR A CONTINUING STUDY OF LITTORAL CHANGES CAUSED BY TIDAL AND STORM ACTION OVER AN EXTENDED PERIOD OF TIME.
(MISSION W107, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
285 9"X9" PRINTS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73076525 73075555 73075535 73075525 73075610 73074645 73074655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	285	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	285	OBS	2 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	285	OBS	2 FLIGHT PER LINE	2500, 5000 & 10,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Pennsylvania

007221

EDDYSTONE THERMAL POWER PLANT STUDY-PENNSYLVANIA
DATA COLLECTED: MARCH 1972 TO MARCH 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., PENNSYLVANIA

ABSTRACT:

MISSION W116, FLIGHT 01, WAS ACCOMPLISHED ON MARCH 28, 1972, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL CAMERA AND AN AAD-2 THERMAL IR SCANNER IN COOPERATION WITH THE U.S. ARMY ENGINEER WATERWAYS EXPERIMENT STATION. THE OBJECTIVE OF THE FLIGHT WAS TO IMAGE THE EXTENT AND INTENSITY OF THERMAL PLUMES EMITTED BY THE EDDYSTONE POWER PLANT AT PHILADELPHIA PENNSYLVANIA. THE IR PRINTS DID NOT TAKE.
(MISSION W116, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
17 9"X9" PRINTS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73079555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
..... POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	17 OBS			
TIME	EARTH	STATION TIME	YMD	17 OBS	1 FLIGHT		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	17 OBS	1 FLIGHT	5000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Virginia - "General"

008673

YORK RIVER, MOBJACK BAY EEL GRASS STUDIES-VIRGINIA
DATA COLLECTED: JUNE 1974 TO JUNE 1974

PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH AMERICA, U.S., VIRGINIA

ABSTRACT:

MISSION W290, FLIGHT 01, WAS ACCOMPLISHED ON JUNE 13, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD 70MM CAMERAS AND AN I2S "B" MULTIBAND CAMERA SYSTEM IN COOPERATION WITH THE VIRGINIA INSTITUTE OF MARINE SCIENCE. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY THE DISTRIBUTION OF EEL GRASS ALONG THE WESTERN SHORE OF THE CHESAPEAKE BAY IN THE YORK RIVER, AND FROM MOBJACK BAY TO THE MOUTH OF THE RAPPAHANNOCK RIVER.
(MISSION W290, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
632 70MM PRINTS

FUNDING:
NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
73077613 73077635 73077632 73077653

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT		FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	632	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	632	OBS	8 FLIGHTS/ LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	632	OBS	8 FLIGHTS/ LINE	9,500 FEET	40MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	632	OBS	8 FLIGHTS/ LINE	9,500 FEET	100MM FOCAL LENGTH

007212

VIRGINIA WETLAND STUDY
DATA COLLECTED: FEBRUARY 1972 TO FEBRUARY 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:
NORTH AMERICA, U.S., VIRGINIA

ABSTRACT:

MISSION W106, FLIGHT 02, WAS ACCOMPLISHED ON FEBRUARY 1, 1972, UTILIZING A WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE VIRGINIA INSTITUTE OF MARINE SCIENCE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL COLOR INFRARED PHOTOGRAPHY OF MARSHES AND WETLANDS DURING THE DORMANT WINTER PERIOD FOR COMPARISON WITH IMAGERY TAKEN DURING THE ACTIVE SEASON.
(MISSION W106, FLIGHT 02)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFT

ARCHIVE MEDIA:
PHOTOPRINTS
130 9"X9" PRINTS

FUNDING:
NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
73077555 73077634 73077655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	130	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	130	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	130	OBS	1 FLIGHT PER LINE	5000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Virginia - "Rivers"

008675

JAMES RIVER WATER POLLUTION STUDY-VIRGINIA
DATA COLLECTED: MAY 1974 TO MAY 1974PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., VIRGINIA, HAMPTON ROADS, JAMES RIVER, HOG ISLAND

ABSTRACT:

MISSION W276, FLIGHT 01, WAS ACCOMPLISHED ON MAY 28, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD CAMERAS, A T-11 AERIAL MAPPING CAMERA, AND A MULTICHANNEL OCEAN COLOR SENSOR IN COOPERATION WITH NASA'S LANGLEY RESEARCH CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY WATER POLLUTION AS RELATED TO EUTROPHICATION LEVELS IN THE JAMES RIVER FROM HOPEWELL TO THE HAMPTON ROADS/CRANEY ISLAND INDUSTRIAL WATERFRONT.
(MISSION W276, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

284 70MM PRINTS; 71 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077733 73077625 73076653 73076643

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	355	OBS			
TIME	EARTH	STATION TIME	YMD	355	OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINT	284	OBS	5 FLIGHTS PER LINE	3000 AND 17,500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINT	71	OBS	5 FLIGHTS PER LINE	3000 AND 17,500 FEET	40MM FOCAL LENGTH

000048

TROPICAL STORM "AGNES" FLOOD STUDY OF THE JAMES RIVER
DATA COLLECTED: JUNE 1972 TO JUNE 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, JAMES RIVER

ABSTRACT:

MISSION W146, FLT. 2, JUNE 26, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS. IN COOPERATION WITH VA. INSTITUTE OF MARINE SCI. OBJECTIVE - TO ACQUIRE BLACK & WHITE AIRBORNE IMAGERY TO ASSESS THE FLOODING EFFECTS AND DAMAGE CREATED BY TROPICAL STORM "AGNES" ALONG THE JAMES RIVER. FLIGHT IN GOOD WEATHER, SOME OVERCAST, SLIGHT HAZE, AIR TEMP. 20 DEG. C AT 3000 FT., MSL WITH WIND OF 10 KNOTS FROM 160 DEG., SLIGHT MALFUNCTION IN CAMERA 2 WHICH CAUSED LAG OF FRAMES. (MISSION W146, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
280 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9 STATIONS			
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	PHOTOGRAPHS	280 OBS		3000 FT	6 INCH FOCAL LENGTH

001237

REMOTE SENSING: HOG ISLAND THERMAL STUDIES
DATA COLLECTED: JUNE 1972 TO PRESENTPAGE 01
RECEIVED: AUGUST 27, 1973PROJECTS:
VIMS REMOTE SENSINGGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, JAMES RIVERABSTRACT:
INTERPERTATION AND ANALYSIS OF REMOTE SENSING BY INFRARED SCANNER FLOWN BY NASA, WOLLOPS STATION. REPORT CONTAINS WATER SURFACE THERMAL REPRESENTATIONS. GROUND TRUTH DATA OBTAINED IN CONJUNCTION WITH AEC PROJECT AT-(40-1)-4067 AND AEC REPORT NO ORO-4067-4; THERMAL EFFECTS OF THE SURREY NUCLEAR POWER PLANT ON THE JAMES RIVER, VIRGINIA; SPECIAL REPORT NUMBER 33 IN APPLIED MARINE SCIENCE AND OCEAN ENGINEERING.
(MISSION NO W127, FLT 1 AND 2, W137, FLT 1; W144, FLT 1; W157, FLT 1; W197, FLT 1 AND 2; W205, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
REPORTS
20 PAGES

FUNDING:

D) INVENTORY:

C) PUBLICATIONS:

CONTACT:
HAYDEN GORDON 804-642-2111 X97
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT VIRGINIA USA 23062GRID LOCATOR (LAT):
730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		TRANSECT MONITERED SIX TIMES
TIME	EARTH	STATION TIME	YMDL	6	STATIONS		TRANSECT MONITERED SIX TIMES
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	IR PHOTOGRAPHS	150	OBS		COLOR ENHANCED PHOTOGRAPHS: SURFACE THERMAL REPRESENTATION; SUPPORTING

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
							BLACK AND WHITE AND COLOR PHOTOGRAP HY

000195

SURRY/HOG ISLAND, VIRGINIA NUCLEAR POWER PLANT DISCHARGE
DATA COLLECTED: APRIL 1973 TO APRIL 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, VIRGINIA, HOG ISLAND

ABSTRACT:

MISSION W205, FLT. 1, APRIL 17, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND AN AAD-2 THERMAL INFRARED SCANNER, IN COOPERATION WITH VA. INSTITUTE OF MARINE SCIENCE. OBJECTIVE - TO OBTAIN COLOR AND THERMAL INFRARED IMAGERY OF JAMES RIVER IN THE AREA SURROUNDING THE OUT FALL FROM THE SURRY/HOG ISLAND NUCLEAR POWER PLANT. INFORMATION OBTAINED WILL BE USED FOR STUDYING THE DYNAMICS OF THE HEAT PLUME PRODUCED BY THE POWER PLANT. FLIGHT IN WEATHER WITH THIN OVERCAST AT 5000 FT., VISIBILITY UP TO 70 MILES, AIR TEMP. 20 DEG. C AT 1000 FT., MSL WITH WIND OF 6-10 KNOTS FROM 285 DEG.
(MISSION NO W205, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

34 9" X 9" FRAMES AND 1 ROLL SCANNER FILM

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		7 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	35	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	35	OBS	19 OBS AT 5000 FT, 15 OBS AT 4500 FT, 1 ROLL FILM AT 2000, 1000, 500 FT	152 MM FOCAL LENGTH AAD-2 SCANNER

000040

NUCLEAR POWER PLANT STUDY
DATA COLLECTED: OCTOBER 1972 TO OCTOBER 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, HOG ISLAND

ABSTRACT:

MISSION W138, FLT. 1, OCTOBER 18, 1972, ALONG SHORES OF HOG ISLAND ON JAMES RIVER UTILIZING WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH AAD-2 THERMAL IR SCANNER. OBJECTIVE - TO DETECT AND IMAGE THERMAL VARIATIONS BETWEEN DISCHARGE PLUMES FROM HOG ISLAND NUCLEAR POWER PLANT AND SURROUNDING WATER IN JAMES RIVER.
(MISSION W138, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

ONE ROLL FILM; 3 FLIGHT LINES; 3 RUNS.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	1	OBS	1500, 3000, 5000 FT	AAD-2 IR SCANNER, 1 ROLL OF FILM

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, HOG ISLAND

ABSTRACT:

MISSION W157, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AERIAL CAMERA AND ONE H.R.B. SINGER MODEL AAD-2 THERMAL SCANNER ON AUG. 18, 1972, IN COOPERATION WITH THE VA. INSTITUTE OF MARINE SCI. IN HOG ISLAND, JAMES RIVER, VA. REGION. OBJECTIVE - TO UTILIZE BLACK AND WHITE PHOTOGRAPHY AND THERMAL IMAGERY TO INVESTIGATE THERMAL DISCHARGING AND ITS PROGRESSION IN JAMES RIVER ESTUARY. FLIGHT IN VERY POOR WEATHER, SCATTERED TO BROKEN CLOUDS, EXTREMELY HAZY, AIR TEMP. 18 DEG. C AT 5000 FT., MSL WITH WIND OF 4 KNOTS FROM 270 DEG.
(MISSION NO W157, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

70 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS		
PHOTOGRAPH	EARTH	BLACK AND WHITE CAMERA FROM AIRCRAFT	PHOTOGRAPHS	70	OBS	13 OBS AT 5000 FT, 24 OBS AT 3000 FT, 33 OBS AT 1500 FT	6 INCH FOCAL LENGTH, ALSO THERMAL SCANNING

000044

BASE LINE DATA OF THE HOG ISLAND, JAMES RIVER AREA
DATA COLLECTED: JUNE 1972 TO JUNE 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, HOG ISLAND

ABSTRACT:

MISSION W144, FLT. 1 WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH AAD-2 AND AN RS-7 THERMAL IR SCANNER ON JUNE 30, 1972, IN COOPERATION WITH THE VA. INSTITUTE OF MARINE SCI. OBJECTIVE - TO OBTAIN BASELINE IMAGERY OF JAMES RIVER IN THE AREA OF THE DISCHARGE FLUME FROM HOG ISLAND NUCLEAR POWER PLANT.
(MISSION W144, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

ONE ROLL FILM; 7 FLIGHT LINES; 3 RUNS.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		7 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	1	OBS		AAD-2 AND RS-7 IR SCANNER, 1 ROLL OF FILM

000067

HOG ISLAND AND PIG POINT SURFACE CURRENT STUDIES - JAMES RIVER
DATA COLLECTED: APRIL 1972 TO APRIL 1972PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, JAMES RIVER

ABSTRACT:

MISSION W124, FLT. 1, APRIL 27, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH T-11 AERIAL MAPPING CAMERA AND AN AAD-2 THERMAL IR SCANNER. OBJECTIVE - TO OBTAIN BASE LINE INFORMATION OF SURFACE CURRENT PATTERNS IN PIG POINT AND HOG ISLAND AREAS OF JAMES RIVER. FLIGHT MADE IN CLEAR WEATHER, VISIBILITY 7-8 MILES, AIR TEMP. 0 DEG. C AT 5000 FT., MSL WITH WIND OF 15 KNOTS FROM 290 DEG.
(MISSION NO W124, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

69 9" X 9" FRAMES; SCANNER FILM.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2 STATIONS			5 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHM	5 STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	70 OBS		1 ROLL OF FILM AT 2500 FT, 69 OBS AT 5000 FT	152 MM FOCAL LENGTH, AAD-2 THERMAL IR SCANNER, 3 FLIGHT LINES

007192

BASE LINE DATA FLIGHT, HOG ISLAND/PIG POINT, VIRGINIA
DATA COLLECTED: JULY 1971 TO JULY 1971PAGE 01
RECEIVED: SEPTEMBER 14, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, HOG ISLAND, PIG POINT

ABSTRACT:

MISSION W075, FLIGHT02, WAS ACCOMPLISHED ON JULY 16, 1971, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH FOUR HASSELBLAD CAMERAS AND AN AN/AAD-2 THERMAL IR SCANNER. THE OBJECTIVE OF THE FLIGHT WAS TO ACQUIRE BASELINE THERMAL IR SCANNER AND MULTI-SPECTRAL PHOTOGRAPH DATA OVER THE HOG ISLAND/PIG POINT, VIRGINIA AREA.
(MISSION W075, FLIGHT02)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

134 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077614 73076633

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	8	OBS			
TIME	EARTH	STATION TIME	YMD	8	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	8	OBS	1 FLIGHT PER LINE	1000, 2000, 4500, 5000 AND 10,000 FEET	40 MM FOCAL LENGTH
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	8	OBS	1 FLIGHT PER LINE	1000, 2000, 4500, 5000 AND 10,000 FEET	40 MM FOCAL LENGTH

007193

BASE LINE DATA FLIGHT HOG ISLAND/PIG POINT, VIRGINIA
DATA COLLECTED: JULY 1971 TO JULY 1971

PAGE 01
RECEIVED: SEPTEMBER 14, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, HOG ISLAND, PIG POINT

ABSTRACT:

MISSION W075, FLIGHT03, WAS ACCOMPLISHED ON JULY 21, 1971, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH AN AN/AAD-2 THERMAL IR SCANNER AND FOUR HASSELBLAD CAMERAS. THE OBJECTIVE OF THE FLIGHT WAS TO ACQUIRE THERMAL IR SCANNER AND MULTISPECTRAL PHOTOGRAPH DATA OVER HOG ISLAND/PIG POINT, VIRGINIA AREAS OF THE JAMES RIVER. DUE TO AN ELECTRICAL MALFUNCTION, NO IR SCANS WERE TAKEN.
(MISSION W075, FLIGHT03)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
178 9" X 9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077614 73076633

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	178	OBS			
TIME	EARTH	STATION TIME	YMD	178	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	178	OBS	1 FLIGHT PER LINE	4500 FEET	40 MM FOCAL LENGTH

001157

THERMAL AND WATER POLLUTION STUDIES OF POWER AND INDUSTRIAL PLANTS ON THE JAMES
AND YORK RIVERS
DATA COLLECTED: MARCH 1973 TO MARCH 1973

PAGE 01

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, GLOUCESTER POINT, HOG ISLAND

ABSTRACT:

MISSION W197, FLT. 2, MARCH 23, 1973, WITH WALLOPS STA. C-54 EQUIPPED WITH AAD-2 THERMAL IR SCANNER, PRT-5 RADIOMETER, 4 HASSELBLAD CAMERAS. MISSION FOR NASA, LANGLEY RES. CTR AND EPA. OBJECTIVE - OBTAIN PHOTOGRAPHIC AND THERMAL INFRARED IMAGERY OF YORK RIVER BELOW U S HIGHWAY 17 BRIDGE AT YORKTOWN AND JAMES RIVER IN THE VICINITY OF THE THERMAL DISCHARGE FROM THE HOG ISLAND NUCLEAR POWER PLANT. CLEAR WEATHER, VISIBILITY 8-10 MILES. AIR TEMP. 10 DEG.-5 DEG. C AT 3000 FT. MSL WIND 30 KNOTS FROM 350 DEG.
(MISSION NO W197, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM
31 70 MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	31	OBS		13 AT 3000 FT, 6 AT 5000 FT, 6 AT 7000 FT, 6 AT 10000 FT	20.1 MM FOCAL LENGTH IR SCANNER
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	31	OBS		13 AT 3000 FT, 6 AT	40 MM FOCAL LENGTH

001157

THERMAL AND WATER POLLUTION STUDIES OF POWER AND INDUSTRIAL PLANTS ON THE JAMES (CONT.)
AND YORK RIVERS

PAGE 02

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
						5000 FT, 6	
						AT 7000 FT,	
						6 AT 10000	
						FT	

0220

004429

CHLOROPHYLL DETECTION STUDY
DATA COLLECTED: FEBRUARY 1974 TO FEBRUARY 1974

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, JAMES AND YORK RIVERS

ABSTRACT:

MISSION W264, FLIGHT 1, WAS ACCOMPLISHED ON FEBRUARY 1, 1974. THE OBJECTIVE OF THE FLIGHT WAS TO DETECT THE PRESENCE OF CHLOROPHYLL IN THE JAMES AND YORK RIVERS, VIRGINIA USING COLOR FILM WITH A HAZE FILTER.
(MISSION NUMBER W264 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
54 PHOTOPRINTS

FUNDING:

EPA

INVENTORY:

PUBLICATIONS:

CONTACT:

G. GREW 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	6 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	6 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		6 STATIONS		17,000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

DATA COLLECTED: MARCH 1973 TO MARCH 1973

RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, RAPPAHANNOCK RIVER, HOG ISLAND, YORK RIVER

ABSTRACT:

MISSION W197, FLT. 1, MARCH 23, 1973, UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH AN AAD-2 IR SCANNER, A PRT-5 RADIOMETER AND 4 HASSELBLAD CAMERAS. MISSION FLOWN FOR NASA, LANGLEY RESEARCH CTR. AND ENVIRONMENTAL PROTECTION AGENCY. OBJECTIVE - OBTAIN PHOTOGRAPHIC AND THERMAL INFRARED IMAGERY OF POWER PLANT AND INDUSTRIAL INSTALLATION PLUMES ON JAMES AND YORK RIVERS AND SEWAGE OUTFALLS ALONG BANKS OF RAPPAHANNOCK ESTUARY. GOOD WEATHER, VISIBILITY UP TO 8 MILES. AIR TEMP. 5 DEG. C AT 10,500 FT. MSL WIND OF 35 KNOTS FROM 350 DEG. (MISSION NO W197, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM
312 70 MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730786 730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			9 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	9	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	312	OBS		144 AT 10500 FT, 16 AT 8500 FT, 64 AT 6500 FT, 88 AT 1000 FT	40 MM FOCAL LENGTH
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	312	OBS		144 AT 10500 FT, 16 AT	40 MM FOCAL LENGTH PRT 5

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
							8500 FT, 64	RADIOMETER
							AT 6500 FT,	
							88 AT 1000	
							FT	
PHOTOGRAPH	EARTH	IR CAMERA FROM	PHOTOGRAPHS	312	OBS		144 AT 10500	20.1 MM FOCAL
		AIRCRAFT					FT, 16 AT	LENGTH AAD-2
							8500 FT, 64	SCANNER
							AT 6500 FT,	
							88 AT 1000	
							FT	

001273

VIRGINIA INSTITUTE OF MARINE SCIENCES MARSH STUDY
DATA COLLECTED: SEPTEMBER 1972 TO SEPTEMBER 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, YORK RIVER, POROPATANK BAY

ABSTRACT:

MISSION W169, FLT. 3, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON SEPT. 11, 1972, IN COOPERATION WITH VA. INSTITUTE OF MARINE SCI. OF THE YORK RIVER AREA NEAR POROPATANK BAY. OBJECTIVE - TO STUDY ESTUARINE INFLOW AND MARSHLAND CHARACTERISTICS ASSOCIATED WITH BRACKISH WATERS. FLIGHT IN CLEAR WEATHER, FEW SCATTERED CLOUDS, AIR TEMP. 14 DEG. C AT 5000 FT., MSL WITH WIND 12 KNOTS FROM S.E.
(MISSION NO W169, FLT 3)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

46 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	46	OBS	5000 FT	6 INCH FOCAL LENGTH

004439

YORK RIVER AND LOWER CHESAPEAKE BAY POLLUTION STUDIES
DATA COLLECTED: DECEMBER 1973 TO DECEMBER 1973

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, CHESAPEAKE BAY

ABSTRACT:

MISSION W259, FLIGHT 01 WAS ACCOMPLISHED ON 12 DECEMBER 1973. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL IMAGERY IN THE DARK GREEN, RED, AND NEAR INFRARED WAVE LENGTHS FOR USE IN STUDYING WATER POLLUTION IN THE YORK RIVER AND CHESAPEAKE BAY BRIDGE TUNNEL AREAS OF VIRGINIA.
(MISSION NUMBER W259 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
88 PHOTOPRINTS

FUNDING:

NASA

INVENTORY:

80 PUBLICATIONS:
00

00 CONTACT:

G. GREW 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	2 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	2 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		2 STATIONS		17,500 FEET	40 MM FOCAL LENGTH

001207

LYNNHAVEN BAY VEGETATION STUDY
DATA COLLECTED: MAY 1973 TO MAY 1973

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, LYNNHAVEN ROADS

ABSTRACT:

MISSION W209, FLI. 1, MAY 18, 1973, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS, IN COOPERATION WITH OLD DOMINION UNIV. OBJECTIVE - OBTAIN LARGE SCALE IMAGERY OF LYNNHAVEN BAY AREA FOR USE IN MAKING ANALYSIS OF VEGETATIVE DISTRIBUTION USED IN DELINEATING AERIAL EXTENT OF SPECIES. WEATHER - CLOUDY.
(MISSION NO W209, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

197 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730765

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		8 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	8	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA	PHOTOGRAPHS	197	OBS	3100 FT	152 MM FOCAL LENGTH
		FROM AIRCRAFT					

000186

VIRGINIA BEACH HEALTH DEPARTMENT/LYNNHAVEN AREAS
DATA COLLECTED: DECEMBER 1970 TO DECEMBER 1970

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, VIRGINIA, VIRGINIA BEACH, LYNNHAVEN

ABSTRACT:

MISSION W37, FLT. 1, DEC. 7, 1970, WITH WALLOPS STATION CHARTERED HELICOPTER EQUIPPED WITH 4 T-11 AERIAL CAMERAS IN COOPERATION WITH VA. BEACH HEALTH DEPT. OBJECTIVE - TO UTILIZE MULTI-CHANNEL PHOTOGRAPHY TO INVESTIGATE EFFECTS OF SEWAGE DISPOSAL IN ESTUARINE SYSTEMS. FLIGHT IN CLEAR WEATHER, SCATTERED CLOUDS, AIR TEMP. 8 DEG. C AT 4000 FT, MSL WITH WIND OF 25 KNOTS FROM 330 DEG.
(MISSION NO W37, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

152 9" X 9" FRAMES

FUNDING:

INVENTORY:

DD PUBLICATIONS:

CC CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	152	CBS	4000 FT	6 INCH FOCAL LENGTH

001151

LAND FILL AND EUTROPHICATION STUDIES
DATA COLLECTED: JANUARY 1973 TO JANUARY 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, POTOMAC RIVER

ABSTRACT:

MISSION W185, F1. 1, JAN. 26, 1973, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH ONE T-11 AND 4 HASSELBLAD CAMERAS IN COOPERATION WITH NASA, LANGLEY RES. CTR. AND THE EPA. THE OBJECTIVE - INVESTIGATE THE USE OF REMOTE SENSING AS APPLIED TO LAND FILL AND EUTROPHICATION STUDIES IN THE WOODBRIDGE AND POTOMAC RIVER AREAS. CLEAR WEATHER, VISIBILITY 4-10 MILES, AIR TEMP. 9 DEG. C AT 10,000 FT. AND 14 DEG. C AT 4500 FT., MSL WIND OF 20 KNOTS FROM 300 DEG.
(MISSION NO W185, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM

71 9 X 9 INCH FRAMES; 296 70 MM FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730796 730786 730787

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		10 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	10	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	367	OBS	103 AT 10000 FT, 264 AT 4500 FT	40 MM AND 152 MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Virginia - "Bay"

004447

WATER POLLUTION STUDY
DATA COLLECTED: JULY 1974 TO JULY 1974

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, CHESAPEAKE BAY

ABSTRACT:

MISSION W257, FLIGHT 1 WAS ACCOMPLISHED ON 17 JULY, 1974. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY WATER POLLUTION DETECTION TECHNIQUES WHICH INCORPORATE ANALYSIS OF MULTISPECTRAL AERIAL PHOTOGRAPHY.
(MISSION W257 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
355 PHOTOPRINTS

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

G. GREW 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730766 730775 730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	5 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	5 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		5 STATIONS		17,500 AND 1,000 FEET	40 MM AND 152 AND FOUR- TENTHS MM FOCAL LENGTHS

001252

EFFECTS OF TROPICAL STORM AGNES ON THE CHESAPEAKE BAY
DATA COLLECTED: JULY 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA

ABSTRACT:

MISSION W153, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON AUG. 1, 1972, IN COOPERATION WITH VA. INSTITUTE OF MARINE SCI. IN TANGIER ISLAND, VA. REGION OF CHESAPEAKE BAY. OBJECTIVE - TO ACQUIRE AIRBORN NATURAL COLOR AND BLACK & WHITE IMAGERY TO INVESTIGATE SEDIMENTATION IN CHESAPEAKE BAY AS RESULT OF TROPICAL STORM "AGNES". FLIGHT IN FAIR WEATHER, NO OVERCAST, CONSIDERABLE HAZE, AIR TEMP. 10 DEG. C AT 10000 FT., MSL WITH VARIABLE WIND SPEED. (MISSION NO W153, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

92 9" X 9" FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	2	STATIONS			3 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	3	STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA	PHOTOGRAPHS	92	OBS		10000 FT	6 INCH FOCAL LENGTH
PHOTOGRAPH	EARTH	FROM AIRCRAFT						
PHOTOGRAPH	EARTH	BLACK AND WHITE	PHOTOGRAPHS	92	OBS		10000 FT	6 INCH FOCAL LENGTH.
		CAMERA FROM						
		AIRCRAFT						

007216

LOWER JAMES RIVER BASE LINE DATA-VIRGINIA
DATA COLLECTED: FEBRUARY 1972 TO FEBRUARY 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, PIG POINT, CRANEY ISLAND

ABSTRACT:

MISSION W107, FLIGHT 02, WAS ACCOMPLISHED ON FEBRUARY 4, 1972, UTILIZING A WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN BASELINE DATA OF THE TRANSPORTATION OF ESTUARINE SEDIMENTS IN THE VICINITY OF PIG POINT ON THE LOWER JAMES RIVER.
(MISSION W107, FLIGHT 02)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
31 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73076655

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	31	OBS			
TIME	EARTH	STATION TIME	YMC	31	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	31	OBS	1 FLIGHT PER LINE	2500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

008669

MOUTH OF THE CHESAPEAKE BAY POLLUTION STUDY
DATA COLLECTED: DECEMBER 1974 TO DECEMBER 1974PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, CHESAPEAKE BAY MOUTH

ABSTRACT:

MISSION W278, FLIGHT 01, WAS ACCOMPLISHED ON DECEMBER 11, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA, A THERMAL IR SCANNER, A PRT-5 PRECISION RADIATION THERMOMETER, AND THE MOCS (MULTICHANNEL OCEAN COLOR SENSOR) IN COOPERATION WITH NASA'S LANGLEY RESEARCH CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY WATER POLLUTION AT THE MOUTH OF THE CHESAPEAKE BAY.
(MISSION W278, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS; STRIP CHARTS
304 9"X9" PRINTS; 1 STRIP CHART

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	304	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	304	OBS	2 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	304	OBS	2 FLIGHTS PER LINE	500, 17,500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PRINTS	304	OBS	2 FLIGHTS PER LINE	500, 17,500 FEET	50 AND EIGHT- TENTHS MM FOCAL LENGTH

004440

CHLOROPHYLL DETECTION STUDIES
DATA COLLECTED: JANUARY 1974 TO JANUARY 1974

PAGE 01
RECEIVED: DECEMBER 01, 1975

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, CHESAPEAKE BAY

ABSTRACT:

MISSION W260, FLIGHT 01 WAS ACCOMPLISHED ON 29 JANUARY 1974. THE OBJECTIVE OF THE MISSION WAS TO STUDY CHLOROPHYLL CONCENTRATIONS IN THE MOUTH OF THE CHESAPEAKE BAY AREA BETWEEN CAPE HENRY AND CAPE CHARLES, VIRGINIA.
(MISSION NUMBER W260 FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
29 PHOTOPRINTS

FUNDING:

NASA

INVENTORY:

PUBLICATIONS:

CONTACT:

W. BRESSETTE 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LATITUDE AND LONGITUDE	1 STATIONS			
TIME	EARTH	SAMPLING TIME	YMDHM	1 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT		1 STATIONS		17,500 FEET	40 MM FOCAL LENGTH

007238

SPECTRAL STUDIES OF THE MOUTH OF THE CHESAPEAKE BAY
DATA COLLECTED: MAY 1973 TO MAY 1973

PAGE 01
RECEIVED: OCTOBER 19, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA

ABSTRACT:

MISSION W201, FLIGHT 01, WAS ACCOMPLISHED ON MAY 31, 1973, UTILIZING THE WALLOPS FLIGHT CENTER HELICOPTER EQUIPPED WITH AN I2S"A" AND A T-11 CAMERA SYSTEM IN COOPERATION WITH THE VIRGINIA INSTITUTE OF MARINE SCIENCE. THE OBJECTIVE OF THE FLIGHT WAS TO SUPPORT SPECTROGRAPHIC ANALYSIS STUDIES OF THE MOUTH OF THE CHESAPEAKE BAY BEING PERFORMED ON THE SKYLAB SATELLITE. SPECTRAL READINGS WERE ALSO BEING TAKEN FROM GROUND TRUTH BOATS AT THE TIME OF THE WALLOPS FLIGHT.
(MISSION W201, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

316, 94MM PRINTS; 79, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775 730766 730776 730765

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	3 STATIONS			
TIME	EARTH	STATION TIME	YMD	3 OBS	5 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	3 OBS	5 FLIGHTS PER LINE	5300 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH 100 MM FOCAL LENGTH

001255

VIMS-TROPICAL STORM AGNES
DATA COLLECTED: AUGUST 1972 TO AUGUST 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY MOUTH, VIRGINIA

ABSTRACT:

MISSION W156, FLT. 1, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS ON AUG. 3, 1972, IN COOPERATION WITH VA. INSTITUTE OF MARINE SCI. IN AREA OF MOUTH OF CHESAPEAKE BAY, OBJECTIVE - TO ACQUIRE REMOTELY SENSED IMAGERY IN BLACK AND WHITE AND FALSE-COLOR TO INVESTIGATE DAMAGE CAUSED BY TROPICAL STORM "AGNES". FLIGHT IN GOOD WEATHER WITH FEW SCATTERED CLOUDS AND VERY HAZY, AIR TEMP. 11 DEG C AT 10,000 FT., MSL WITH WIND OF 15 KNOTS FROM 280 DEG.
(MISSION NO W156, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

94 9" X 9" FRAMES.

FUNDING:

INVENTORY:

8) PUBLICATIONS:

4) CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730775 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		4 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	4	STATIONS		
PHOTOGRAPH	EARTH	BLACK AND WHITE	PHOTOGRAPHS	94	OBS	10000 FT	6 INCH FOCAL LENGTH
		CAMERA FROM					
		AIRCRAFT					

006643

CURRENT STUDY AT THE MOUTH OF THE CHESAPEAKE BAY
DATA COLLECTED: SEPTEMBER 1971 TO SEPTEMBER 1971PAGE 01
RECEIVED: AUGUST 30, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA CHESAPEAKE BAY MOUTH

ABSTRACT:

MISSION W087, FLIGHT01, WAS ACCOMPLISHED ON SEPTEMBER 16, 1971, UTILIZING A WALLOPS FLIGHT CENTER LEASED HELICOPTER EQUIPPED WITH FOUR T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE VIRGINIA INSTITUTE OF MARINE SCIENCE. THE OBJECTIVE OF THE FLIGHT WAS TO TRACE CURRENTS PASSING FROM THE MOUTH OF THE CHESAPEAKE BAY INTO THE REAR SHORE BARRIER ISLAND CURRENTS AND DETERMINE THE PRESENCE OF EDDIES AND BACK CURRENTS ALONG THE CAPE HENRY SHORELINE.
(MISSION W087, FLIGHT01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

101 9" X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077545 73077525 73076555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	101	OBS			
TIME	EARTH	STATION TIME	YMD	101	OBS	4 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	101	OBS	4 FLIGHTS PER LINE	500, 1000, 1100, 5000 AND 5500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

ANNEX III

Part A

Section 2

Virginia - "Oceanside"

007243

COASTAL CURRENT STUDY ALONG THE VIRGINIA COAST
DATA COLLECTED: APRIL 1972 TO APRIL 1972

PAGE 01
RECEIVED: OCTOBER 19, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA

ABSTRACT:

MISSION W121, FLIGHT 01, WAS ACCOMPLISHED ON APRIL 20, 1972, UTILIZING A WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS, IN COOPERATION WITH THE VIRGINIA INSTITUTE OF MARINE SCIENCE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN AERIAL PHOTOGRAPHY OF DYE DISPERSION ALONG THE LOWER COAST OF THE DELMARVA PENINSULA FROM THE CAPE CHARLES LIGHTHOUSE ON SMITH ISLAND PAST THE MOUTH OF THE CHESAPEAKE BAY TO JUST SOUTH OF THE CITY OF VIRGINIA BEACH ON THE LOWER VIRGINIA COAST FOR USE IN A COASTAL CURRENT STUDY.
(MISSION W121, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

491, 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730776 730775 730765 730766

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	15 STATIONS			
TIME	EARTH	STATION TIME	YMD	15 OBS	3 FLIGHTS PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	15 OBS	3 FLIGHTS PER LINE	6000, 8000, 8500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

001152

VIRGINIA AND NORTH CAROLINIA OUTER BANKS STORM DAMAGE
DATA COLLECTED: FEBRUARY 1973 TO FEBRUARY 1973PAGE 01
RECEIVED: JANUARY 01., 1976PROJECTS:
LANDSATGENERAL GEOGRAPHIC AREA:
U.S., COASTAL, NORTH ATLANTIC, NORTH CAROLINA

ABSTRACT:
MISSION W187, F11. 1, FEB. 13, 1973, WITH WALLOPS STA. C-54 AIRCRAFT EQUIPPED WITH 2 T-11 AERIAL MAPPING CAMERAS AND A K-17 MOUNTED IN A 45 DEG. ATTITUDE FOR OBLIQUE COVERAGE. THE MISSION IN COOPERATION WITH COASTAL RES. CTR. OF CORPS OF ENGIN. OBJECTIVE - TO OBTAIN LARGE SCALE VERTICAL AND OBLIQUE IMAGERY OF STORM DAMAGE INCURRED BY A WINTER STORM STRIKING ACROSS COAST BETWEEN NORFOLK AND NORTH/SOUTH CAROLINA BORDER. IMAGERY RECORDED EXTENSIVE BEACH EROSION WHICH RESULTED IN SERIOUS PROPERTY DAMAGE TO PIERS, HOUSES AND MOTELS. CLEAR WEATHER, GOOD VISIBILITY, AIR TEMP. 5 DEG. C FROM 6500 FT., MSL WIND OF 15 KNOTS FROM 250 DEG.
(MISSION NO W187, FLT 1)

DATA AVAILABILITY:

PLATFORM TYPES:
AIRCRAFTARCHIVE MEDIA:
ORIGINAL FILM
605 9 X 9 INCH FRAMES.

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:
PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730765 730745 730746 730736 730737 730727 730728

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			7 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	7 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	605 OBS		6500 FT	152 MM AND 306 MM FOCAL LENGTH

008676

MICROWAVE OCEAN WAVE STUDY-VIRGINIA
DATA COLLECTED: MAY 1974 TO MAY 1974

PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA

ABSTRACT:

MISSION W275, FLIGHT 01, WAS ACCOMPLISHED ON MAY 16, 1974, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND A MICROWAVE SENSOR IN COOPERATION WITH THE NAVAL RESEARCH LABORATORY. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY OCEAN WAVE PATTERNS.
(MISSION W275, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
34 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73076555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	34	OBS			
TIME	EARTH	STATION TIME	YMD	34	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	34	OBS	1 FLIGHT PER LINE	500 AND 5,000 FEET	THE CAMERA FOCAL LENGTH WAS 152 AND FOUR-TENTHS MM THERE WERE NO FLIOR DATA IDENTIFICATIONS FOR THE

008676

MICROWAVE OCEAN WAVE STUDY-VIRGINIA (CONT.)

PAGE 02

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
.....
							MICROWAVE PORTION OF THIS MISSION

0002

008660

VIRGINIA OUTER BANK WAVE STUDY
DATA COLLECTED: NOVEMBER 1974 TO NOVEMBER 1974

PAGE 01
RECEIVED: MARCH 07, 1977

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA

ABSTRACT:

MISSION W268, FLIGHT 01, WAS ACCOMPLISHED ON NOVEMBER 9, 1974 UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS, IN COOPERATION WITH NASA'S LANGLEY RESEARCH CENTER. THE OBJECTIVE OF THE FLIGHT WAS TO STUDY WAVE PATTERNS ALONG THE VIRGINIA OUTER BANKS ISLANDS FROM TOM'S CAVE TO LITTLE MACHIPONGO INLET.
(MISSION W268, FLIGHT 01)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
120 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077552 730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	120	OBS			
TIME	EARTH	SAMPLING TIME	YMD	120	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	120	OBS	1 FLIGHT PER LINE	1,500 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

007214

TERRAIN STUDY OF TOM'S COVE, VIRGINIA
DATA COLLECTED: FEBRUARY 1972 TO FEBRUARY 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, TOM'S COVE

ABSTRACT:

MISSION W106, FLIGHT 04, WAS ACCOMPLISHED ON FEBRUARY 1, 1972, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL MAPPING CAMERAS IN COOPERATION WITH THE CHINCOTEAGUE NATIONAL WILDLIFE RESERVE OF THE BUREAU OF SPORT FISHERIES AND WILDLIFE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN LARGE SCALE IMAGERY OF THE LAND SURROUNDING TOM'S COVE FOR USE IN STUDYING EROSION AND DEPOSITIONAL FEATURES OF THE TERRAIN IN TOM'S COVE.
(MISSION W106, FLIGHT 04)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

28 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077555

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	28	OBS			
TIME	EARTH	SAMPLING TIME	YMDHM	28	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	28	OBS	1 FLIGHT PER LINE	5000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

000066

CHINCOTEAGUE NATIONAL WILDLIFE REFUGE-ASSATEAGUE ISLAND
DATA COLLECTED: APRIL 1972 TO APRIL 1972

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, ASSATEAGUE ISLAND, TOM'S COVE

ABSTRACT:

MISSION W123, FLT. 2, APRIL 24, 1972, WITH WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH TWO T-11 AERIAL CAMERAS IN COOPERATION WITH CHINCOTEAGUE NATIONAL WILDLIFE REFUGE ON THE "TOM'S COVE" SECTION OF ASSATEAGUE ISLAND, VA. OBJECTIVE - TO OBTAIN NATURAL AND FALSE-COLOR REMOTELY SENSED IMAGERY TO ASSESS THE ENVIRONMENTAL IMPACT OF A NEWLY DEVELOPED NATURE TRAIL. FLIGHT MADE IN CLEAR WEATHER, SOME HAZE, VISIBILITY 4-5 MILES, AIR TEMP. 18 DEG. C AT 3000 FT., MSL WITH WIND OF 6 KNOTS FROM 295 DEG. (MISSION NO W123, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

12 9" X 9" FRAMES.

FUNDING:

INVENTORY:

20 PUBLICATIONS:

001 CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	12	OBS	3000 FT	6 INCH FOCAL LENGTH

000184

CHINCOTEAGUE NATIONAL WILDLIFE REFUGE BASE LINE STUDY
DATA COLLECTED: OCTOBER 1970 TO OCTOBER 1970PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, VIRGINIA, CHINCOTEAGUE

ABSTRACT:

MISSION W029, FLT. 3, OCTOBER 19, 1970, WALLOPS STATION CHARTERED BELL 205 HELICOPTER EQUIPPED WITH A POD OF T-11 AERIAL MAPPING CAMERAS. OBJECTIVE - TO OBTAIN REMOTE SENSOR BASE LINE DATA OF ACTIVE WILDLIFE AREAS IN CHINCOTEAGUE - TOM'S COVE - ASSETAGUE AREA. FLIGHT MADE FOR THE CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE. FLIGHT IN CLEAR WEATHER, AIR TEMP. +8 DEG. -C AT 1000 FT., MSL WITH WIND OF 20 KNOTS FROM 280 DEG.
(MISSION NO W029, FLT 3)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

256 9" X 9" FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS		6 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	6	STATIONS		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	256	OBS	54 OBS AT 5000 FT, 202 OBS AT 1000 FT	6 INCH FOCAL LENGTH

007217

ASSATEAGUE ISLAND STUDY-MARYLAND
DATA COLLECTED: FEBRUARY 1972 TO FEBRUARY 1972

PAGE 01
RECEIVED: SEPTEMBER 16, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., VIRGINIA, MARYLAND, ASSATEAGUE ISLAND

ABSTRACT:

MISSION W107, FLIGHT 03, WAS ACCOMPLISHED ON FEBRUARY 4, 1972, UTILIZING THE WALLOPS FLIGHT CENTER C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA IN COOPERATION WITH THE GEOLOGY DEPARTMENT OF THE UNIVERSITY OF VIRGINIA FOR THE U.S. PARK SERVICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN WINTER IMAGERY OF ASSATEAGUE ISLAND FOR DETERMINING LITTORAL EROSIONAL CHANGES BROUGHT ABOUT BY LATE FALL AND EARLY WINTER STORMS.
(MISSION W107, FLIGHT 03)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS
67 9"X9" PRINTS

FUNDING:

NATIONAL AERONAUTICS AND SPACE ADM

INVENTORY:

PUBLICATIONS:

CONTACT:

MICHAEL CONGER 804 824 3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

73077554 73078541

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	LONGITUDE AND LATITUDE	67	OBS			
TIME	EARTH	STATION TIME	YMD	67	OBS	1 FLIGHT PER LINE		
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PRINTS	67	OBS	1 FLIGHT PER LINE	5000 FEET	152 AND FOUR- TENTHS MM FOCAL LENGTH

001159

BASE LINE DATA OF THE WALLOPS ISLAND LITTORAL REGIME
DATA COLLECTED: APRIL 1973 TO APRIL 1973PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

U.S., COASTAL, NORTH ATLANTIC, CHESAPEAKE BAY, VIRGINIA, WALLOPS ISLAND

ABSTRACT:

MISSION W198, FLIGHT 2, APRIL 6, 1973, UTILIZING THE WALLOPS STATION C-54 AIRCRAFT EQUIPPED WITH A T-11 AERIAL MAPPING CAMERA AND A THERMAL IR SCANNER FOR THE CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE. THE OBJECTIVE OF THE FLIGHT WAS TO OBTAIN UPDATED BASE LINE INFORMATION OF BEACH CONDITIONS ON WALLOPS ISLAND. CLEAR WEATHER, VISIBILITY FROM 10-20 MILES. AIR TEMPERATURE WAS 8 DEG. C AT 5000 FT. MSL, WIND OF 20 KNOTS FROM 280 DEG.
(MISSION NO W198, FLT 2)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

ORIGINAL FILM

18 9 X 9 INCH FRAMES

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):
730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA	AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1	STATIONS			2 FLIGHT LINES
TIME	EARTH	SAMPLING TIME	YMDHML	2	STATIONS			
PHOTOGRAPH	EARTH	IR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	18	OBS		5000 FT	20.1 MM FOCAL LENGTH IR SCANNER
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	18	OBS		5000 FT	152 MM FOCAL LENGTH

000185

WALLOPS ISLAND LITTORAL REGIME BASE LINE STUDY
DATA COLLECTED: OCTOBER 1970 TO OCTOBER 1970

PAGE 01
RECEIVED: JANUARY 01, 1976

PROJECTS:

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC, COASTAL, U.S., CHESAPEAKE BAY, VIRGINIA WALLOPS ISLAND

ABSTRACT:

MISSION W029, FLT. 4, OCTOBER 19, 1970, WITH WALLOPS STATION CHARTERED BELL 205 HELICOPTER EQUIPPED WITH A POD OF 4 T-11 AERIAL MAPPING CAMERAS. OBJECTIVE - TO OBTAIN BASE LINE REMOTE SENSOR DATA FOR THE CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE OF THE STATUS OF THE LITTORAL REGIME OF WALLOPS ISLAND. FLIGHT IN CLEAR WEATHER, MODERATE HAZE, AIR TEMP. -4 DEG. C AT 10,000 FT., MSL WITH WIND OF 20 KNOTS FROM 280 DEG.
(MISSION NO W029, FLT 4)

DATA AVAILABILITY:

PLATFORM TYPES:

AIRCRAFT

ARCHIVE MEDIA:

PHOTOPRINTS

28 9" X 9" FRAMES

FUNDING:

INVENTORY:

DO
C: PUBLICATIONS:

CONTACT:

PAUL ALFONSI 804-824-3411
NATIONAL AERONAUTICS AND SPACE ADM
CHESAPEAKE BAY ECOLOGICAL PROGRAM OFFICE
WALLOPS ISLAND VIRGINIA USA 23337

GRID LOCATOR (LAT):

730775

PARAMETER IDENTIFICATION SECTION:

NAME	SPHERE	METHOD	UNITS	DATA AMOUNT	FREQUENCY	HEIGHT/DEPTH	REMARKS
POSITION	EARTH	FIXED POINT	MAP LOCATION	1 STATIONS			1 FLIGHT LINE
TIME	EARTH	SAMPLING TIME	YMDHML	1 STATIONS			
PHOTOGRAPH	EARTH	COLOR CAMERA FROM AIRCRAFT	PHOTOGRAPHS	28 OBS		10000 FT	6 INCH FOCAL LENGTH

ANNEX III

Part A

Section 3

New Files

Section 3 contains 17 new files identified in interviews with Bay researchers. These files are arranged by the same criterion as those in Section 1. The first ten files contain surveys of general submerged aquatic vegetation as well as surveys and studies of specific genera. The next five files range from three general flora surveys to infauna and epifauna of eelgrass, and ground photographs of wetlands areas. The last two files cover Back Bay National Wildlife Refuge and Currituck Sound, North Carolina.

ANNEX III

Part A

Section 3

"1"

Specific studies of submerged aquatic vegetation.

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

CHESAPEAKE BAY VEGETATION SURVEY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY

ABSTRACT:

THIS IS AN ONGOING PROJECT THAT BEGAN IN JULY 1971 TO RECORD THE DISTRIBUTION AND ABUNDANCE OF SUBMERGED AQUATIC VEGETATION IN THE UPPER CHESAPEAKE BAY. ALL MARYLAND TRIBUTARIES INCLUDING THE POTOMAC RIVER ARE SURVEYED BETWEEN JULY AND SEPTEMBER OF EACH YEAR. EACH STATION IS MONITORED ONCE DURING THESE MONTHS. THE RAW DATA IS STORED ON MAGNETIC TAPE BUT OUTPUT FROM SUMMARIZATION PROGRAMS ARE AVAILABLE FOR EACH YEAR. THESE OUTPUTS SUMMARIZE THE DATA BY RIVER SYSTEM.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

ROBERT MUNRO
PATUXENT WILDLIFE RESEARCH CENTER
U.S. FISH AND WILDLIFE SERVICE
LAUREL, MARYLAND 20811

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

INVESTIGATION ON GROWTH DYNAMICS AND CHARACTERISTICS OF EELGRASS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA, MOBJACK BAY, HUNGARS CREEK

ABSTRACT:

FOUR REPLICATE SAMPLES EACH ARE TAKEN EVERY MONTH AT A STATION IN MOBJACK BAY AND ONE IN HUNGARS CREEK, VIRGINIA. THE PROJECT BEGAN IN FEBRUARY 1976. THE OBJECTIVE OF THIS ONGOING MONITORING PROGRAM IS TO DETERMINE THE GROWTH DYNAMICS AND CHARACTERISTICS OF EELGRASS.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT J. ORTH
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

REMOTE SENSING OF SUBMERGED AQUATIC VEGETATION

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA

ABSTRACT:

MISSIONS ARE FLOWN BY VIRGINIA INSTITUTE OF MARINE SCIENCE PERSONNEL USING AN INSTITUTE LIGHT AIRCRAFT EQUIPPED WITH A MOUNTED HASSELBLAD 500 EL/M CAMERA (50 MM F/4 DISTAGON LENS) AT ALTITUDES VARYING FROM 5000 TO 8000 FEET. THE PROJECT BEGAN IN APRIL 1974. THE OBJECTIVE OF THIS ONGOING MONITORING PROGRAM IS TO STUDY THE DISTRIBUTION OF SUBMERGED AQUATIC VEGETATION IN THE LOWER CHESAPEAKE BAY.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT J. ORTH
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

REMOTE SENSING OF VIRGINIA'S SHORELINE

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, VIRGINIA

ABSTRACT:

MISSIONS ARE FLOWN BY VIRGINIA INSTITUTE OF MARINE SCIENCE PERSONNEL USING LOW ALTITUDE, OBLIQUE ANGLE PHOTOGRAPHY. OVER 14,000 COLOR SLIDES SERVE AS A DATA SOURCE FOR SHORELINE SITUATION REPORTS. THE AREA COVERED IS ALL OF VIRGINIA'S SHORELINE, BOTH OCEANSIDE AND CHESAPEAKE BAY. THE STUDY BEGAN IN 1972 AND IS STILL ACTIVE. EACH AREA IS PHOTOGRAPHED ONLY ONCE.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT BYRNE
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

EURASIAN WATER MILFOIL SURVEY OF CHESAPEAKE BAY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

SURVEYS WERE DONE FROM 1961 TO 1968 BY PERSONNEL OF CHESAPEAKE BIOLOGICAL LABORATORY. THE 1961 SURVEY WAS COMPREHENSIVE, BUT FROM 1962 TO 1968 SURVEYS OF DIFFERENT RIVER SYSTEMS WERE TAKEN SPORADICALLY WHENEVER TIME PERMITTED AND PERSONNEL WERE AVAILABLE. AREAS COVERED INCLUDE FROM ST. PATRICKS CREEK ON THE POTOMAC RIVER, UP THE WESTERN SHORE, ACROSS THE HEAD OF THE BAY AND ALONG THE EASTERN SHORE TO AND INCLUDING THE SASSAFRAS RIVER. INCLUDED IN SOME OF THE DATA ARE WATER TEMPERATURE, SECCHI DISC DEPTHS,

~~DATA AVAILABILITY:~~

SALINITY, TIDAL STAGE, WIND DIRECTION AND SPEED, PH, DISSOLVED OXYGEN, DISSOLVED CARBON DIOXIDE GAS, BOTTOM TYPE, VEGETATION SPECIES PRESENT AND THEIR RELATIVE ABUNDANCE. DISTRIBUTION MAPS ARE PRESENT FOR EACH AREA WHEN EURASIAN WATER MILFOIL WAS PRESENT.

~~PLATFORM TYPES:~~

ALL DATA IS ON FILE BY RIVER SYSTEM.

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS, MARYLAND 20688

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

THE ECOLOGY AND DISEASE OF EURASIAN WATER MILFOIL IN THE CHESAPEAKE BAY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, RHODE RIVER, MIDDLE RIVER, BACK RIVER

ABSTRACT:

THIS INVESTIGATION BEGAN IN 1966 IN THE RHODE RIVER, MIDDLE RIVER AND BACK RIVER AND CONTINUED THROUGH 1969. THE WORK INVOLVED DISTRIBUTIONAL SURVEYS OF EURASIAN WATER MILFOIL ABUNDANCE IN RELATION TO NATIVE AQUATIC PLANTS, INVESTIGATION OF EURASIAN WATER MILFOIL DISEASE AND STUDIES ON WATER QUALITY CONDITIONS RELATIVE TO MILFOIL GROWTH.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN
JOHNS HOPKINS UNIVERSITY
BALTIMORE, MARYLAND 21205

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

MECHANICAL CONTROL OF EURASIAN WATER MILFOIL IN MARYLAND WITH AND WITHOUT 2,4-D APPLICATIONS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER, GUNPOWDER RIVER

ABSTRACT:

IN 1961 THROUGH 1964, THE EFFECTIVENESS OF UNDERWATER MOWING OF MILFOIL USING A MECHANICAL MOWER WITH AND WITHOUT SUBSEQUENT APPLICATION OF 2,4-D WAS INVESTIGATED IN MEDIUM AND NEAR MAXIMUM SALINITY RANGES FOR MILFOIL. IN 1961, SEVEN PLOTS OF MILFOIL WERE STUDIED IN HERRING CREEK, A TRIBUTARY OF THE LOWER POTOMAC RIVER. IN 1962, 19 PLOTS WERE STUDIED IN DUNDEE CREEK, A TRIBUTARY OF THE GUNPOWDER RIVER, AND IN 1963 AND 1964, 12 PLOTS WERE ESTABLISHED IN THE SAME LOCALITY.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

CHARLES RAWLS
CHESAPEAKE BIOLOGICAL LABORATORY
SOLOMONS, MARYLAND 20688

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

TEMPERATURE AND ROOTED AQUATIC PLANTS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

IN RELATION TO THE DISAPPEARANCE OF A *RUPPIA MARITIMA* POPULATION NEAR THE EFFLUENT OF AN ELECTRICAL GENERATING STATION ON THE PATUXENT RIVER, MARYLAND, A BROAD STUDY OF TEMPERATURE EFFECTS ON RESPIRATION AND PHOTOSYNTHESIS OF AQUATIC PLANTS WAS MADE FROM 1963 TO 1964. THE SPECIFIC AREA STUDIED ON THE PATUXENT WAS FROM TEAGUE POINT TO HUNTING CREEK. A GILSON DIFFERENTIAL RESPIROMETER WAS USED TO INVESTIGATE RESPIRATORY VARIATION IN LEAVES OF *POTAMOGETON PERFOLIATUS* AT 25, 30, 35, 40, AND 45°C. THIS SPECIES GROWS WITH *RUPPIA MARITIMA* AND PLANT MATERIAL

~~DATA AVAILABILITY:~~ WAS READILY AVAILABLE. PLANTS GROWING IN HEATED AND NON-HEATED WATER WERE COMPARED.

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. RICHARD R. ANDERSON
AMERICAN UNIVERSITY
WASHINGTON, D. C. 20016

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

MINERAL COMPOSITION OF EURASIAN WATER MILFOIL, *MYRIOPHYLLUM SPICATUM*

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

THE MINERAL COMPOSITION OF EURASIAN WATER MILFOIL, *MYRIOPHYLLUM SPICATUM* L., IN MARYLAND WAS INVESTIGATED TO DETERMINE THE FEASIBILITY OF ITS USE AS A SUPPLEMENT OR SUBSTITUTE FOR COMMERCIAL FERTILIZER. FROM JUNE 1962 TO JANUARY 1963, SAMPLES WERE COLLECTED AND ANALYZED FROM ONE FRESHWATER AND FOUR ESTUARINE HABITATS.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. RICHARD R. ANDERSON
AMERICAN UNIVERSITY
WASHINGTON, D. C. 20016

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

THE MINERAL CONTENT OF *MYRIOPHYLLUM SPICATUM* L. IN RELATION TO ITS AQUATIC ENVIRONMENT

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

THE MINERAL COMPOSITION OF *MYRIOPHYLLUM SPICATUM* L. AND ITS AQUATIC ENVIRONMENT WERE INVESTIGATED TO DETERMINE THE RELATIONSHIP BETWEEN IONIC CONTENTS IN THE PLANT AND IN THE WATER. SYSTEMATIC SAMPLINGS WERE MADE IN TWIN PONDS NEAR BELTSVILLE, MARYLAND, ON THREE SITES IN THE WICOMICO RIVER IN TALL TIMBERS COVE, AN INLET OF THE POTOMAC RIVER FROM JUNE TO OCTOBER 1962.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. RICHARD R. ANDERSON
AMERICAN UNIVERSITY
WASHINGTON, D. C. 20016

GRID LOCATOR:

ANNEX III

Part A

Section 3

"2"

General vegetation studies which include
submerged aquatic vegetation.

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

DISTRIBUTION OF SUBMERGED AQUATIC VEGETATION IN TIDAL MIDDLESEX COUNTY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, VIRGINIA, RAPPAHANNOCK RIVER, PIANKATANK RIVER

ABSTRACT:

OBSERVATIONS OF SUBMERGED AQUATIC VEGETATION WERE RECORDED AS ADDITIONAL INFORMATION DURING A WETLANDS SURVEY CONDUCTED BY VIRGINIA INSTITUTE OF MARINE SCIENCE PERSONNEL DURING THE PERIOD OF MARCH THROUGH JULY 1977. MOST OF THE OBSERVATIONS WERE MADE IN VERY TURBID WATERS WHEN THE PLANTS FOULED THE BOAT MOTOR'S PROPELLER. THE INFORMATION IS CONTAINED IN THE COMMENTS SECTION OF THE TIDAL MARSH INVENTORY LISTED IN THE PUBLICATION BLOCK. MORE INVENTORIES OF VIRGINIA TIDAL AREAS WILL BE CONDUCTED IN SUMMER 1978 AND WILL RECORD OBSERVATIONS OF

~~DATA AVAILABILITY:~~ SUBMERGED AQUATIC VEGETATION.

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

ANNEX III

Part A

Section 3

"3"

Detailed observations of submerged aquatic vegetation
found during faunal and bottom studies.

DATA COLLECTED:

SENT:

PAGE: 01

PROJECTS:

SURVEY OF FLORA OF VIRGINIA BEACH, ACCOMACK AND NORTHAMPTON COUNTIES

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., VIRGINIA, COASTAL, VIRGINIA BEACH, ACCOMACK COUNTY, NORTHAMPTON COUNTY

ABSTRACT:

THIS SURVEY WAS MADE IN PREPARATION OF THE ATLAS OF VIRGINIA FLORA LISTED IN THE PUBLICATION BLOCK. THE SURVEY WAS CONDUCTED CHIEFLY IN WETLANDS AREAS DURING THE SUMMERS OF 1971, 1974, 1975. THE SUBMERGED AQUATIC VEGETATION OF ACCOMACK AND NORTHAMPTON COUNTIES WAS FOUND IN THE PONDS AND CULVERTS. NO BOATS WERE USED.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. E. SPENCER WISE
CHRISTOPHER NEWPORT COLLEGE
NEWPORT NEWS, VIRGINIA 23606

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

A FLORA OF WORCESTER COUNTY, MARYLAND

GENERAL GEOGRAPHIC AREA:

NORTH AMERICA, U.S., MARYLAND, WORCESTER COUNTY

ABSTRACT:

THIS STUDY IS THE PIONEER WORK FOR DESCRIBING THE FLORA OF WORCESTER COUNTY, MARYLAND. IT WAS CONDUCTED FROM FALL 1930 TO FALL 1932.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN
CATHOLIC UNIVERSITY
WASHINGTON, D. C. 20064

GRID LOCATOR:

ANNEX III

Part A

Section 3

"4"

General observations of submerged aquatic
vegetation found during faunal studies.

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

ROLE OF DISTURBANCE IN AN EELGRASS COMMUNITY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA, YORK RIVER, SANDY POINT

ABSTRACT:

SIX STATIONS IN AN EELGRASS BED AT SANDY POINT ON THE YORK RIVER WERE SAMPLED IN JULY 1972 FOR BIOMASS OF BENTHIC PLANTS, SPECIES DETERMINATION OF BENTHIC ANIMALS AND SEDIMENT SIZE ANALYSIS. TWO YEARS LATER THE SAME EELGRASS BED HAD BEEN DEVASTATED BY PREDATOR FEEDING BY THE COWNOSE RAY LEAVING ONLY PATCHES OF EELGRASS. SEVENTEEN DIFFERENT SIZE PATCHES WERE SAMPLED AGAIN FOR SPECIES DETERMINATION. VARIOUS FORMS OF STRESS WERE ADMINISTERED TO THE EELGRASS INFAUNA AND EPIFAUNA AND RESULTS WERE OBSERVED.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT J. ORTH
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

PHOTOGRAPHS AND SLIDES OF THE CHESAPEAKE BAY AND ITS TRIBUTARIES

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY

ABSTRACT:

PHOTOGRAPHS HAVE BEEN TAKEN FROM APPROXIMATELY 1924 TO 1978 AS A HOBBY. THERE ARE 20,000 TO 30,000 BLACK AND WHITE NEGATIVES AND KODACHROME SLIDES REPRESENTING NUMEROUS SUBJECTS AND COVERING ALL OF NORTH AMERICA. FRANCIS UHLER'S MAIN INTERESTS HOWEVER HAVE BEEN WATERFOWL FOOD HABITS AND EVALUATION OF WATERFOWL SITES. APPROXIMATELY 500-1000 PHOTOGRAPHS RELATE TO THE CHESAPEAKE BAY. THE PHOTOGRAPHS ARE ARRANGED BY DATE AND ARE INDEXED BY SUBJECT MATTER FROM 1924-1934. FROM 1934 TO PRESENT THEY ARE NOT INDEXED AND REMAIN IN THEIR

~~DATA AVAILABILITY:~~ ORIGINAL STORAGE BOXES BY DATE. NUMEROUS NOTEBOOKS OF FIELD OBSERVATIONS ACCOMPANY THE SLIDES FROM 1924 TO PRESENT.

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

FRANCIS UHLER
P. O. BOX 65
BOWIE, MARYLAND 20715

GRID LOCATOR:

ANNEX III

Part A

Section 3

"6"

Areas near the Chesapeake Bay including
oceanside Maryland and Virginia, Delaware,
and the northern coast of North Carolina.

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

AN INVESTIGATION OF CERTAIN WATERFOWL PLANTS AND A BOTANICAL SURVEY OF BACK BAY NATIONAL WILDLIFE REFUGE, VIRGINIA BEACH, VIRGINIA

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, VIRGINIA, BACK BAY NATIONAL WILDLIFE REFUGE

ABSTRACT:

THE PURPOSE OF THIS STUDY WAS TO EXAMINE WATERFOWL FOOD, DESCRIBE THE BOTANY OF THE AREA AND EXAMINE THE PHYSICAL FACTORS OF THE BAY'S WATERS. 330 SPECIES, 198 GENERA AND 76 FAMILIES OF PLANTS WERE IDENTIFIED AT 15 STATIONS IN THE BAY OVER A PERIOD OF 27 WEEKS FROM 1 MAY TO 15 DECEMBER 1947.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN
VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY
BLACKSBURG, VIRGINIA 24061

GRID LOCATOR:

DATA COLLECTED:

PAGE: 01

SENT:

PROJECTS:

DISTRIBUTION OF SUBMERGED HYDROPHYTES IN CURRITUCK SOUND

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, NORTH CAROLINA, CURRITUCK SOUND

ABSTRACT:

ROOTED SUBMERGENT FLORA OF CURRITUCK SOUND, NORTH CAROLINA DESCRIBED WITH RESPECT TO SALINITY, SUBSTRATE TEXTURE, DEPTH, PH AND TURBIDITY. TEN TRANSECTS WERE MADE PERPENDICULAR TO SHORELINE ACROSS SOUND TO OPPOSITE SHORELINE - MAY TO AUGUST 1975.

DATA AVAILABILITY:

PLATFORM TYPES:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

LIBRARIAN
OLD DOMINION UNIVERSITY
NORFOLK, VIRGINIA 23508

GRID LOCATOR:

ANNEX III

Part B

Index to the Data Files of Chesapeake Bay -

Listed by Key Word

Submerged Aquatic Vegetation

This index is a listing of the data files of Sections 1 and 2 by key word. The data files initiated after January 1, 1973 are italicized. Most of the files are referenced by more than one key word, and more than half (16) of the 28 key words failed to yield relevant data files.

ANNEX III

Part B

Index to the Data Files of Chesapeake Bay-
Listed by Key Word
Submerged Aquatic Vegetation

beta activity in benthic plants (bottom)
none.

biological condition of benthic plants (bottom)
none.

biomass of benthic plants (bottom)
6, 8, 51, 60, 80.

canopy cover of benthic plants (bottom)
none.

community structure analysis (bottom)
8, 11, 31.

community structure analysis (water)
54.

count of benthic plants (bottom)
6, 8, 13, 15, 17, 19, 21, 23, 25, 29, 33, 57, 60, 62, 66, 69, 76,
78, 80, 81.

developmental stage of benthic plants (bottom)
none.

diversity index (bottom)
none.

flowering (bottom)
none.

gamma activity in benthic plants (bottom)
none.

growth studies of benthic plants (bottom)
75.

height of benthic plants (bottom)
none.

length of benthic plants (bottom)

60.

meristic measurements of benthic plants (bottom)

none.

morphometric measurement of benthic plants (bottom)

none.

mortality of benthic plants (bottom)

none.

photograph (bottom)

none.

photograph (earth) (from aircraft)

83, 85, 86, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 198, 199, 200, 201, 202, 203, 204, 205, 207, 208, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 227, 228, 229, 230, 231, 232, 233.

sample of benthic plants (bottom)

none.

sex determination of benthic plants (bottom)

none.

sightings of benthic plants (bottom)

none.

species determination of benthic plants (bottom)

6, 8, 11, 13, 15, 17, 29, 33, 36, 49, 56, 57, 60, 62, 64, 73, 76, 78, 80, 81.

taxonomic list of benthic plants (bottom)

27, 45, 47.

volume determination of benthic plants (bottom)

64.

volume/weight ratios of benthic plants (bottom)

none.

weight of benthic plants (bottom)

38, 41, 60, 66.

yield of benthic plants (bottom)

75.

ANNEX IV

Monitoring Programs of the Chesapeake Bay
Submerged Aquatic Vegetation

The 12 monitoring programs identified for submerged aquatic vegetation in the Chesapeake Bay form two categories, as follows:

Continuous monitoring programs presently active in the Chesapeake Bay - 11 files.

Continuous monitoring programs initiated after January 1967 and have operated five (5) years or longer, but are presently not operational - 1 file.

No continuous monitoring programs that were initiated prior to January, 1967 and have operated ten (10) years or longer, but are presently not operational, were found.

DATA COLLECTED: JANUARY 1972 TO PRESENT

PAGE:

MONITORING PROJECTS:

SPOILED WETLANDS RECOVERY STUDY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, QUEEN ANN COUNTY

ABSTRACT:

A STUDY OF VEGETATIVE REHABILITATION OF THREE DISTURBED MARSHES IN QUEEN ANN COUNTY, MARYLAND IS BEING CONDUCTED. THIS ONGOING MONITORING PROJECT INCLUDES ALL SUBMERGENT AND EMERGENT PLANTS TO 3 FOOT WATER DEPTH AT THREE DISTURBED AREAS, WITH 52 STATIONS PER DISTURBED AREA. SAMPLES ARE TAKEN IN EARLY AND LATE SUMMER.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
MARYLAND DEPARTMENT OF NATURAL RESOURCES
ANNAPOLIS, MARYLAND 21401

GRID LOCATOR:

DATA COLLECTED: OCTOBER 1957 TO PRESENT

PAGE:

MONITORING PROJECTS:

SUSQUEHANNA FLATS VEGETATION SURVEY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, SUSQUEHANNA FLATS

ABSTRACT:

THIS MONITORING SURVEY OF VEGETATION PRESENT ON THE SUSQUEHANNA FLATS STARTED IN 1957 AND IS ONGOING. IT INCLUDES DEPTH, SALINITY, SECCHI READINGS, PLANT SPECIES LISTS, PLANT RELATIVE ABUNDANCE, BENTHIC ANIMAL SPECIES LISTS, WATERFOWL FORAGE AVAILABILITY, AND SEASONALITY OF VEGETATION.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS
MARYLAND DEPARTMENT OF NATURAL RESOURCES
ANNAPOLIS, MARYLAND 21401

GRID LOCATOR:

DATA COLLECTED: JUNE 1962 TO PRESENT

PAGE:

MONITORING PROJECTS:

WOOD DUCK FLOAT CENSUS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, POTOMAC RIVER

ABSTRACT:

THIS MONITORING PROJECT INCLUDES COUNTS AND SPECIES DETERMINATION OF WATERFOWL, REPTILES, MAMMALS, BIRDS, AND BENTHIC PLANTS. SAMPLES HAVE BEEN MADE EACH JUNE SINCE 1962 ALONG A 180 MILE STRETCH OF THE POTOMAC RIVER. FISHING ACTIVITY IS ALSO NOTED. OBSERVATIONS ARE MADE FROM TWO DRIFTING BOATS WITH TWO OBSERVERS IN EACH BOAT.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

VERNON STOTTS
MARYLAND DEPARTMENT OF NATURAL RESOURCES
ANNAPOLIS, MARYLAND 21401

GRID LOCATOR:

DATA COLLECTED: 1967 TO PRESENT

PAGE:

MONITORING PROJECTS:

SUBSTRATE STUDIES IN THE PATUXENT RIVER

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, PATUXENT RIVER

ABSTRACT:

SUBSTRATE STUDIES HAVE BEEN DONE IN THE PATUXENT RIVER SINCE 1967. MEASUREMENTS INCLUDE BIOMASS, SPECIES DETERMINATIONS AND COUNTS OF PELAGIC ANIMALS AND COUNTS OF BENTHIC PLANTS FROM MONTHLY SAMPLING.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
BENEDICT ESTUARINE LABORATORY
BENEDICT, MARYLAND 20612

GRID LOCATOR:

DATA COLLECTED: 1970 TO PRESENT

PAGE:

MONITORING PROJECTS:

SUBSTRATE STUDIES IN THE CHESAPEAKE BAY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, CALVERT CLIFFS

ABSTRACT:

SUBSTRATE STUDIES HAVE BEEN DONE IN THE CHESAPEAKE BAY, MARYLAND SINCE 1970. MEASUREMENTS INCLUDE BIOMASS, SPECIES DETERMINATION AND COUNT OF PELAGIC ANIMALS AND COUNTS OF BENTHIC PLANTS SAMPLED MONTHLY AT 4 STATIONS. (WOODEN 4x6' PANELS SET UP AT FOUR STATIONS. SAMPLED MONTHLY AND QUARTERLY.)

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
BENEDICT ESTUARINE LABORATORY
BENEDICT, MARYLAND 20612

GRID LOCATOR:

MONITORING PROJECTS:

RESIDENT SPECIES OF ESTUARINE FINFISH

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

LONG TERM SEINE SURVEY IN MARYLAND TRIBUTARIES TO CHESAPEAKE BAY. MONITORING OF YEAR CLASS STRENGTH, SPECIES COMPOSITION, AND SEASONALITY OF FISHES. CONSISTENT DATA FILE FOR WHOLE PROJECT PERIOD IN POTOMAC, CHOPTANK, NANTICOKE, SUSQUEHANNA, WICOMICO, SASSAFRAS, ELK, NORTHEAST, AND BOHEMIA RIVERS. OTHER RIVERS INCLUDED BUT NOT FOR THE ENTIRE TIME FRAME WERE CHESTER, PATUXENT, MANOKIN, BIG ANNEMESSEX, POCOMOKE, BLACKWATER, TRANSQUAKING, CHICAMACOMICO, MILES, SOUTH, MAGOTHY, PATAPSCO, BACK, AND MIDDLE RIVERS.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
MARYLAND DEPARTMENT OF NATURAL RESOURCES
ANNAPOLIS, MARYLAND 21401

GRID LOCATOR:

MONITORING PROJECTS:

MARINE FINFISH AND SHELLFISH SURVEY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, OCEAN SIDE

ABSTRACT:

MONITORING OF FISHES WITH BEACH SEINE AND TRAWL OCCURS IN BAYS ON THE OCEAN SIDE OF THE EASTERN SHORE OF MARYLAND. DATA COLLECTIONS INCLUDE SPECIES LISTS, SIZE RANGE, NUMBERS AND HYDRO DATA. DATA IS EXPANDED TO AREA ESTIMATES. MAINLY SUMMER DATA, TO BECOME QUARTERLY SURVEY. (SOME DATA APPEARS IN WILLIAM SIPPLE FILE ON ECOLOGICAL WETLANDS ASSESSMENT.)

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
MARYLAND DEPARTMENT OF NATURAL RESOURCES
WYEMILLS REGIONAL STATION
WYEMILLS, MARYLAND 21679

GRID LOCATOR:

DATA COLLECTED: 1970 TO PRESENT

PAGE:

MONITORING PROJECTS:

RADIOACTIVITY STUDIES OF SEDIMENTS AT CALVERT CLIFFS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, CALVERT CLIFFS

ABSTRACT:

DATA SHEETS INCLUDE RADIOACTIVITY STUDIES OF SEDIMENTS AT CALVERT CLIFFS, CHESAPEAKE BAY, MARYLAND. STUDIES INCLUDED SPECIES DETERMINATIONS AND MEASUREMENTS OF BETA ACTIVITY OF BENTHIC PLANTS AND PELAGIC AND DEMERSAL FISH, AND STUDIES OF SALINITY, PH AND TURBIDITY. SAMPLING HAS BEEN DONE FOUR TIMES PER YEAR AT SIX STATIONS SINCE NOVEMBER 1971.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

BALTIMORE GAS AND ELECTRIC COMPANY

GRID LOCATOR:

DATA COLLECTED: JULY 1971 TO PRESENT

PAGE:

MONITORING PROJECTS:

CHESAPEAKE BAY AQUATIC VEGETATION SURVEY

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND

ABSTRACT:

THIS ONGOING MONITORING PROGRAM BEGAN IN JULY 1971 TO RECORD THE DISTRIBUTION AND ABUNDANCE OF SUBMERGED AQUATIC VEGETATION IN THE UPPER CHESAPEAKE BAY. ALL MARYLAND TRIBUTARIES INCLUDING THE POTOMAC RIVER ARE SURVEYED BETWEEN JULY AND SEPTEMBER OF EACH YEAR. EACH STATION IS MONITORED ONCE DURING THESE MONTHS. THE RAW DATA IS STORED ON MAGNETIC TAPE AND SUMMARIZATION OUTPUTS ARE AVAILABLE FOR EACH YEAR. THIS DATA IS SUMMARIZED BY RIVER SYSTEM.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

ROBERT MUNRO
PATUXENT WILDLIFE RESEARCH CENTER
U.S. FISH AND WILDLIFE SERVICE
LAUREL, MARYLAND 20811

GRID LOCATOR:

DATA COLLECTED: APRIL 1974 TO PRESENT

PAGE:

MONITORING PROJECTS:

REMOTE SENSING OF SUBMERGED AQUATIC VEGETATION

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA

ABSTRACT:

MISSIONS ARE FLOWN BY VIRGINIA INSTITUTE OF MARINE SCIENCE PERSONNEL USING AN INSTITUTE LIGHT AIRCRAFT EQUIPPED WITH A MOUNTED HASSELBLAD 500 EL/M CAMERA(50 MM F/4 DISTAGON LENS) AT ALTITUDES VARYING FROM 5000 TO 8000 FEET. THE PROJECT BEGAN IN APRIL 1974. THE OBJECTIVE OF THIS ONGOING MONITORING PROGRAM IS TO STUDY THE DISTRIBUTION OF SUBMERGED AQUATIC VEGETATION IN THE LOWER CHESAPEAKE BAY.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT J. ORTH
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED: FEBRUARY 1976 TO PRESENT

PAGE:

MONITORING PROJECTS:

INVESTIGATION ON GROWTH DYNAMICS AND CHARACTERISTICS OF EELGRASS

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, VIRGINIA, MOBJACK BAY, HUNGARS CREEK

ABSTRACT:

FOUR REPLICATE SAMPLES EACH ARE TAKEN EVERY MONTH AT A STATION IN MOBJACK BAY AND ONE IN HUNGARS CREEK, VIRGINIA. THE PROJECT BEGAN IN FEBRUARY 1976. THE OBJECT OF THIS ONGOING MONITORING PROGRAM IS TO DETERMINE THE GROWTH DYNAMICS AND CHARACTERISTICS OF EELGRASS.

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DR. ROBERT J. ORTH
VIRGINIA INSTITUTE OF MARINE SCIENCE
GLOUCESTER POINT, VIRGINIA 23062

GRID LOCATOR:

DATA COLLECTED: 1968 TO 1975

PAGE:

MONITORING PROJECTS:

SUBSTRATE STUDIES ON THE POTOMAC RIVER

GENERAL GEOGRAPHIC AREA:

NORTH ATLANTIC OCEAN, U.S., COASTAL, CHESAPEAKE BAY, MARYLAND, POTOMAC RIVER

ABSTRACT:

SUBSTRATE STUDIES HAVE BEEN DONE ON THE POTOMAC RIVER SINCE 1968. MEASUREMENTS INCLUDE BIOMASS, SPECIES DETERMINATIONS AND COUNTS OF PELAGIC ANIMALS AND COUNTS OF BENTHIC PLANTS FROM MONTHLY SAMPLING. (SPURIOUS DATA DUE TO STORMS.)

DATA AVAILABILITY:

PLATFORM TYPE:

ARCHIVE MEDIA:

FUNDING:

INVENTORY:

PUBLICATIONS:

CONTACT:

DIRECTOR
BENEDICT ESTUARINE LABORATORY
BENEDICT, MARYLAND 20612

GRID LOCATOR: